

市场推送：FEW-K8A5HB福州到各地省市县区域/直送2023全+境+派+送

产品名称	市场推送：FEW-K8A5HB福州到各地省市县区域/直送2023全+境+派+送
公司名称	福建中立恒自动化设备有限公司
价格	.00/件
规格参数	
公司地址	福建省福州市鼓楼区温泉街道五四路9号宁德大厦（宏福大厦）10层1064室
联系电话	15659159037 15659159037

产品详情

主营产品：DCS集散式控制系统、PLC可编程控制器、数控系统、

(CPU处理器、模块、卡件、控制器、伺服驱动、工作站、驱动器、

马达、内存卡、电源，机器人备件等)各类工控产品

SEW EURODRIVE MOTOR, 0103226325.01.03001, 3PH, TYPE SF70R40DT71C-4

SEW EURODRIVE MOTOR, DF26DT90L4, GEAR BOX, R87D26DT90L4,

SEW EURODRIVE, DV112M4, 5.4 HP, 3 PHASE, 850017801.01, 1720 RPM

SEW EURODRIVE, MOTOR & REDUCER HALF, DFT80K4, 0.75 HP, 3 PH, 1700 RPM, DF16

SEW EURODRIVE, MOTOR & REDUCER HALF, DFT80N4-KS, 1 HP, 3 PH, 1700 RPM, DF16

SEW EURODRIVE, SAF77DV132S4, S.O. 880188839.09.09.001, RATIO: 13.75

SEW EURODRIVE, VERIGEAR REDUCER, R47VU01AM148, RATIO 139.99, TORQUE 1900

SEW-EURO GEARBOX SA62LP145TC, TORQUE 3360, RATIO 55.9

SEW-EURO GEARBOX SA72LP145TC, TORQUE 7170, RATIO 55.35

SEW-EURODRIVE DFT71K4 MOTOR, .25 HP, 1700 RPM, 230/460V, R47R37DT71K4 GEAR BOX

SEW-EURODRIVE DFT90S6/4C MOTOR, .4/.8 HP, 850/1700 RPM, SAG7DT90SB/4C REDUCER

SEW-EURODRIVE GEAR REDUCER RF40LP56, 14.08 RATIO, 880 TORQUE, S.O. 880177122.99

SEW-EURODRIVE INC TYPE: KAF47LP102-KS, RATIO: 19.38

SEW-EURODRIVE INC, GEAR MOTOR REDUCER, R47AD2, 880230101.04, 17.89 RATIO

SEW-EURODRIVE INC, GEAR MOTOR REDUCER, TYPE R47AD2, RATIO 5.64

SEW-EURODRIVE MOTOR & GEAR REDUCER, DFT80K4-KS, 0.75 HP, R60DT80K4-KS, 42.66 R

SEW-EURODRIVE MOTOR DFT80N4BM605HR, 3 PH, REDUCER, R60DT80M4BM61HR, 5.16 RATIO

SEW-EURODRIVE MOTOR DFT90S4 & GEARBOX R27DT90S4, 1.5HP

SEW-EURODRIVE MOTOR/GEARBOX 850010575.95.95.001, R40DT71D4BM05HR, DFT71D4BM05HR

SEW-EURODRIVE SPEED REDUCER, RF60LP, 17.06:1 RATIO, 880032930.3, 2120 LB-IN TORQ

SEW-EURODRIVE SPEED REDUCER, RF60LP, 24.51:1 RATIO, 880032928.3, 2120 LB-IN TORQ

SEW-EURODRIVE TYPE DRE90M4/FG MOTOR, 3 PH, 1.50 HP, 277/480 VOLTS, 1740 RPM

SEW-EURODRIVE, GEARMOTOR, DFT71D4,R37DT71D4, 870204414.06,60HZ,3PH,1700RPM, .5HP

SEW-EURODRIVE, GEARMOTOR, R17DT71D4BMG05HR, PH 3, 60HZ, 1700RPM, 3PH

SEW-EURODRIVE, MOTOR, DFT80N4BMG1HR, 1 HP, FA67DT80N466.07, 109.04 RATIO

SHAFT HOUSING, CL-V89, CL-V87, CL-88, 8" OD, 2 3/16" BORE, 4 3/4" WIDTH

SHAFT SLEEVE, 8.25" L, 4.875" W, 2.75" ID

SHALLCO ROTARY SELECTOR SWITCH 114-FB-30, 30 POSITION, 1 DECK, 1 POLE

SHAMROCK UNIVERSAL RIGHT ANGLE IRON, 7" X 10" X 5 1/2"

SHARPE, 1 1/2" GATE VALVE, 34834, MR-01-075

SHEAVE - 10

SHEAVE - 5

SHEAVE -2

SHEAVE -3

SHEFFER CORP CYLINDER, ID 2032957-1, MOD. 3 1/4AC4CC, 3 1/4" BORE, 4" STROKE

SHEFFER CORP CYLINDER, ID 2110130-4, MOD. 2.5 HHC15.1875AKVY, 2.5" BORE

SHEFFER CORP, HYDRAULIC CYLINDER, 1 1-2HHSL84CCKY, 1/2" BORE, HEAVY DUTY

SHEFFER CORP, HYDRAULIC CYLINDER, 1/2HHC9 8437CCAKEY, 1/2" BORE, 9" STROKE

SHEFFER, CYLINDER, 3125152-1, 2-1/2MH06K, 2-1/2" BORE, 6" STROKE

SHINANO TOKKI, MOTOR A90L-0001 -0016, 60V, 24/ 25W

SHINANO TOKKI, MOTOR A90L-0001 -0068, 60V, 24/ 25W

SHINDENGEN POWER SUPPLY SY12050GN2, INPUT: 50/60 HZ, 200-240 VAC, 8.4A, 12VDC

SHINDENGEN POWER SUPPLY, AYT05020, T0Z0387B, 4.5-6 VDC, 90-110 VAC, 1-20 AMPS

SHURITE DIGITAL METERE, KLY-D3A, KYLD3A5AACIV, 120V AC, 0-5 AMERS AC

SHUTTLEWORTH INC, COLLAR, 021944-0001, 16 MM OD, 8 MM ID, LOT OF 50

SIBA HIGH VOLTAGE BACK-UP FUSE 3022213.125A, 125 AMP, INDOOR/OUTDOOR

SICK 4 AMP POWER SUPPLY ENCLOSURE PS95W-24V-ENC, 7029740, TYPE 1 ENCLOSURE,

SICK 7027089 PHOTOELECTRIC ZONE CONTROL, WLR2100-M6361 AC 90-240V

SICK 7029572, BRACKET ASSEMBLY FOR CONVEYOR UPGRADE, WLR 2100-M6361, 7027089

SICK 7029609 ZONE CONTROL INTERFACE MODULE, MODEL #ZIM-2B1120 24VDC

SICK AUTO IDENT CONTROLLER, 8888 RVSI CIMATRIX, CONFIG 5111, 40 WATTS

SICK BRACKET ASSEMBLY FOR CONVEYOR UPGRADES 7125160, ZLM 1-B1421A10P01, SINGLE

SICK CLIP ON MOUNT ZONE CONTROL ZLM 1-C9121A10, WITH SICK OPTIC VALVE 7027751

SICK CLV430-0010 1017585, LINE SCANNER, BARCODE SCANNER, NO CORD

SICK CONNECTION MODULE, CDM420-0101, 1025364, 10-30 VDC, 100-240V AC, CLASS 2

SICK LINE CORD RELAY MODULE OPTION PS56-1000, 115-230 VAC, 50/60HZ, 1 AMP

SICK LINE SCAN, STANDARD SOFTWARE SELECTABLE HOST PORT RS, CLV430-0010, 1017585

SICK OPTEX NT8-02412 CONTRAST SENSOR 1 005 985, 9 MM SENSING DISTANCE

SICK OPTIC AC ZPA SENSOR 7027089, WLR 2100-M6361, LN1133, ACCUMULATION DELAY

SICK OPTIC CLONING MODULE, CMC600-101, CMC600101

SICK OPTIC ELEC. SINGLE & SLUG RELEASE 1025373, WTR-1P421A10, AIR TO DRIVE VALVE

SICK OPTIC ELECTRONIC 4 AMP ZONE CONTROL POWER SUPPLY 7 029 740, PS95W-24V-ENC

SICK OPTIC ELECTRONIC BARCODE SCANNER W/ RELAY MODULE CLX490-0010

SICK OPTIC ELECTRONIC CDM420-0102 CONNECTION MODULE P/N 1026220, 100-240 V-AC

SICK OPTIC ELECTRONIC CONTROLLER OMNI TRACKING SYSTEM OTS-400-0000

SICK OPTIC ELECTRONIC LIGHT CURTAIN RECEIVER, FGSE 450-111, 14-FGSE 450-111

SICK OPTIC ELECTRONIC LIGHT CURTAIN TRANSMITTER, FGSS 450-111, 14-FGSS 450-111

SICK OPTIC ELECTRONIC MEMORY PARAMETER MODULE CMC400-101, FOR CDB 420

SICK OPTIC ELECTRONIC PROXIMITY PHOTOELECTRIC WT18-3P420, 1 025 905, DC10-30V

SICK OPTIC ELECTRONIC VALVE 7027751, WITH BRACKET ASSEMBLY 7125160, 24V, 2 PORTS

SICK OPTIC ELECTRONIC, BARCODE SCANNER POWER SUPPLY, PS53-1000, 115/230 VAC

SICK OPTIC ELECTRONIC, LIGHT CURTAIN SENSING DEVICE, C 4000, MADE IN USA

SICK OPTIC POWER SUPPLY ENCLOSURE 7 122 410, W/ DIRECT LOGIC 105, 2 AMP

SICK OPTIC REFLEX PHOTO SWITCH, WL27-2R630, PHOTOELECTRIC, RETRO-REFLECTIVE

SICK OPTIC, PHOTOELECTRIC REFLECTIVE, FR2-122B, 24-240V

SICK PHOTOELECTRIC PLUG-IN RETRO SWITCH, PNP, WL18-2P430, 10-30 VDC, 0.1 A

SICK PHOTOELECTRIC PLUG-IN RETRO SWITCH, PNP, WL18-3P430, 10-30 VDC, 0.1 A

SICK PHOTOELECTRIC RETRO-REFLECTIVE SENSOR WL15-P1130, STANDARD OPTIC

SICK POWER SUPPLY ENCLOSURE PS50W-24V-ENC, 7029741, 2 AMP, FOR ZONE CONTROL

SICK ROLLER CONVEYOR SENSOR ADJUSTABLE ACCUMULATION DELAY WLR2100-M6361, 7027089

SICK ROLLER CONVEYOR SENSOR WLR2100-M6361, MAC SOLENOID VALVE 35A-AAB-DEU-1KJ

SICK SENDER 2027021 & RECEIVER 2027020 SET TYPE MLG

SICK SENSOR W/ PNEUMATIC VALVE OUTPUT 1025373, WTR1-P421A10, DC18, 30V, CLASS 2

SICK SENSOR, LOGIC, VALVE, IRT-P211A10, 1063117, 1.2M DAISY CHAIN, NEW IN BOX

SICK TRACKING CONTROLLER OTC400-0000, OTC 400, 1 017 866, 1017866, DC 24V

SICK ZONE CONTROL, ZPA LOGIC MODULE, ZLM1-B1421A10, 7125160, 24 VDC, 60MA

SICK, CLV490 OPTIC BAR CODE SCANNER LNC, CLV490-0010

SICK, CONNECTION MODULE CDM490-0103, USED

SICK, LONG RANGE LINE SCANNER ETHERNET COMMUNICATION, CLV630

SIEMANS-ALLIS INDUCTION MOTOR - 40/10 HP, 1-5139-LR45395-01

SIEMENS #SM-691 ALLEN BRADLEY #113123 TRANSFORMER

SIEMENS #SM-691 ALLEN BRADLEY #113123 TRANSFORMER

SIEMENS 14429-366-002 74 VDC CONTACTOR, 14-183-218, P/N 8461331-2

SIEMENS 21 PLUS, RGZZESD, 3PH, 60 HZ, 230/460 V, 25/12.5 AMPS

SIEMENS 3SE5 112-0CH50 LIMIT SWITCH WITH TWIST LEVER ACTUATOR, 10 AMP

SIEMENS 500 AMP CIRCUIT BREAKER, PART NUMBER UNKNOWN

SIEMENS CIRCUIT BREAKER *NEW* ED63B060

SIEMENS CIRCUIT BREAKER CAT NO: ED63B020, TYPE: ED6, AMPS: 20, POLES: 3,

SIEMENS CIRCUIT BREAKER ED43B020, 20 A, 480V MAX, 3 POLE

SIEMENS CIRCUIT BREAKER ED63A002, 3 POLE, 600 VAC, 2 AMP

SIEMENS CIRCUIT BREAKER HLD63F600, 600 VAC AT 50/60 Hz, 3 POLES, 3 PHASE

SIEMENS CIRCUIT BREAKER JD63F400, 600 VAC, 400A MAX, 3 POLES

SIEMENS CIRCUIT BREAKER, ED23B015, TYPE ED2, 15 AMPS, 240 VOLTS MAX, 3 POLES

SIEMENS CIRCUIT BREAKER, ED42B015, 15 AMPS, 2 POLES, 480-250 VOLTS MAX DX

SIEMENS CIRCUIT BREAKER, ED63A010, 10 AMP, 600VAC, 3 POLE

SIEMENS CIRCUIT BREAKER, PART NUMBER UNKNOWN, SENTRON SERIES

SIEMENS DC CONTACTOR 14-193-100-562, COIL 74 VDC, 600 VAC, TYPE 100, 1000ADC

SIEMENS DC CONTACTOR, 14-193-100-562, 600 V, 100 ADC, 1000 VDC, 1250 AMPS

SIEMENS DELAY MODULE 3TK2943-0BB4, G/020628

SIEMENS DEMATIC, CONVEYOR ROLLER, S3573, 22" BF, TAPERED, 7/16" HEX AXLE

SIEMENS ELECTRIC BOX, 25-213-097-506

SIEMENS ELMO MOTOR AND PUMP, 2BV2 061 ONH23 9FZ, 0X90 2449 05 007

SIEMENS GREEN OIL TIGHT PUSH BUTTON PILOT LIGHT 52PA6G3A, 120 VOLTS

SIEMENS HEAVY DUTY DISCONNECT SAFETY SWITCH, HF361, 30 AMP, 600 VAC, 250 VDC

SIEMENS HEAVY DUTY SAFETY SWITCH 600V AC MAX RAINPROOF

SIEMENS HF362 FUSIBLE HEAVY DUTY SAFETY SWITCH, 60 AMPS MAX, TYPE 1, 600 VOLTS

SIEMENS INDUSTRIAL AUTOMATION, CIRCUIT BOARD, 505-6408, 8 CHANNEL WORD OUTPUT

SIEMENS MILLTRONICS BW100 BELT WEIGHER INTEGRATOR, 100/115/200/230V, 50/60HZ

SIEMENS MILLTRONICS PBD-51034981 STANDARD CIRCUIT CARD FOR MOTION FAILURE ALARM

SIEMENS MILLTRONICS SPEED SENSOR MD-36A, INPUT: 15 VDC MAX, 25 MA MAX, 1:1 RATIO

SIEMENS MILLTRONICS, LOAD CELL, 7MH7725-1BS, W/HDW, MUS, STD, 30KG, ALUM, SPARE

SIEMENS MOLDED CASE CIRCUIT BREAKER ED43B050

SIEMENS MOTOR - LA31074AA94, 3 PHASE, 460 VOLTS

SIEMENS MOTOR CIRCUIT INTERRUPTER, ED63A005, 5 AMPS, 600-250 VOLTS MAX, 3 POLES

SIEMENS MOTOR, 1-IA5096-6AA91, 1.3 KW, KRACHT PUMP D-598, KF 1/24D 10K 24 CM3/U

SIEMENS MOTOR, 1-IA5096-6AA96, 1.3 KW, KRACHT PUMP D-598, KF 1/24D 20K 24 CM3/U

SIEMENS MOTOR, 1LA0 182-4FP21, G98T012EE151, 1740RPM, TYPE RGZP, 3 PH, 3 HP

SIEMENS MOTOR, 1LA2063-4AB16

SIEMENS NEMA PREMIUM MOTOR 1LE22212BB114AA3 15HP 11.19KW 50/60HZ 208-230/460V

SIEMENS P/N 8461332, 74 VDC CONTACTOR, 14-183-213-501, 14499-366-001, 1000 AMP

SIEMENS PE 21 PLUS PREM. EFF. MOTOR - 30HP - RGZESD

SIEMENS PE 21 PLUS PREMIUM EFFICIENCY MOTOR - 30 HP, 2-5141-LR50328

SIEMENS PROGRAMMABLE CONTROLLER SIMATIC TI305-02B, 305-02B, FANUC IC610MDL175B

SIEMENS SEVERE DUTY INDUCTION MOTOR - 10HP

SIEMENS SIMATIC TI305 PROGRAMMABLE CONTROLLER UNIT 305-02B, 5 SLOTS, 250V

SIEMENS SIMATIC TI505 505-6660 POWER SUPPLY, 16 SLOT, TI545, 24 VDC IN & OUT

SIEMENS SIMATIC TI505 505-6660 POWER SUPPLY, W/ TI545 PROCESSOR, 110VAC IN & OUT

SIEMENS SIMATIC TI505 CONTROL SYSTEM LR64027, 16 SLOT CHASSIS

SIEMENS SIVOLT K A/V STELLER POWER CONTROLLER 6SG6410-2CA75-ZA76, 6SG6410

SIEMENS SWITCH SAFETY ROPE PULL 3SE7-160-1BD00-0AS1, 2 DIRECTION, 1 NC + 1 NO

SIEMENS, 8461331-2 14429-366-002 74 VDC CONTACTOR, 14-183-218

SIEMENS, A-AXIX CABLE, 6FC9348-5XC, 670 33 692

SIEMENS, CONTACTOR, 40KG32A, SIZE 4 1/2, 48ASS3M20 RELAY, MOTOR STARTER 14KT

SIEMENS, FUSIBLE HEAVY DUTY SAFETY SWITCH, HF364, VB II

SIEMENS, HEAVY DUTY SAFETY SWITCH, HF363N, NEMA TYPE 1, HORSEPOWER RATED, 100A