

# 白骑士气动风囊泵whiteknight bellows pump PXA140

产品名称	白骑士气动风囊泵whiteknight bellows pump PXA140
公司名称	上海奇穆实业有限公司
价格	80000.00/件
规格参数	白骑士:whiteknight PXA140:PXA140 美国:USA
公司地址	上海市青浦区天辰路2801-2809号5幢3层B区324室
联系电话	18016384060

## 产品详情

### White Knight PXA系列泵

高纯泵有输送100 ° C液体的能力以接近开关控制

#### 泵概述

PXA系列泵是一种理想的解决方案，应用于高纯化学品的循环，温度高达100度的应用，需要用接近开关传感器来优化系统的控制。PTFE/PFA泵使用接近开关和外部的电磁阀控制。

可以安全可靠的在两年的保修期内运行。允许工作压力7公斤(100 psi)，可以在100度无需冷却水的热循环中使用。该泵均有三种型号 PXA030, PXA060 和 PXA140、流量为30、60和140升/每分钟泵特点和优点

- 过程安全的PTFE/PFA液体通路
- 防漏的机加工设计
- 聚丙烯泵头封装有不锈钢接近开关的感应目标

- 无橡胶O形圈、不漏水、无需紧固
- 变速机构中无润滑剂
- 无电机、无发热
- 各种液体连接选项的
- 安全、无泄漏操作由于无金属设计
- \*少的零件耐用的设计
- 100级洁净室装配、测试和封装
- 易于安装和维护
- 双接近开关
- 强大的波纹管的设计能使压力达到7Bar(100 psi)
- 在两年的保修期内不会有任何预防性维护

泵规范

Model	PXA030		
Flow Rate*	25.6 lpm6.76 gpm		6
Size of Air Connection	1/4-in FNPT		
Displacement Per Cycle*	0.089 liters0.024 gal		0
Cycles Per Minute*	390 max		
Weight	2.3 kg (5.1 lb)		
Suction Lift*	1 m (3 ft)		
Sound Pressure**	69.54 dB(a)75.56 dB(a)		68
Sound Power**	58.44 dB(a)64.49 dB(a)		60
Max Temperature			
Max Pressure			
Fluid Path Materials			
Non-Fluid Path Materials			
Stroke Detection Options			Prox
Leak Detection Options			Fiber optic with

Electronic Control			
Model	PXA030		