

Stainless steel Coronary Stent

产品名称	Stainless steel Coronary Stent
公司名称	元兴发展有限公司
价格	面议
规格参数	
公司地址	No.8 Lane 3, Longwu Village, Minzhi Street, Shenzhen/深圳, 518131, China
联系电话	86-755-28121086

产品详情

A combination of Flexibility, Deliverability and Conformability.

* A classical coronary stent with stainless steel platform and open cell design suitable for most stent procedure. The device offers excellent flexibility, crossability and radial strength. The product has a complete diameter range from 2.5mm to 4.0mm and the length of 9 ~ 33mm.

Stent Specifications:	
Stent Material	316L Stainless Steel
Stent Strut Thickness	0.100 ± 0.010mm
Metal Coverage Area	14.6% (3.mm stent)
Stent Length Shortening	<3% (3.mm stent)
Stent Recoil	<5%
Radial Force	High

Stent Crossing Profile	≤1.0mm
Delivery System Specifications:	
Prox Shaft Material	PTFE Coated Hypotube
Prox Shaft Diameter	2.0F
Dist Shaft Diameter	2.55F (2.5~2.75 mm)
	2.70F (3.0~4.0 mm)
Transition Prox/Dist Shaft	Tri-extrusion / SS Tube
Balloon Material	Nylon
Compliance	Semi
Nominal Pressure	6 atm
Rated Burst Pressure	16 atm
Average Burst pressure	20 atm
Profile	0.030" (3.0mm)
Lesion Entry Profile	0.016"
Tip Design	Tapered Soft
Working Length	142CM
Balloon Pleats	3

--	--

Available Sizes:

Length	9	12	16	18	20	23	28	33
Diameter								
2.50								
2.75								
3.00								
3.50								
4.00								