

施耐德 140CPU65150 PLC模块

产品名称	施耐德 140CPU65150 PLC模块
公司名称	厦门亿佳天辰贸易有限公司
价格	3453.00/件
规格参数	施耐德:235 140系列:235 法国:345
公司地址	厦门市湖里区枋湖西二路3号338室之五（注册地址）
联系电话	0592-6057707 18064452363

产品详情

施耐德 140CPU65150 PLC模块

SIMATIC S5-115U/H、S5-135U 和 S5-155U/H，带 IM 308

SIMATIC 505

出于性能原因，每条线路上连接的主站不得超过 2 个。

以下设备可作为从站连接：

ET 200 分布式 I/O 设备

S7-300，通过 CP 342-5

CPU 313C-2 DP，CPU 314C-2 DP，CPU 314C-2 PN/DP，CPU 315-2 DP，CPU 315-2 PN/DP，CPU 317-2 DP，CPU 317-2 PN/DP 和 CPU 319-3 PN/DP

C7-633/P DP，C7-633 DP，C7-634/P DP，C7-634 DP，C7-626 DP，C7-635，C7-636

现场设备

虽然带有 STEP 7 的编程器/PC 或 OP 是总线上的主站，但是只使用 MPI 功能，另外通过 PROFIBUS DP 也可部分提供 OP 功能。

如果 CPU 发出状态信号“DEFECTIVE”（所有 LED 闪烁），您可以选择保存信息以分析 CPU 状态。

此信息存储在诊断缓冲区及实际服务数据中。

选择“目标系统 -> 保存服务数据” (Target system -> Save service data)
命令读取该信息，并将数据保存到文件中以便转发给客户支持部门。

如果 CPU 处于“DEFECTIVE”状态（所有 LED 闪烁）下，请关闭电源再打开（关闭/打开电源）。

结果：CPU 现在处于 STOP 模式。

CPU 转到“STOP”模式后，在 SIMATIC Manager 中使用菜单命令选择相应的 CPU：“目标系统 > 可用节点” (Target system > Available nodes)。

使用 SIMATIC Manager 菜单命令“目标系统 > 保存服务数据” (Target system > Save service data)
保存服务数据。

SOLON PRESSURE SWITCH MODEL 2PSX1SST2

Southeast Toll 1/8" Straight Router Bit, 2 Flute S.C. (LW0283-1)A

Southeast Tool 1/4" Straight Cut Router Bit, 2 Flute, Solid Carbide (LW0297-1)A

SP300 USB Universal Programmer For 51/AVR/ATMEL/MICROCHIP/SST/STC IC Chip Device

Spears PVC Tee, 2" X 2" 1/2", SST

SPECIALTY MFG CO. CHK SST 210-2F2M-F Piston Spring Check Valve, 1/8 In. G0294682

SPECIALTY MFG CO. CHK SST 210-2F2M-F Piston Spring Check Valve, 1/8 In. G0883845

SPI and I2C Flash Programmer WINBOND ST PMC MXIC ST SST ATMEL BIOS CMOS EEPROM

SPICER DANA SST 14 SPEED TRANSMISSION Parts Manual book catalog list spare 1978

SPICER DANA SST 20 SPEED TRANSMISSION Parts Manual book catalog list spare 1978

SPICER DANA SST 7 SPEED TRANSMISSION Parts Manual book catalog list spare 1979

SPICER SST+1 7 SPEED SPLIT TORQUE TRANSMISSION SERVICE SHOP REPAIR BOOK MANUAL

SPICER SST-10 10 SPEED SPLIT TORQUE TRANSMISSION SERVICE SHOP REPAIR BOOK MANUAL

SPICER SST-11 11 SPEED SPLIT TORQUE TRANSMISSION SERVICE SHOP REPAIR BOOK MANUAL

SPICER SST-20 20 SPEED SPLIT TORQUE TRANSMISSION SERVICE SHOP REPAIR BOOK MANUAL

Spicer SST-5 5 Speed Split Torque Transmission Repair Service Manual 2330-2

SPICER SST-6 6 SPEED SPLIT TORQUE TRANSMISSION SERVICE SHOP REPAIR BOOK MANUAL

Spicer Transmission Manual SST-2 Model 9072

Spicer Transmission Manual Supplement SST-2 1372-A

SS MESH STAINLESS STEEL 400 MESH 12"X12" FILTRATION SS T316 FREE SHIP

SS6201-2RS SST Single Row Ball Bearing

SSB3-4S MARSON, BLIND RIVET OPN-END .094D, .126-.250GR DMHD SST/SST

SSD42BS POP, BLIND OPN-END RIVET .125D, .063-.125GR DMHEAD SST/STL

SSD42BSLF POP, BLIND OPN-END RIVET .125D, .063-.125GR LGFHEAD SST/STL

SSD42SSBS POP, BLIND OPN-END RIVET .125D, .063-.125GR DMHEAD SST/SST

SSD43SSBS POP, BLIND OPN-END RIVET .125D, .126-.187GR DMHEAD SST/SST

SSD44BS POP, BLIND OPN-END RIVET .125D, .188-.250GR DMHEAD SST/STL

SSD44SSBS POP, BLIND OPN-END RIVET .125D, .188-.250GR DMHEAD SST/SST

SSD46SSBS POP, BLIND OPN-END RIVET .125D, .313-.375GR DMHEAD SST/SST

SSD46SSH POP, BLIND CLSD-END RIVET .125D, .313-.375GR DMHD SST/SST

SSD48SSBS-B BAYFAST, BLIND OPN-END RIVET .125D, .376-.500GR DMHEAD SST/SST

SSD52SSBS POP, BLIND OPN-END RIVET .156D, .063-.125GR DMHEAD SST/SST

SSD54SSBS POP, BLIND OPN-END RIVET .156D, .188-.250GR DMHEAD SST/SST

SSD62SSBS POP, BLIND OPN-END RIVET .187D, .063-.125GR DMHEAD SST/SST

SSD64SSBS POP, BLIND OPN-END RIVET .187D, .126-.250GR DMHEAD SST/SST

SSD66BS POP, BLIND OPN-END RIVET .187D, .251-.375GR DMHEAD SST/STL

SSD66SSBS POP, BLIND OPN-END RIVET .187D, .251-.375GR DMHEAD SST/SST

Ssle 10 Packs DENTSPLY K-FILE 25mm 030 SSt Endodontic Root Canal Files Hand Use

SST ... 50BS15H-1 ... 1" ... BLACK STEEL SPROCKET

SST ... 50BS19H-1-3/16 ... 1 3/16" ... BLACK STEEL SPROCKET

SST ... 50BS26H-1-7/16 ... 1 7/16" ... BLACK STEEL SPROCKET

SST ... 60BS24H ... 1 7/16" ... BLACK STEEL SPROCKET ... IN BOX

SST ... B31610 ... 2 BOLT CAST IRON HOUSING ... UC207-23 PILLOW BLOCK BEARING

SST 1" PILLOW BLOCK BEARING 205EI - 16

SST 10mm x 35mm x 19mm Double Row Rubber Sealed Ball Bearing 5300-2RS

SST 1200650270 1200650270

SST 1602RS Bearing With Housing -

SST 2 Bolt Cast Iron Housing 1-5/8" Pillow Block Bearing UCP209-26

SST 2.16" x 3.54" Ball Bearing 6011-Q

SST 2012 1 Taper Bushing, Sintered Steel 1" Bore, 2.75" OD, 1.25" L (GarGr-3)

SST 2012 50BTB26H Tapered Bushed Sprocket #50 26T 50BTB26 H

SST 204E112AXC NSPP 204E112AXC

SST 2-3/8" Bore Type 2517 Taper Bushing

SST 27SF010 SST27SF010 1Mbit FLASH EEPROM DIP-32 X 10pcs

SST 27SF020 SST27SF020 2Mbit FLASH EEPROM DIP32 X 10pcs

SST 27SF256 SST27SF256 256Kbit FLASH EEPROM DIP28 X 10pcs

SST 27SF512 SST27SF512 512Kbit FLASH EEPROM DIP28 X 10pcs

SST 27SF512 SST27SF512 512Kbit FLASH EEPROM PLCC32 X 10pcs

SST 27VF020-70-3C-NH SST27VF020 2MBIT FLASH EEPROM PLCC32 X 10pcs

SST 28SF040 SST28SF040 4Mbit FLASH EEPROM DIP32 X 10pcs

SST 29EE010-90-4C-PH 29EE010 IC Integrated Circuit 32PIN - Lot of 5 Pcs / TESTED

SST 2AQK30H V-Belt Pulley Sheave 2 Groove 3.05" OD for Use with "H" Bushing

SST 2BK34-1 Iron 3.55" OD 2 Groove Pulley/Sheave with 1" Bore

SST 2-Bolt 1-3/4" Pillow Block Bearing UCP209-28

SST 316 120 x 12 0.0036 Mesh Screen Stainless Wire Clotch R12012000361212

SST 32 Mb 32-Pin ATA Disk Chip. 3 Volts. DIP. A013001-13B1

SST 40BS 16H 1" Black Steel Sprocket

SST 49LF080A 8 Mbit LPC Flash Qty:10 pieces

SST 49LF080A 8 Mbit LPC Flash Qty:10 pieces

SST 50 SST-50 10W 20mm Luminus PhlatLight Warm White LED Light 3.4-3.7V 1300LM

SST 50BS18H-1NC, 18 Tooth, 1" Bore to Size Single Row Sprocket NWOB

SST 50BS21H-1 50BS21H1

SST 50BS28H 1-7/16 Bore 28 Tooth Sprocket NOS Pair

SST 5136-DNS-200S REVISION 02.005 DEVICENET COMMUNICATION MODULE 24VDC

SST 5205-ZZ 5205ZZ

SST 5306 ZZ Double Row 30mm x 70mm x 30.2mm Shielded Ball Bearing

SST 60B22H 3/4 # 60 CHAIN 22 TOOTH 3/4" SHAFT SPROCKET

SST 60B23H 3/4 #60 CHAIN 23 TOOTH 3/4" SHAFT SPROCKET

SST 6205ZZC3 6205ZZC3

SST 6205ZZC3 6205ZZC3

SST 6209Z Ball Bearing 45 X 85 X 19 - No Box

SST 6209Z BEARING

SST 696ZZ Bearing

SST 8016 ROLLER BALL BEARING

SST 80A19H Sprocket 1-15/16" Bore. 19 Teeth Double Row.

SST 87038 Bearing

SST 99502HNR-Q 99502HNRQ Bearing

SST AK46X7/8 PULLEY V-BELT 1GROOVE SHEAVE Industrial Steam Punk Z

SST Angular Contact Bearing 5201 Z / 5201Z

SST Ball Bearing 6003-2RS-Q Bearing 35MM OD 17MM ID 10MM Thick