

140DRC83000 计数器

产品名称	140DRC83000 计数器
公司名称	厦门亿佳天辰贸易有限公司
价格	453.00/件
规格参数	施耐德:235 140系列:235 法国:345
公司地址	厦门市湖里区枋湖西二路3号338室之五（注册地址）
联系电话	0592-6057707 18064452363

产品详情

140DRC83000 计数器

遵从IEC61131-3的PLC Chip164是一个能在DIP40封装上的微型PLC的网络。

通过采用遵从IEC1131的编程系统OpenPCS，编程在KOP/FUB上是图形化的、在AWL或ST上是文本的。集成CANOpen功能是用作智能、分散的控制节点的条件。PLC Chip164适合于输入/输出的混合连接以及顺序事件程序的实现。典型的领域是以少量的输入和输出控制任务、用作智能网络节点分散处理进程信号、作为特别模块的基本部件和用作硬件访问区的PLC。

IEC 61131是IEC(国际电工委员会)制定的有关可编程控制器(PLC)的相关标准，IEC 61131-3是其中的编程语言部分。由于IEC 61131-3自动化编程语言的诸多优点，已成为自动化工业中拥有广泛应用基础的，而且已不于PLC，还广泛地应用于集散型控制系统、工业控制计算机、数控系统、远程终端单元等产品。

1992年PLCopen成立，这是一个独立于制造商和产品的国际组织，总部位于荷兰。目前已有为数众多的PLC制造商、软件公司和研究院所是这个国际组织的成员。PLCopen专门致力于IEC 61131标准的推广并取得了很大的成功，世界上的自动化设备制造商如西门子、罗克维尔、ABB、施奈德、GE、三菱、富士等都推出了不同程度IEC 61131-3兼容级的产品。

SP1406-LEDUnidrive SP with LED Keypad 460Vac Max Cont Output Current (hp): Normal Duty - 11A (7.5hp)
Heavy Duty - 9.5A (5hp)

SP1406-NKPUndrive SP without Keypad 460Vac Max Cont Output Current (hp): Normal Duty - 11A
(7.5hp) Heavy Duty - 9.5A (5hp)

SP1WEExtends standard warranty to 5 Years on Undrive SP - Size 1

SP2201-LCDUndrive SP with LCD Keypad 230Vac Max Cont Output Current (hp): Normal Duty - 15.5A
(5hp) Heavy Duty - 12.6A (3hp)

SP2201-LEDUndrive SP with LED Keypad 230Vac Max Cont Output Current (hp): Normal Duty - 15.5A
(5hp) Heavy Duty - 12.6A (3hp)

SP2201-NKPUndrive SP without Keypad 230Vac Max Cont Output Current (hp): Normal Duty - 15.5A
(5hp) Heavy Duty - 12.6A (3hp)

SP2202-LCDUndrive SP with LCD Keypad 230Vac Max Cont Output Current (hp): Normal Duty - 22A
(7.5hp) Heavy Duty - 17A (5hp)

SP2202-LEDUndrive SP with LED Keypad 230Vac Max Cont Output Current (hp): Normal Duty - 22A
(7.5hp) Heavy Duty - 17A (5hp)

SP2202-NKPUndrive SP without Keypad 230Vac Max Cont Output Current (hp): Normal Duty - 22A
(7.5hp) Heavy Duty - 17A (5hp)

SP2203-LCDUndrive SP with LCD Keypad 230Vac Max Cont Output Current (hp): Normal Duty - 28A
(10hp) Heavy Duty - 25A (7.5hp)

SP2203-LEDUndrive SP with LED Keypad 230Vac Max Cont Output Current (hp): Normal Duty - 28A
(10hp) Heavy Duty - 25A (7.5hp)

SP2203-NKPUndrive SP without Keypad 230Vac Max Cont Output Current (hp): Normal Duty - 28A (10hp)
Heavy Duty - 25A (7.5hp)

SP2401-LCDUndrive SP with LCD Keypad 460Vac Max Cont Output Current (hp): Normal Duty - 15.3A
(10hp) Heavy Duty - 13A (10hp)

SP2401-LEDUndrive SP with LED Keypad 460Vac Max Cont Output Current (hp): Normal Duty - 15.3A
(10hp) Heavy Duty - 13A (10hp)

SP2401-NKPUndrive SP without Keypad 460Vac Max Cont Output Current (hp): Normal Duty - 15.3A (10hp) Heavy Duty - 13A (10hp)

SP2402-LCDUndrive SP with LCD Keypad 460Vac Max Cont Output Current (hp): Normal Duty - 21A (15hp) Heavy Duty - 16.5A (10hp)

SP2402-LEDUndrive SP with LED Keypad 460Vac Max Cont Output Current (hp): Normal Duty - 21A (15hp) Heavy Duty - 16.5A (10hp)

SP2402-NKPUndrive SP without Keypad 460Vac Max Cont Output Current (hp): Normal Duty - 21A (15hp) Heavy Duty - 16.5A (10hp)

SP2403-LCDUndrive SP with LCD Keypad 460Vac Max Cont Output Current (hp): Normal Duty - 29A (20hp) Heavy Duty - 25A (20hp)

SP2403-LEDUndrive SP with LED Keypad 460Vac Max Cont Output Current (hp): Normal Duty - 29A (20hp) Heavy Duty - 25A (20hp)

SP2403-NKPUndrive SP without Keypad 460Vac Max Cont Output Current (hp): Normal Duty - 29A (20hp) Heavy Duty - 25A (20hp)

SP2WEExtends standard warranty to 5 Years on Undrive SP - Size 2

SP3201-LCDUndrive SP with LCD Keypad 230Vac Max Cont Output Current (hp): Normal Duty - 42A (15hp) Heavy Duty - 31A (10hp)

SP3201-LEDUndrive SP with LED Keypad 230Vac Max Cont Output Current (hp): Normal Duty - 42A (15hp) Heavy Duty - 31A (10hp)

SP3201-NKPUndrive SP without Keypad 230Vac Max Cont Output Current (hp): Normal Duty - 42A (15hp) Heavy Duty - 31A (10hp)

SP3202-LCDUndrive SP with LCD Keypad 230Vac Max Cont Output Current (hp): Normal Duty - 54A (20hp) Heavy Duty - 42A (15hp)

SP3202-LEDUndrive SP with LED Keypad 230Vac Max Cont Output Current (hp): Normal Duty - 54A (20hp) Heavy Duty - 42A (15hp)

SP3202-NKPUndrive SP without Keypad 230Vac Max Cont Output Current (hp): Normal Duty - 54A (20hp)
Heavy Duty - 42A (15hp)

SP3401-LCDUndrive SP with LCD Keypad 460Vac Max Cont Output Current (hp): Normal Duty - 35A
(25hp) Heavy Duty - 32A (25hp)

SP3401-LEDUndrive SP with LED Keypad 460Vac Max Cont Output Current (hp): Normal Duty - 35A
(25hp) Heavy Duty - 32A (25hp)

SP3401-NKPUndrive SP without Keypad 460Vac Max Cont Output Current (hp): Normal Duty - 35A (25hp)
Heavy Duty - 32A (25hp)

SP3402-LCDUndrive SP with LCD Keypad 460Vac Max Cont Output Current (hp): Normal Duty - 43A
(30hp) Heavy Duty - 40A (30hp)

SP3402-LEDUndrive SP with LED Keypad 460Vac Max Cont Output Current (hp): Normal Duty - 43A
(30hp) Heavy Duty - 40A (30hp)

SP3402-NKPUndrive SP without Keypad 460Vac Max Cont Output Current (hp): Normal Duty - 43A (30hp)
Heavy Duty - 40A (30hp)

SP3403-LCDUndrive SP with LCD Keypad 460Vac Max Cont Output Current (hp): Normal Duty - 56A
(40hp) Heavy Duty - 46A (30hp)

SP3403-LEDUndrive SP with LED Keypad 460Vac Max Cont Output Current (hp): Normal Duty - 56A
(40hp) Heavy Duty - 46A (30hp)

SP3403-NKPUndrive SP without Keypad 460Vac Max Cont Output Current (hp): Normal Duty - 56A (40hp)
Heavy Duty - 46A (30hp)

SP3501-LCDUndrive SP with LCD Keypad 575Vac Max Cont Output Current (hp): Normal Duty - 5.4A
(3hp) Heavy Duty - 4.1A (2hp)

SP3501-LEDUndrive SP with LED Keypad 575Vac Max Cont Output Current (hp): Normal Duty - 5.4A
(3hp) Heavy Duty - 4.1A (2hp)

SP3501-NKPUndrive SP without Keypad 575Vac Max Cont Output Current (hp): Normal Duty - 5.4A (3hp)
Heavy Duty - 4.1A (2hp)

SP3502-LCDUnidrive SP with LCD Keypad 575Vac Max Cont Output Current (hp): Normal Duty - 6.1A (5hp) Heavy Duty - 5.4A (3hp)

SP3502-LEDUnidrive SP with LED Keypad 575Vac Max Cont Output Current (hp): Normal Duty - 6.1A (5hp) Heavy Duty - 5.4A (3hp)

SP3502-NKPUnidrive SP without Keypad 575Vac Max Cont Output Current (hp): Normal Duty - 6.1A (5hp) Heavy Duty - 5.4A (3hp)

SP3503-LCDUnidrive SP with LCD Keypad 575Vac Max Cont Output Current (hp): Normal Duty - 8.4A (7.5hp) Heavy Duty - 6.1A (5hp)

SP3503-LEDUnidrive SP with LED Keypad 575Vac Max Cont Output Current (hp): Normal Duty - 8.4A (7.5hp) Heavy Duty - 6.1A (5hp)

SP3503-NKPUnidrive SP without Keypad 575Vac Max Cont Output Current (hp): Normal Duty - 8.4A (7.5hp) Heavy Duty - 6.1A (5hp)

SP3504-LCDUnidrive SP with LCD Keypad 575Vac Max Cont Output Current (hp): Normal Duty - 11A (10hp) Heavy Duty - 9.5A (7.5hp)

SP3504-LEDUnidrive SP with LED Keypad 575Vac Max Cont Output Current (hp): Normal Duty - 11A (10hp) Heavy Duty - 9.5A (7.5hp)

SP3504-NKPUnidrive SP without Keypad 575Vac Max Cont Output Current (hp): Normal Duty - 11A (10hp) Heavy Duty - 9.5A (7.5hp)

SP3505-LCDUnidrive SP with LCD Keypad 575Vac Max Cont Output Current (hp): Normal Duty - 16A (15hp) Heavy Duty - 12A (10hp)

SP3505-LEDUnidrive SP with LED Keypad 575Vac Max Cont Output Current (hp): Normal Duty - 16A (15hp) Heavy Duty - 12A (10hp)

SP3505-NKPUnidrive SP without Keypad 575Vac Max Cont Output Current

信息条形码:32333873910107413