

# NK technologies电流互感器ATR1-420-24L-SP

产品名称	NK technologies电流互感器ATR1-420-24L-SP
公司名称	上海航欧机电设备有限公司
价格	.00/件
规格参数	
公司地址	上海市普陀区中江路388弄1号楼905室
联系电话	021-51085161 13045641319

## 产品详情

2015年NKTECHNOLOGIES工厂上海航欧中国区销售

NK technologies电流互感器NK technologies烟雾报警器NK technologies指示灯NK technologies传感器NK technologies电流传感器NK technologies接地故障传感器NK technologies变送器NK technologies检测开关NK technologies继电器NK technologies转换开关NK technologies电流变送器NK technologies变换器NK technologies湿度传感器NK technologies油位传感器NK technologies接头

上海航欧机电设备有限公司从事进口机电设备、仪器仪表等备品备件的销售，是经营世界各地进口设备机电配件的企业。上海航欧公司与众多品牌电子元件供应商建立良好的合作关系，在欧美、日本等地形成了稳定的供应网络，良好的供应商关系和多年的行业经验，使我们在价格及货期上有优势。

ATR Series, True RMS Current Transducers

Solid-Core 24L - 24 VDC Loop-Powered

ATRO-420-24L-FT 0-2 & 0-5 Amp Ranges, Top Terminals

ATR1-420-24L-FT 0-10, 0-20 & 0-50 Amp Ranges, Top Terminals

ATR2-420-24L-FT 0-100, 0-150 & 0-200 Amp Ranges, Top Terminals

ATR2-420-24L-FL 0-100, 0-133 & 0-200 Amp Ranges, Base Terminals

ATR3-420-24L-FL 0-375, 0-500 & 0-750 Amp Ranges, Base Terminals

ATR4-420-24L-FL 0-1000, 0-1333 & 0-2000 Amp Ranges, Base Terminals

Split-Core 24L - 24 VDC Loop-Powered

ATRO-420-24L-SP 0-2 & 0-5 Amp Ranges, Top Terminals

NK technologies 电流互感器 ATR1-420-24L-SP 0-10, 0-20 & 0-50 Amp Ranges, Top Terminals

ATR2-420-24L-SP 0-100, 0-150 & 0-200 Amp Ranges, Top Terminals

AT-LS Series, erage Responding Current Transducers

Split-Core 24L - 24 VDC Loop-Powered

AT8-420-24L-LS 0-800 Amp Range, Base Terminals

AT10-420-24L-LS 0-1000 Amp Range, Base Terminals

AT12-420-24L-LS 0-1200 Amp Range, Base Terminals

AT16-420-24L-LS 0-1600 Amp Range, Base Terminals

ATR-LS Series, True RMS Current Transducers

Split-Core 24L - 24 VDC Loop-Powered

ATR8-420-24L-LS 0-800 Amp Range, Base Terminals

ATR10-420-24L-LS 0-1000 Amp Range, Base Terminals

ATR12-420-24L-LS 0-1200 Amp Range, Base Terminals

ATR16-420-24L-LS 0-1600 Amp Range, Base Terminals

ATCR Series, True RMS Flexible Loop Current Transducers

## Split-Core 24L - 24 VDC Loop-Powered

ATCR1-420-24L-D 0-500 Amp Range, Base Terminals

ATCR2-420-24L-D 0-1000 Amp Range, Base Terminals

ATCR3-420-24L-D 0-1500 Amp Range, Base Terminals

ATCR4-420-24L-D 0-2000 Amp Range, Base Terminals

ATP0-005-24U-FF 0-2 & 0-5 Amp Ranges, Front Terminals 0-5 VDC

ATP0-010-24U-FF 0-2 & 0-5 Amp Ranges, Front Terminals 0-10 VDC

ATP0-420-24U-FF 0-2 & 0-5 Amp Ranges, Front Terminals 4-20 mA

ATP0-005-120-FF 0-2 & 0-5 Amp Ranges, Front Terminals 0-5 VDC

ATP0-010-120-FF 0-2 & 0-5 Amp Ranges, Front Terminals 0-10 VDC

ATP0-420-120-FF 0-2 & 0-5 Amp Ranges, Front Terminals 4-20 mA

ATP1-005-24U-FF 0-10, 0-20 & 0-50 Amp Ranges, Front Terminals 0-5 VDC

ATP1-010-24U-FF 0-10, 0-20 & 0-50 Amp Ranges, Front Terminals 0-10 VDC

ATP1-420-24U-FF 0-10, 0-20 & 0-50 Amp Ranges, Front Terminals 4-20 mA

ATP1-005-120-FF 0-10, 0-20 & 0-50 Amp Ranges, Front Terminals 0-5 VDC

ATP1-010-120-FF 0-10, 0-20 & 0-50 Amp Ranges, Front Terminals 0-10 VDC

ATP1-420-120-FF 0-10, 0-20 & 0-50 Amp Ranges, Front Terminals 4-20 mA

ATP2-005-24U-FF 0-100, 0-150 & 0-200 Amp Ranges, Front Terminals 0-5 VDC

ATP2-010-24U-FF 0-100, 0-150 & 0-200 Amp Ranges, Front Terminals 0-10 VDC

ATP2-420-24U-FF 0-100, 0-150 & 0-200 Amp Ranges, Front Terminals 4-20 mA

ATP2-005-120-FF 0-100, 0-150 & 0-200 Amp Ranges, Front Terminals 0-5 VDC

ATP2-010-120-FF 0-100, 0-150 & 0-200 Amp Ranges, Front Terminals 0-10 VDC

ATP2-420-120-FF 0-100, 0-150 & 0-200 Amp Ranges, Front Terminals 4-20 mA

## Split-Core 24U - 24 VAC/VDC Powered, 120 - 120 VAC Powered

ATP0-005-24U-SP 0-2 & 0-5 Amp Ranges, Top Terminals 0-5 VDC

ATP0-010-24U-SP 0-2 & 0-5 Amp Ranges, Top Terminals 0-10 VDC

ATP0-420-24U-SP 0-2 & 0-5 Amp Ranges, Top Terminals 4-20 mA

ATP0-005-120-SP 0-2 & 0-5 Amp Ranges, Top Terminals 0-5 VDC

ATP0-010-120-SP 0-2 & 0-5 Amp Ranges, Top Terminals 0-10 VDC

ATP0-420-120-SP 0-2 & 0-5 Amp Ranges, Top Terminals 4-20 mA

ATP1-005-24U-SP 0-10, 0-20 & 0-50 Amp Ranges, Top Terminals 0-5 VDC

ATP1-010-24U-SP 0-10, 0-20 & 0-50 Amp Ranges, Top Terminals 0-10 VDC

ATP1-420-24U-SP 0-10, 0-20 & 0-50 Amp Ranges, Top Terminals 4-20 mA

ATP1-005-120-SP 0-10, 0-20 & 0-50 Amp Ranges, Top Terminals 0-5 VDC

ATP1-010-120-SP 0-10, 0-20 & 0-50 Amp Ranges, Top Terminals 0-10 VDC

ATP1-420-120-SP 0-10, 0-20 & 0-50 Amp Ranges, Top Terminals 4-20 mA

ATP2-005-24U-SP 0-100, 0-150 & 0-200 Amp Ranges, Top Terminals 0-5 VDC

ATP2-010-24U-SP 0-100, 0-150 & 0-200 Amp Ranges, Top Terminals 0-10 VDC

ATP2-420-24U-SP 0-100, 0-150 & 0-200 Amp Ranges, Top Terminals 4-20 mA

ATP2-005-120-SP 0-100, 0-150 & 0-200 Amp Ranges, Top Terminals 0-5 VDC

ATP2-010-120-SP 0-100, 0-150 & 0-200 Amp Ranges, Top Terminals 0-10 VDC

ATP2-420-120-SP 0-100, 0-150 & 0-200 Amp Ranges, Top Terminals 4-20 mA

ATPR Series, True RMS Current Transducers

Split-Core 24D - 24 VDC Powered

ATPR0-005-24D-SP 0-2 & 0-5 Amp Ranges, Top Terminals 0-5 VDC

ATPR0-010-24D-SP 0-2 & 0-5 Amp Ranges, Top Terminals 0-10 VDC

ATPR1-005-24D-SP 0-10, 0-20 & 0-50 Amp Ranges, Top Terminals 0-5 VDC

ATPR1-010-24D-SP 0-10, 0-20 & 0-50 Amp Ranges, Top Terminals 0-10 VDC

ATPR2-005-24D-SP 0-100, 0-150 & 0-200 Amp Ranges, Top Terminals 0-5 VDC

ATPR2-010-24D-SP 0-100, 0-150 & 0-200 Amp Ranges, Top Terminals 0-10 VDC

ATH Series, Time Integration Current Transducers

Solid-Core 24U - 24 VAC/DC Powered

ATH0-005-24U-FL 0-2 & 0-5 Amp Ranges, Top Terminals 0-5 VDC

ATH0-010-24U-FL 0-2 & 0-5 Amp Ranges, Top Terminals 0-10 VDC

ATH0-420-24U-FL 0-2 & 0-5 Amp Ranges, Top Terminals 4-20 mA

ATH1-005-24U-FL 0-10, 0-20 & 0-50 Amp Ranges, Top Terminals 0-5 VDC

ATH1-010-24U-FL 0-10, 0-20 & 0-50 Amp Ranges, Top Terminals 0-10 VDC

ATH1-420-24U-FL 0-10, 0-20 & 0-50 Amp Ranges, Top Terminals 4-20 mA

ATH2-005-24U-FL 0-100, 0-150 & 0-200 Amp Ranges, Top Terminals 0-5 VDC

ATH2-010-24U-FL 0-100, 0-150 & 0-200 Amp Ranges, Top Terminals 0-10 VDC

ATH2-420-24U-FL 0-100, 0-150 & 0-200 Amp Ranges, Top Terminals 4-20 mA

120 - 120 VAC Powered

ATH0-005-120-FL 0-2 & 0-5 Amp Ranges, Top Terminals 0-5 VDC

ATH0-010-120-FL 0-2 & 0-5 Amp Ranges, Top Terminals 0-10 VDC

ATH0-420-120-FL 0-2 & 0-5 Amp Ranges, Top Terminals 4-20 mA

ATH1-005-120-FL 0-10, 0-20 & 0-50 Amp Ranges, Top Terminals 0-5 VDC

ATH1-010-120-FL 0-10, 0-20 & 0-50 Amp Ranges, Top Terminals 0-10 VDC

ATH1-420-120-FL 0-10, 0-20 & 0-50 Amp Ranges, Top Terminals 4-20 mA

ATH2-005-120-FL 0-100, 0-150 & 0-200 Amp Ranges, Top Terminals 0-5 VDC

ATH2-010-120-FL 0-100, 0-150 & 0-200 Amp Ranges, Top Terminals 0-10 VDC

ATH2-420-120-FL 0-100, 0-150 & 0-200 Amp Ranges, Top Terminals 4-20 mA

Split-Core 24U - 24 VAC or VDC Powered

ATH0-005-24U-SP 0-2 & 0-5 Amp Ranges, Top Terminals 0-5 VDC

ATH0-010-24U-SP 0-2 & 0-5 Amp Ranges, Top Terminals 0-10 VDC

ATH0-420-24U-SP 0-2 & 0-5 Amp Ranges, Top Terminals 4-20 mA

ATH1-005-24U-SP 0-10, 0-20 & 0-50 Amp Ranges, Top Terminals 0-5 VDC

ATH1-010-24U-SP 0-10, 0-20 & 0-50 Amp Ranges, Top Terminals 0-10 VDC

ATH1-420-24U-SP 0-10, 0-20 & 0-50 Amp Ranges, Top Terminals 4-20 mA

ATH2-005-24U-SP 0-100, 0-150 & 0-200 Amp Ranges, Top Terminals 0-5 VDC

ATH2-010-24U-SP 0-100, 0-150 & 0-200 Amp Ranges, Top Terminals 0-10 VDC

ATH2-420-24U-SP 0-100, 0-150 & 0-200 Amp Ranges, Top Terminals 4-20 mA

ATP3-005-24U-FL 0-375, 0-500 & 0-750 Amp Ranges, Base Terminals

ATP3-010-24U-FL 0-375, 0-500 & 0-750 Amp Ranges, Base Terminals

ATP3-420-24U-FL 0-375, 0-500 & 0-750 Amp Ranges, Base Terminals

ATP3-005-120-FL 0-375, 0-500 & 0-750 Amp Ranges, Base Terminals

ATP3-010-120-FL 0-375, 0-500 & 0-750 Amp Ranges, Base Terminals

ATP3-420-120-FL 0-375, 0-500 & 0-750 Amp Ranges, Base Terminals

ATP4-005-24U-FL 0-1000, 0-1333 & 0-2000 Amp Ranges, Base Terminals

ATP4-010-24U-FL 0-1000, 0-1333 & 0-2000 Amp Ranges, Base Terminals

ATP4-420-24U-FL 0-1000, 0-1333 & 0-2000 Amp Ranges, Base Terminals

ATP4-005-120-FL 0-1000, 0-1333 & 0-2000 Amp Ranges, Base Terminals

ATP4-010-120-FL 0-1000, 0-1333 & 0-2000 Amp Ranges, Base Terminals

ATP4-420-120-FL 0-1000, 0-1333 & 0-2000 Amp Ranges, Base Terminals

Solid-Core 24U - 24 VAC/VDC Powered, 120 - 120 VAC Powered

ATPR3-005-24U-FL 0-375, 0-500 & 0-750 Amp Ranges, Base Terminals

ATPR3-010-24U-FL 0-375, 0-500 & 0-750 Amp Ranges, Base Terminals

ATPR3-420-24U-FL 0-375, 0-500 & 0-750 Amp Ranges, Base Terminals

ATPR3-005-120-FL 0-375, 0-500 & 0-750 Amp Ranges, Base Terminals

ATPR3-010-120-FL 0-375, 0-500 & 0-750 Amp Ranges, Base Terminals

ATPR3-420-120-FL 0-375, 0-500 & 0-750 Amp Ranges, Base Terminals

ATPR4-005-24U-FL 0-1000, 0-1333 & 0-2000 Amp Ranges, Base Terminals

ATPR4-010-24U-FL 0-1000, 0-1333 & 0-2000 Amp Ranges, Base Terminals

ATPR4-420-24U-FL 0-1000, 0-1333 & 0-2000 Amp Ranges, Base Terminals

ATPR4-005-120-FL 0-1000, 0-1333 & 0-2000 Amp Ranges, Base Terminals

ATPR4-010-120-FL 0-1000, 0-1333 & 0-2000 Amp Ranges, Base Terminals

ATPR4-420-120-FL 0-1000, 0-1333 & 0-2000 Amp Ranges, Base Terminals

Split-Core 24U - 24 VAC/VDC Powered

ATQ0-05K-24U-SP 0-2, 0-5A Ranges

ATQ1-05K-24U-SP 0-10, 0-20, 0-50A Ranges

ATQ2-05K-24U-SP 0-100, 0-150, 0-200A Ranges

ATQ0-10K-24U-SP 0-2, 0-5A Ranges

ATQ1-10K-24U-SP 0-10, 0-20, 0-50A Ranges

ATQ2-10K-24U-SP 0-100, 0-150, 0-200A Ranges

ATS-420-SDT-24D-DL 0-1200 Amp Input, DIN Rail Case

120 - 120 VAC Powered

ATS-420-SDT-120-DL 0-1200 Amp Input, DIN Rail Case

ATS1-005-NOAC-24U-FL 0-50A Range, 24VAC/DC Power

ATS1-005-NCAC-24U-FL 0-50A Range, 24VAC/DC Power

ATS1-010-NOAC-24U-FL 0-50A Range, 24VAC/DC Power

ATS1-010-NCAC-24U-FL 0-50A Range, 24VAC/DC Power

ATS1-420-NOAC-24U-FL 0-50A Range, 24VAC/DC Power

ATS1-420-NCAC-24U-FL 0-50A Range, 24VAC/DC Power

ATS2-005-NOAC-24U-FL 0-200A Range, 24VAC/DC Power

ATS2-005-NCAC-24U-FL 0-200A Range, 24VAC/DC Power

ATS2-010-NOAC-24U-FL 0-200A Range, 24VAC/DC Power

ATS2-010-NCAC-24U-FL 0-200A Range, 24VAC/DC Power