

# 市场推送:DS300HMHA1D1D货物运输2023省市县+乡镇+派+送保证时效

产品名称	市场推送:DS300HMHA1D1D货物运输2023省市县+乡镇+派+送保证时效
公司名称	福建中立恒自动化设备有限公司
价格	.00/件
规格参数	
公司地址	福建省福州市闽侯县滨江西大道闽商财富中心1806室
联系电话	15960122459 15960122459

## 产品详情

主营产品：DCS集散式控制系统、PLC可编程控制器、数控系统、(CPU处理器、模块、卡件、控制器、伺服驱动、工作站、驱动器、马达、内存卡、电源，机器人备件等)各类工控产品

AB：1756，1746，1794，1734，1769，2711P等系列

GE：IC693 IC695 IC697系列

Schneider（施耐德）：140 TSX 系列

Siemens 6DD，6FC，6SN，6FC，6S5系列，Foxboro系统卡件，

Triconex系统模块，Rexroth力士乐全系列产品，停产模块等各类工控产品

以及ABB、发那科、三菱、安川、欧姆龙、霍尼韦尔、艾默生等进口品牌PLC、CPU、DCS

Parker HN1S-6QUA 1/4 NPT Coalescing HSG W/ Autodrain, PRESS 250 PSIG, TEMP 175F

Parker Hoerbiger-Origa P3S000008032-00621 Rodless Cylinder, 620mm Stroke

Parker HV171-01-10 Step Motor, 17 Frame, High Voltage, 10' Attached Cable

Parker IE233 Stepper Motor, 24-48VDC, 3000RPM, 67-244 oz-in, 1/4" Shaft

Parker J0343FE-NPSN Brushless Servo Motor 340V 4.59A 6800RPM 1500g.cm<sup>2</sup> Size-34

Parker L20 Linear Microstepping Motor, Static Force: 20 Lbs (89N), \*Forcer Only\*

Parker L20 Linear Step Motor, Forcer and Platen

Parker L20 Linear Step Motor, Forcer On 11" Long Platen, Current per Phase: 2.7A

Parker Linear Positioner, 2" Travel, 2mm Lead, 8mm Ballscrew, 3/16" Input Shaft

Parker M2520 Metric Rotary Positioning Stage

Parker MPS-71E-NC Multi-Pressure Sensor, 10.8 to 30VDC, 18' Cable w/Quick Discon

Parker MPS-71E-PC Pressure Sensr w/CB-M8-4P-2E, Parker MPS-R8U-AGE Analog Sensr

Parker MPS-71E-PGA Multi-Pressure Sensor, 10.8 to 30VDC

Parker MPS-R3F5-NCA Pressure Sensor, -14.7 to 72.5psi, 10.8-30VDC, NPN

Parker MPS-R8U-AGE Analog Pressure Sensor

Parker MPS-V3N-NC Pressure Sensor 10.8-30VDC, 0 to -30inHg

Parker MPS-V3N-NC Pressure Sensor, 10.8-30VDC, NPN, 0 to -30inHg, 1/8 NPSF Ports

Parker MPS-V8U-AGE Pressure Sensor, 0 to -30 inHg, Analog 1-5VDC, 7' Cable

Parker N0342ERMSG10 Servo Gearmotor 9.14V 3.05A 0.72kW 7500RPM NEMA-34

Parker N0343FQ-NPSN Brushless Servo Motor 340V, 4.59A, 6800RPM, NEMA-34, 1/2"-OD

Parker N0702FE-NMSN Brushless Servo Motor, Speed: 7500rpm, Torque: 9.3 lb-in

Parker N0924JE-KPSB Servo Motor, Voltage: 340V, Shaft: 14mm, Torque: 4.9Nm

Parker OEM3401-E-A Servo Motor, NEMA 34 Frame, 2 Stack Motor Length

Parker OEM350 Microstepping Drive for Low Inductance High-Current Motors

Parker OEM350-RC Microstepping Drive for Low Inductance High-Current Motors

Parker OEM350X-M2 Microstepping Drive for Low Inductance High-Current Motors

Parker OEM650 Microstepping Drive for Low Inductance High-Current Motors

Parker OEM650-RC Microstepping Drive for Low Inductance High-Current Motors

Parker OEM670T Compumotor OEM Series Servo Drive w/Amp Plug

Parker OEM670X Microstepping Drive, Power In: 24-75VDC 0-12A, Power Out: 90VDC

Parker OEM750 2-Phase Compumotor 24-75VDC, 0.2-7.5A

Parker OEM770T Torque Drive, Supply 75VDC, Compumotor Servo Drive Controller

Parker OEMZL6104 Stepper Drive/Controller, Input Power: 95-132VAC AC, 16In 8Out

Parker Origa OSPE-25-6006-00460 Belt Driven Actuator 460mm Stroke

Parker OS21A-SNFLY Compumotor 1.8Deg Step Motor, 1500RPM, 60W, 40V

Parker OS22B-DNL10 Stepper Motor 1.8 ° /Step 170VDC NEMA23 \*Damaged Wire Boot\*

Parker P21-OC2-A4-1D3 Power Station, CPU: AM5X86-P75-5, CPU Clock: 133MHz

Parker Paraflex 550H-4 High Performance Medium Pressure Hose, 1/4" ID, 9ft

Parker PCB 61-000817-03 Rev-B PCA 71-000818-03 Compumotor Board

Parker PDS13-2 Digiplan Stepper Drive 95-264VAC, 47-63Hz, 2A

Parker PDS13-57-51 Stepper Motor, 2-Phase Hybrid Permanent Magnet, 1.8 Degree

Parker PDS13-57-83 Stepper Motor, 2-Phase Hybrid Permanent Magnet, 1.8 Degree

Parker PDS13-57-83 Stepper Motor, 2-Phase Permanent Magnet, \*Modified Shaft\*

Parker PEN023-005S7 Gearhead, 5:1 Ratio, Input: 0.375" Dia, Output: 14mm Dia

Parker PM1-5C1-XA3 CTC PowerStation RS Monitor, 15" Screen \*Please See Details\*

Parker Pneumatic Cylinder 27" Stroke P1LM040DNN685.000W

Parker PO-L20-P18 Linear Stepper Motor Platen 450mm (long) 20-steps-per-inch

Parker PS90-007 Bayside Gearhead 7:1

Parker PTN060-012S7 Gearhead Size 60 12:1 Ratio Standard Shaft w/Key 9/16" Shaft

Parker PV-11-021-T Pneumatic 3-Way Valve, Connections: 1/2" Parflare, 60-100psi

Parker PV11-090A-BB2-B Rotary Actuator

Parker PV23FE-010 Planetary Gearhead, 10:1 Ratio, Shaft Diameter: 3/8"

Parker PX23-050-S2 Gearhead 50:1 Gear Ratio NEMA 23 Frame Standard Backlash

Parker Rail Table, 15" Travel With Bellows, 5/8" Ball Screw, 0.20 Lead

Parker RP240 Compumotor Operator Interface Panel, 100mA at 5VDC

Parker RP-240 Operator Interface, Power: 100mA at 5VDC, 2-Line LCD Display

Parker RS33C-DNNPS Stepper Motor, Shaft: 0.375" Diameter, 340VDC Winding

Parker S/SX 57-83 Stepper Motor w/ DRC C153/421-1000-120CBV Encoder 9-Pin

Parker S1SL-10H10-070 Finite Filter 1/4" NPT, 250 PSIG Max Press, 200F Max Temp

Parker S57-102-MO Stepper Motor, Static Torque: 125oz-in, 0.25" Shaft Diameter

Parker S57-102-MO Stepper Motor, Static Torque: 125oz-in, 0.25" Shaft, 8-Wire

Parker S57-102-MO Stepper Motor, Static Torque: 125oz-in, 0.25" Shaft, With Dial

Parker S57-51-MO Compumotor Dual Stepper Motor w/ Vexta Clean Damper D6CL-6.3F

Parker S57-83-MO Stepper Motor, Static Torque: 100oz-in, 0.25" Shaft, 8-Wire

Parker S6-DRIVE Compumotor Microstep Drive, Power: 95-132VAC 50/60Hz

Parker S83-135-MO-S Stepper Motor, 3000RPM, 400oz-in Static Torque, Size 34

Parker Schader Bellows 74014-0115 Solenoid Valve, 2-Way N/O, 120VAC 60Hz

Parker SM161AE-KFLG10 Gearhead, 11:1 Ratio, 3/8" OD

Parker SM162AE-KGSG03 Compumotor Servo Motor, Rated Speed: 7500rpm

Parker SM162AE-NTQN Compumotor Servo Motor, Power: 340V 2.1A, Torque: 44 oz-in

Parker SM162AQ-NPSN Servo Motor 170V NEMA 16 1/4" Shaft Diameter Feedback Up

Parker SM162AQ-NPSN Servo Motor 170V NEMA 16 1/4" Shaft Diameter Power Up

Parker SM232AD-NGSN Servo Motor, 0.375" Shafting, 449W at 7500rpm, 5.1 In-lbs

Parker SM232AL-NMSN Servo Motor 340V 5000 Line Encoder 0.375" Shaft

Parker SM232AQ-NPSN Servo Motor 340V NEMA-23 3/8"-Shaft

Parker SMC-1NC Hall Effect Switch, 3-Pin NPN, Voltage: 6-30VDC, Type: N/C

Parker SMC-1PC Hall Effect Switch Normally Closed PNP 6-30VDC 150mA

Parker SMH-1NC Hall Effect Switch, 3-Pin NPN, Voltage: 6-30VDC, Type: N/O

Parker SMH-1PC Hall Effect Switch Normally Open PNP 6-30VDC 150mA

Parker SX57-83 Microstep Drive Indexer 95-132VAC, 50/60Hz

Parker SX83-62 Compumotor, With DRC 153/121-1000-120CBV Encoder, Shaft: 3/8" Dia

Parker SY563T-13999 Stepper Motor, 2-Phase, 1/4" Shaft, 4.2A per Phase Size 23

Parker TFESV-3-1124-2 High Pressure Solenoid Valve, NIB

Parker Trilogy I-Force Linear Motor 110-1A-NC-WD0, 47W, 4.5V-18V, 9.5" length

Parker Trilogy T2SA16-2NSB1-B73-1AA I-Force Ironless Motor Positioner

Parker VS12B-DFFLY Stepper Motor, 170VDC Winding, Size 17 Frame, 12" Flying Lead

Parker XL50 Step/Direction Drive 24VDC, 100mA

Parker Z-Drive DC Drive 120V In, 1HP 2HP 90/180VDC Out

Parker ZETA6104-57-102 Stepper Drive, Power: 95-132VAC 50/60Hz, With Power Cord

Parker ZETA6104-57-83-E Stepper Motor, Static Torque: 100oz-in, 0.25" Shaft

Parker ZETA83-93-MO Compumotor Stepper Motor, Dual Shaft, Shaft: 9.75mm

Parker ZETA83-93-MO-S Stepper Motor, Static Torque: 300oz-in, Shaft: 3/8" Dia

Parker/Compair DX01.421.70 Sub-Base Valve Air Operated Spring Return

Pass & Seymour PS100-FSS F Safety Switch 600VAC 100A

Pass & Seymour PS60-FSS F Safety Switch 600VAC 60A

Patlite BT-24M Alarm 24V AC/DC

Patlite LES-102A-R Red LED Continuous Stacklight, 24VAC/DC, 50/60Hz, 0.2A

Patlite LES-202W-RY Red Amber LED Continuous Stacklight, 24VAC/DC, 0.5W

Patlite MES-A Super-Slim Signal Tower W/Aluminum Body, Red, Amber, Green, 25mm

Patlite MES-T Signal Tower, Voltage: 24V DC, Current: 0.2A, 25mm Body Diameter

Patlite SEB-D Stack Light Tower 24VAC/DC 1.5W Red Amber Green w/ Sounder

Patlite SEF-A Stack Light Tower 24VAC/DC 2W Amber

Patlite SEF-T Signal Tower Light 120VAC 50/60Hz 4W Bulb Green Amber Red

Patlite SEF-T Stack Light / Signal Tower Red, Amber, Blue, Green 24VAC/DC 8W

Patlite STFPB-V Stack Light Tower 24VAC/DC 10W Bulb Red Amber Green

Patlite ST-V Stack Light Tower 24VAC/DC 10W Bulb Red Amber

PBC Linear, Pacific Bearing, RRS30 F05 Redi-Rail 5.5625" Long

PBM PAVBL453S-0052 Pneumatic Accuator, 120 PSIG, Rack/Pinion Type, Namur Mount

PBM PBM-1" Stainless Valve

PC+PBT-GF30 Switch Control - Pendant Machine Control Pendant Start Reset EStop

PC+PBT-GF30 Switch Control/Pendant Machine Control Pendant Start Stop Clamp On

PCB 229640 Rev C Servo Interface Board, DET 229642 Rev A

PCB 482A10 ICP AMP/Supply Signal Conditioner 115V 60Hz

PCB 482B11 Signal Conditioner, Line Powered, For ICP Sensors, Power: 115V 60Hz

PCI-DIO-48S 48-Bit Parallel Digital Input/Output Card for PCI-Bus Controllers

Peacock PIC TEST No. 2000 Jeweled Travel Indicator  $\pm 0.015$ " Travel 1 3/8" Dial

Peak 20P0777VL01X0 Single Board Computer Intel Core 2 Duo 2.8GHz 2GB DDR3

Peak 530F KJ023300 Single Board Computing Board Socket 7 \*Missing Plug\*

Peak 530F Single Board Computer Socket 7 Intel 82430HX PCI Chipset

Peak 777VL2 Rev. B Single Board Computer Intel Core 2 Duo 2.8GHz \*No Memory\*

Peak 877 Single Board Computer Intel i7 2.93GHz 2x Gigabit USB SATA \*No Memory\*

Peaken Induction Gear Motor 220/380VAC 3-Phase 1420/1700RPM w/ 10:1 Gear Reducer

Penguin 1-10" 3C Filter Chamber 10" Height 3/4" FNPT PVDF Plastic

Penguin P-1/2HP Vertical Pump, 66GPM, 1"MNPT OUT, 1-1/2"FNPT IN

Penguin PGGA Gauge Guard, 1/2" Process Connection, 1/4" Gauge Connection, 30psi

Penguin Pumps P-3/4B Filter Pump 3/4HP Polypropylene 1 1/4" Inlet 1" Outlet

Penn P10BC-7 Pressure Switch 10PSI Open, 12 PSI Close 120-277VAC 16-7A

PennBarry SX100BC Blower 1/2HP 460VAC 3PH 1775RPM Motor 1011 Fan RPM

Pentair EMR12U6060 19" Mini-Rack Cabinet, NEMA Type 1, 23.17" x 21.77" x 23.60"

Pentair SF0524414 Fan Filter, Dimensions: 5.875" x 5.875" x 1.125", \*No Fan\*

Pentax ZX-10 35mm Film Camera, w/ Tamron AF Aspherical 28-200mm 1:3.8-5.6 Lens

Pepperl & Fuchs Inductive Proximity Sensor NBB2-12GM50-E0-V1