

室外条屏 led单色显示屏 多种显示功能

产品名称	室外条屏 led单色显示屏 多种显示功能
公司名称	杭州赣鑫电子有限公司
价格	2601.00/PCS
规格参数	加工定制:是 种类:LED告示牌 型号:GO7-64P20R
公司地址	中国 浙江 杭州市 浙江杭州滨江区园中路22号
联系电话	86-57128886626-803 13186997992

产品详情

加工定制：是

品牌：GX

像素间距：20（mm）

安装方式：落地式

种类：LED告示牌

显示颜色：单色

屏幕尺寸：1360*220*190mm（英寸使用环境：室外）

型号：GO7-64P20R

显示方式：多种显示方式可以选择

product photo

certification

briefdescriptionoftheproduct

productname:

p20 outdoor red monochrome text led display thin

1,p20 outdoor led display thin2,red text led display3,led display with ce rohs4,monochrome text led display thin

5,screen size(l*h*d):2000*400*190mm

product details

function:through rs232 (free), (rs485,usb,tcp/ip,wireless communication are optional) the screen can display text, display time, display temperature, showing the various price and all kind of message.

use of the environment: outdoor and waterproof

brightness: high brightness and can be adjusted

display color: red

1, p20 outdoor led display thin 2, red text led display 3, led display with ce rohs 4, monochrome text led display thin

parameter

go7-64p20r screen size(l*h*d):1360*220*190mm screen net weight:15kg power consumption:34w package size(l*h*d):1440*300*310mm wooden box weight:9kg screen gross weight:24kg screen volume:0.13392m³

delivery time

indoor screen: 1 week

outdoor screen: 2-3 weeks

outdoor led display service

one-year limited factory depot parts warranty.

specification

pixel pitch (mm)

cabinetsize(mm)	1280*960
brightness(nit)	5000
modulesize(mm)	256 × 256
pixelconfiguration(r,g,b)	2,1,1
pixelmatrixpermodule(dot)	16*8
pixel(dot/s.q.m)	2500
viewingdistance(min)(m)	20
grayscale(level)	4096
refreshfrequency(hz)	morethan1200
inputpower(max/avg)	1000/400
viewingangle-h(deg.)	120
viewingangle-v(deg.)	60
blindspotrate less	than1/10000
colortemperature(k)	6500
ingressprotection(front/rear)	ip65/ip21
inputvoltage(ac)	110~240
inputpowerfrequency(hz)	50or60
signalinputformat(withvideoprocessor)	av,s-video,vga,dvi,ypbpr,hdmi,sdi
operatingsystem	windows(2000/xp/vista)
controldistance	at5cable:lessthan100m;singlefiber:lessthan10km