

# 高刚性ABS 韩国LG XR-409H耐热;高流动;

产品名称	高刚性ABS 韩国LG XR-409H耐热;高流动;
公司名称	京冀(广州)新材料有限公司
价格	16.50/千克
规格参数	ABS:高刚性 XR-409:高流动 韩国LG:耐热
公司地址	广州市南沙区丰泽东路106号(自编1号楼)X130 1-E014087(注册地址)
联系电话	18938547875 18938547875

## 产品详情

ABS韩国LG : XR-409H高刚性高流动高抗冲塑胶

优点：坚硬、易押出、易染色、难燃、耐冲击、表面性佳。

(一). 用途：把手、外壳、行李箱、冰箱衬垫、电视机壳、复印机壳、机壳、化妆品盒、灯座、玩具、鞋跟、家电制品、

齿轮、汽车配件、挡泥板、扶手、冰箱内衬、叶片、轴承、把手、管道、接头、仪表壳、仪表板、盘、安全帽等。

(二). 分类：吹塑成型ABS、挤出成型ABS、玻纤增强ABS、阻燃增强ABS、耐环境开裂ABS、

## QFontDatabase

Blaenorau: Caled, hawdd i'w echdynnu, hawdd i'w liwio, seibio fflam, gwrthdroi'r effeithiau, a priodweddau wyneb da.

\ 652881\ 65289Name Defnydd: Delwedd, plisgyn, pecyn, liner oer, prif lythrennau, prif lythrennau, prif lythrennau, prif lythrennau, blwch cosmetig, cynhwysydd lamp, tegu, tach, dyfeisiau t

Gears, accessories car, mudguards, handrails, liners oer, blades, bearings, handles, pipes, joints, instrument shells, instrument panels, dials, safety helmets, etc.

\ 652882\ 65289Name Dosbarthiad: Blow molded ABS, Extruded ABS, Glass fiber reinforced ABS, Flame retardant reinforced ABS, Environmental cracking resistant ABS

ABS Koreana LG: XR-409H jubadi bu kawe, jaxase bu kawe, biir kruus gu x ó ot

Xam ngeen ne, jf yi dafa dgr, yomb a toj, di faayda bay bgg a dee, di xeex ci safara, di xeex ak a yem ci kanamu Y à lla.

(1) Njiit: jaarale, jumtukaay, defkaay, nj à ngale, nj à ngale mu rafet, nj à ngale, nj à ngale, defkaay yu mag, bantu njaq, nj à ngale yu mag, l à mp yi, toyak, tiim yi, jaarale yi ci kr gi.

Seeni laaj, seeni laaj, seeni laaj, seeni loxoy ngir rafet, seeni laaj, yengal, bii yi, bii yi ak yengal yi, jumtukaay yi, jumtukaay yi, jumtukaay yi, diiyal yi, t é ereb yi ak j à ngoro yi ak yeneen yu w à ll.

(2) Klasifikat: Blow molded ABS, Extruded ABS, Glass fiber reinforced ABS, Flame retardant forced ABS, Environmental cracking resistant ABS