

# 上海西门子代理ET200M有源安装导轨

产品名称	上海西门子代理ET200M有源安装导轨
公司名称	上海励辉自动化科技有限公司
价格	.00/件
规格参数	
公司地址	上海市松江区广富林路4855弄117号4楼
联系电话	18016432111 18016432111

## 产品详情

上海西门子代理ET200M有源安装导轨

有源安装导轨6ES71951GA000XA0ET200M,RAIL483MM6ES71951GF300XA0ET200M,RAIL530MM6ES71951G300XA0ET200M,RAIL620MM6ES71951GC000XA0ET200M,RAIL2000MM有源背板6ES71957HA000XA0ET200M,BUSUNITForPSANDIM1536ES71957HB000XA0ET200M,BUSUNITFor2 × 40MMI/OMODULES 6ES71957HC000XA0ET200M,BUSUNITFor1 × 80MMI/OMODULE 6ES71957HD100XA0ET200M,BUSUNITFor2 × 1M1532RED. 接口模块6ES71556AA010BN0IM1556PN标准型,含服务模块和总线适配器BA2 × RJ45 ( 6ES71556AA000BN0升级型号 ) 6ES71556AU010BN0IM1556PN标准型,含服务模块,不含总线适配器 ( 6ES71556AU000BN0升级型号 ) 6ES71556AU010CN0IM1556PN/2高性能型,含服务模块,不含总线适配器 ( 6ES71556AU000CN0升级型号 ) 6ES71556BA010CN0IM1556DP高性能型,含服务模块,含DP接头(6ES79720BB700XA0)6ES71556AU000DN0IM1556PN高速型,含服务模块,不含总线适配器6ES71556AR000AN0IM1556PN基本型,含服务模块,集成2 × RJ45接口6ES71556AU300CN0IM1556PN/3高性能型,3个端口,2个总线适配器接口,含服务模块,不含总线适配器6ES71556MU000CN0IM1556MF高性能型,支持PROFINET,EthernetIP,ModbusTCP,含服务模块,不含总线适配器总线适配器6ES71936AR000AA0总线适配器BA2 × RJ456ES71936AF000AA0总线适配器BA2 × FC快连式6ES71936AP000AA0总线适配器BA2 × SCRJ光纤6ES71936AP400AA0总线适配器BA1 × SCRJ光纤/1 × FC快连式6ES71936AP200AA0总线适配器BA1 × SCRJ光纤/1 × RJ456ES71936AG000AA0总线适配器BA2 × LC玻璃光纤,光纤远距离2KM6ES71936AG200AA0总线适配器BA1 × LC玻璃光纤/1 × RJ45,光纤远距离2KM6ES71936AG400AA0总线适配器BA1 × LC玻璃光纤/1 × FC快连式,光纤远距离2KM6ES71936AM000AA0总线适配器BA2xM12ET200AL连接模块6ES71936BN000NE0ET200SP连接基座BUSEND6ES71936AS000AA0ET200SP快连式连接适配器BASend1 × FC开关量输入6ES71316BF010BA08DI,24VDC,标准型,适用A0型基座单元 ( 6ES71316BF000BA0升级型号 ) 6ES71316BH010BA016DI,24VDC,标准型,适用A0型基座单元 ( 6ES71316BH000BA0升级型号 ) 6ES71316BF010AA08DI,24VDC,基本型,适用A0型基座单元 ( 6ES71316BF000AA0升级型号 ) 6ES71316BF000CA08DI,24VDC,高性能型,适用A0型基座单元6ES71316BF000DA08DI,24VDC,高速型,具有高速计数,过采样等功能,适用A0型基座单元6ES71316BF610AA08DI,24VDC,原型输入,基本型,适用A0型基座单元 ( 6ES71316BF600AA0升级型号 ) 6ES71316TF000CA08DI,NAMUR,高性能型,适用A0型基座单元6ES71316CF000AU08DI,24VAC..48VUC,基本型,适用U0型基座单元6ES71316FD010BB14DI,120..230VAC,标准型,适用B1型基座单元 ( 6ES71316FD000BB1升级型号 ) 开关量输出6ES71326BD200BA04DO,24VDC/2A,标准型,适用A0型基座单元6ES71326BD200CA04DO,24VDC/2A,高性能型,适用A0型基座单元6ES71326BD200DA04DO,24VDC/2A,高速型,具有PWM,过采样等功能,适用A0型基座单元6ES71326BF010AA08DO,24VDC/0.5A,基

本型,适用A0型基座单元(6ES71326BF000AA0升级型号)6ES71326BF010BA08DO,24VDC/0.5A,标准型,适用A0型基座单元(6ES71326BF000BA0升级型号)6ES71326BF000CA08DO,24VDC/0.5A,高性能型,适用A0型基座单元6ES71326BF610AA08DO,24VDC/0.5A,漏型输出,基本型,适用A0型基座单元(6ES71326BF600AA0升级型号)6ES71326BH010BA016DO,24VDC/0.5A,标准型,适用A0型基座单元(6ES71326BH000BA0升级型号)6ES71326BH000AA016DO,24VDC/0.5A,基本型,适用A0型基座单元6ES71326FD000BB14DO,24..230VAC/2A,标准型,适用B1型基座单元6ES71326FD000CU04DO,24..230VAC/2A,高性能型,支持电能控制功能,适用U0型基座单元继电器输出6ES71326HD010BB14RO,120VDC230VAC/5ANO,标准型,适用B0或B1型基座单元(6ES71326HD000BB1升级型号)6ES71326GD510BA04RO,24VDC/2A,CO,标准型,适用A0型基座单元(6ES71326GD500BB1升级型号)6ES71326MD000BB14RO,120VDC230VAC/5ANO,标准型,带手动置位,适用B0或B1型基座单元模拟量输入6ES71346GB000BA12AI,I,2/4WIRE,标准型,适用A0或A1型基座单元6ES71346FB000BA12AI,U,标准型,适用A0或A1型基座单元6ES71346GD010BA14AI,I,2/4WIRE,标准型,适用A0或A1型基座单元(6ES71346GD000BA1升级型号)6ES71346HD010BA14AI,U/I,2WIRE,标准型,适用A0或A1型基座单元(6ES71346HD000BA1升级型号)6ES71346GF000AA18AI,I,2/4WIRE,基本型,适用A0或A1型基座单元6ES71346FF000AA18AI,U,基本型,适用A0或A1型基座单元6ES71346HB000DA12AI,U/I,2/4WIRE,高速型,适用A0或A1型基座单元6ES71346HB000CA12AI,U/I,2/4WIRE,高性能型,适用A0或A1型基座单元6ES71346JD000CA14AI,RTD/TC,2/3/4WIRE,高性能型,适用A0或A1型基座单元6ES71346JF000CA18AI,RTD/TC2WIRE,高性能型,适用A0或A1型基座单元6ES71346JD000DA14AI,TC,高速型,适用A0或A1型基座单元6ES71346PA000CU0电能测量模块,480VAC/CT,高性能型,适用U0型基座单元6ES71346PA200CU0电能测量模块,480VAC/RC,高性能型,适用U0型基座单元6ES71346PA010BD0电能测量模块,400VAC,标准型,适用D0型基座单元6ES71346PA200BD0电能测量模块,480VAC,标准型,适用D0型基座单元模拟量输出6ES71356GB000BA12AO,I,标准型,适用A0或A1型基座单元6ES71356FB000BA12AO,U,标准型,适用A0或A1型基座单元6ES71356HD000BA14AO,U/I,标准型,适用A0或A1型基座单元6ES71356HB000DA12AO,U/I,高速型,适用A0或A1型基座单元6ES71356HB000CA12AO,U/I,高性能型,适用A0或A1型基座单元通信模块6ES71376AA000BA0支持ASCII,3964R,USS,Modbus,适用A0型基座单元6ES71376BD000BA0IOLINK主站模块,CM4×IOLINK,适用A0型基座单元6ES71376CA000BU0CM1xDALI,DALI主站模块,适用U0型基座单元工艺模块6ES71386AA010BA0TMCount1×24V,高速计数模块,适用A0型基座单元6ES71386BA010BA0TMPOSINPUT1,计数及位置检测模块,支持SSI值编码器,适用A0型基座单元6ES71386CG000BA0TMTIMERDIDQ10×24V,高速计数,时间戳,PWM,过采样,适用A0型基座单元6ES71386DB000BB1TMPULSE2×24V,PWM,脉冲输出,适用B1型基座单元ET200SP基座单元(用于IO模块)6ES71936BP000BA0BU15P16+A0+2B,类型A06ES71936BP000DA0BU15P16+A0+2D,类型A0,用于形成新的负载组6ES71936BP200BA0BU15P16+A10+2B,类型A0,带有10个辅助端子6ES71936BP200DA0BU15P16+A10+2D,类型A0,带有10个辅助端子,用于形成新的负载组6ES71936BP000BA1BU15P16+A0+2B/T,类型A1,带有温度测量6ES71936BP000DA1BU15P16+A0+2D/T,类型A1,带有温度测量,用于形成新的负载组6ES71936BP400BA1BU15P16+A0+12B/T,类型A1,带有温度测量,带有2×5个辅助端子6ES71936BP400DA1BU15P16+A0+12D/T,类型A1,带有温度测量,带有2×5个辅助端子,形成新负载组6ES71936BP200BB0BU20P12+A4+0B,类型B0,适用于20mm继电器输出模块6ES71936BP200DC0BU20P6+A2+4D,类型C0,适用于ASi主站模块及安全型电源模块6ES71936BP000BD0BU20P12+A0+0B,类型D0,适用于电能测量模块6ES71936BP200BB1BU20P12+A0+4B,类型B1,适用于继电器模块,脉冲输出及交流输入/输出模块6ES71936BP200BC1BU20P6+A2+4B,类型C1,适用于安全型ASi主站模块6ES71936BP200BF0BU20P8+A4+0B,类型F0,适用于安全型继电器输出模块6ES71936BP000DU0BU20P16+A0+2D,类型U0,用于形成新的负载组6ES71936BP000BU0BU20P16+A0+2B,类型U06ES71936BP600BA0双槽基座,2BU15P16+A0+2B,类型A0,6ES71936BP600DA0双槽基座,2BU15P16+A0+2DB,类型A0,形成新的负载组ET200SET200SCPU6ES71518AB010AB0IM1518PN/DPCPU6ES71517AA210AB0IM1517CPUDP主站模块6ES71384HA000AB0用于ET200SCPUET200S6ES71511BA020AB0IM1511DPHF6ES71511AA050AA1IM1511DPST(6ES71511AA060AB0)andDPconnector(6ES79720BA120XA0)6ES71511AA050AA4IM1511DPST(6ES71511AA060AB0)andDPconnector(6ES79720BA420XA0)6ES71511AA050AA5IM1511DPST(6ES71511AA060AB0)andDPconnector(6ES79720BA520XA0)6ES71511AA050AB4IM1511DPST(6ES71511AA060AB0)andDPconnector(6ES79720BB420XA0)6ES71511AA050AB5IM1511DPST(6ES71511AA060AB0)andDPconnector(6ES79720BB520XA0)6ES71513AA230AB0IM1513PN标准型6ES71513BA230AB0IM1513PN高性能型PME电源模块6ES71384CA010AA0PME,DC24V6ES71384CA600AB0PMEHF,DC24V6ES71384CA500AB0PME,DC2448V6ES71384CB110AB0PME,DC2448V/AC120230V用于PME的端子模块6ES71934CE000AA0TMP15S2201,2×2螺钉型端子,无AUX端子6ES71934CE100AA0TMP15C2201,2×2弹簧型端子,无AUX端子6ES71934CD200AA0TMP15S23A0,2×3螺钉型端子,与前面的AUX断开6ES71934CC200AA0TMP15S23A1,2×3螺钉型端子,与前面的AUX连接6ES71934CD300AA

0TMP15C23A0,2 × 3弹簧型端子,与前面的AUX断开6ES71934CC300AA0TMP15C23A1,2 × 3弹簧型端子,与前面的AUX连接开关量输入6ES71314BB010AA02DI,DC24V,ST,5PCS6ES71314BB010AB02DI,DC24V,HF,5PCS6ES71314BD010AA04DI,DC24V,ST,5PCS6ES71314BD010AB04DI,DC24V,HF,5PCS6ES71314BF000AA08DI,DC24V,ST6ES71314EB000AB02DI,AC120V,5PCS6ES71314FB000AB02DI,AC230V,5PCS6ES71314CD020AB04DI,UC24...48V,5PCS6ES71314RD020AB04DI,DC24V,NAMUR6ES71314BF500AA08DI,DC24V,源型输入开关量输出6ES71324BB010AA02DO,DC24V,0.5A,ST,5PCS6ES71324BB010AB02DO,DC24V,0.5A,HF,5PCS6ES71324BB310AA02DO,DC24V,2A,ST,5PCS6ES71324BB310AB02DO,DC24V,2A,HF,5PCS6ES71324BD020AA04DO,DC24V,0.5A,ST,5PCS6ES71324BD000AB04DO,DC24V,0.5A,HF,5PCS6ES71324BD320AA04DO,DC24V,2A,ST,5PCS6ES71324BD300AB04DO,DC24V,2A,HF,5PCS6ES71324BF000AA08DO,DC24V,0.5A,ST6ES71324BF000AB08DO,DC24V,0.5A,HF6ES71324FB010AB02DO,AC,24230V,5PCS6ES71324HB010AB02RO.DC24VAC230V,5A,5PCS6ES71324HB130AB02RO,DC2448V/AC24230V,5A,5PCS (6ES71324HB120AB0升级型号)6ES71324BF500AA08DO,DC24V/0.5A,漏形ET200S模拟量输入6ES71344FB010AB02AI,U,ST6ES71344LB020AB02AI,U,HF6ES71344FB520AB02AI,U,HS6ES71344GB010AB02AI,I,ST,2WIRE6ES71344GB520AB02AI,I,HS,2WIRE6ES71344GB110AB02AI,I,ST,4WIRE6ES71344GB620AB02AI,I,HS,4WIRE6ES71344MB020AB02AI,I,HF,2/4WIRE6ES71344JB510AB02AI,RTD,ST6ES71344NB510AB02AI,RTD,HF6ES71344NB010AB02AI,TC,HF6ES71344GD000AB04AI,I,ST,2WIRE6ES71344JD000AB04AI,TC,ST模拟量输出6ES71354FB010AB02AO,U,ST6ES71354LB020AB02AO,U,HF6ES71354FB520AB02AO,U,HS6ES71354GB010AB02AO,I,ST6ES71354MB020AB02AO,I,HF6ES71354GB520AB02AO,I,HSET200S功能模块6ES71384DA040AB01COUNT24V/100KHZ6ES71384DE020AB01COUNT5V/500KHZ6ES71384DD010AB02Pulse6ES71384DB030AB01SSI,25bit/1MHz6ES71384DC010AB01STEP5V/204KHz6ES71384DL000AB01POSU6ES71384DF010AB01SI,RS232/422/485,3964R6ES71384DF110AB01SI,MODBUS/USS6ES71384GA500AB04SIIOLINK6ES71384FD000AA04POTDIS用于电子模块的端子模块6ES71934CB200AA0TME15S2401,2 × 4端子,螺钉型,无AUX总线,15mm,5片包装6ES71934CB300AA0TME15C2401,2 × 4端子,弹簧型,无AUX总线,15mm,5片包装6ES71934CA200AA0TME15S24A1,2 × 4端子,螺钉型,带AUX总线,15mm,5片包装6ES71934CA300AA0TME15C24A1,2 × 4端子,弹簧型,带AUX总线,15mm,5片包装6ES71934CB000AA0TME15S2301,2 × 3端子,螺钉型,无AUX总线,15mm,5片包装6ES71934CB100AA0TME15C2301,2 × 3端子,弹簧型,无AUX总线,15mm,5片包装6ES71934CA400AA0TME15S26A1,2 × 6端子,螺钉型,带AUX总线,15mm,5片包装6ES71934CA500AA0TME15C26A1,2 × 6端子,弹簧型,带AUX总线,15mm,5片包装6ES71934CG200AA0TME30S4401,4 × 4端子,螺钉型,带AUX总线,30mm6ES71934CG300AA0TME30C4401,4 × 4端子,弹簧型,带AUX总线,30mm6ES71934CF400AA0TME30S46A1,4 × 6端子,螺钉型,带AUX总线,30mm6ES71934CF500AA0TME30C46A1,4 × 6端子,弹簧型,带AUX总线,30mm6ES71934CL200AA0TME15S24AT,螺钉型,用于高性能2AITC内部温度补偿6ES71934CL300AA0TME15C24AT,弹簧型,用于高性能2AITC内部温度补偿35mm导轨6ES7108MA11RAILWIDTH35MM,LENGT H483MM6ES7108MA21RAILWIDTH35MM,LENGTH530MM6ES7108MA31RAILWIDTH35MM,LENGTH830MM6ES7108MA41RAILWIDTH35MM,LENGTH200MMET200MIM接口模块6ES71531AA030XA1 IM1531DP(6ES71531AA030XB0)andDPconnector(6ES79720BA120XA0)6ES71531AA030XA4 IM1531DP(6ES71531AA030XB0)andDPconnector(6ES79720BA420XA0)6ES71531AA030XA5IM1531DP(6ES71531AA030XB0)andDPconnector(6ES79720BA520XA0)6ES71531AA030XB4 IM1531DP(6ES71531AA030XB0)andDPconnector(6ES79720BB420XA0)6ES71531AA030XB5 IM1531DP(6ES71531AA030XB0)andDPconnector(6ES79720BB520XA0)6ES71532BA020XA1IM1532DPHF(6ES71532BA100XB0)andDPconnector(6ES79720BA120XA0)6ES71532BA020XA4IM1532DPHF(6ES71532BA100XB0)andDPconnector(6ES79720BA420XA0)6ES71532BA020XA5IM1532DPHF(6ES71532BA100XB0)andDPconnector(6ES79720BA520XA0)6ES71532BA020XB4IM1532DPHF(6ES71532BA100XB0)andDPconnector(6ES79720BB420XA0)6ES71532BA020XB5IM1532DPHF(6ES71532BA100XB0)andDPconnector(6ES79720BB520XA0)6ES71534AA010XB0IM1534PN6ES71534BA000XB0IM1534PNHF6ES71532AR030XA1ET200MRED.BUNDLE(6ES71532AR040XA0)andtwoDPconnectors(6ES79720BA120XA0)6ES71532AR030XA4ET200MRED.BUNDLE(6ES71532AR040XA0)andtwoDPconnectors(6ES79720BA420XA0)6ES71532AR030XA5ET200MRED.BUNDLE(6ES71532AR040XA0)andtwoDPconnectors(6ES79720BA520XA0)6ES71532AR030XB4ET200MRED.BUNDLE(6ES71532AR040XA0)andtwoDPconnectors(6ES79720BB420XA0)6ES71532AR030XB5ET200MRED.BUNDLE(6ES71532AR040XA0)andtwoDPconnectors(6ES79720BB520XA0)有源安装导轨6ES71951GA000XA0ET200M,RAIL483MM6ES71951GF300XA0ET200M,RAIL530MM6ES71951GG300XA0ET200M,RAIL620MM6ES71951GC000XA0ET200M,RAIL2000MM有源背板6ES71957HA000XA0ET200M,BUSUNITForPSANDIM1536ES71957HB000XA0ET200M,BUSUNITFor2 × 40MMI/O MODULES 6ES71957HC000XA0ET200M,BUSUNITFor1 × 80MMI/OMODULE 6ES71957HD100XA0ET200

M,BUSUNITFor2 × IM1532RED. ET200proDPIM接口模块6ES71541AA010AB0IM1541DPST6ES71542AA010AB0IM1541DPHFDPIM 连接模块6ES71944AA000AA0CMIMDPECOFAST6ES71944AC000AA0CMIMD PDIRECT6ES71944AD000AA0CMIMDPM12/7/8"PNIM接口模块6ES71544AB100AB0IM1544PNHF6ES71543AB000AB0IM1543PNHFPNIM 连接模块6ES71944AJ000AA0CMIMPNM127/8"6ES71944AF000AA0CMIMP N2 × RJ456ES71944AG000AA0CMIMP N2 × SCRJFO 6ES71944AK000AA0CMIMPNM127/8"SCPU6ES71548AB010AB0IM1548PN/DPCUCPU连接模块6ES71944AN000AA0CMIMCUPN/DPM12/7/8"ET200pro开关量 电子模块6ES71414BF000AA0EM8DI,DC24V,ST6ES71414BF000AB0EM8DI,DC24V,HF6ES71414BH000AA0EM16DI,DC24V6ES71424BD000AA0EM4DO,DC24V/2.0A,ST6ES71424BD000AB0EM4DO,DC24V/2.0A,HF6ES71424BF000AA0EM8DO,DC24V/0.5A,ST6ES71434BF000AA0EM4DIO/4DO,DC24V/0.5A6ES71434BF500AA0EM4DI/4DO,DC24V/0.5A模拟量 电子模块6ES71444FF010AB0EM4AIU,HF6ES71444GF010AB0EM4AI, HF6ES71444JF000AB0EM4AIRTD,HF6ES71444PF000AB0EM4AITC,HF6ES71454FF000AB0EM4AOU,HF6ES71454GF000AB0EM4AOI,HFIOLink模块6ES71474JD000AB0EM4IOLink,HF阀岛接口6ES71484EA000AA016DO, PNEUMATICINTERFACECPV10 6ES71484EB000AA016DO,PNEUMATICINTERFACECPV14 电子模块 连接模块6ES71944CA000AA0CMIO4 × M126ES71944CA500AA0CMIO4 × M12inverse6ES71944CB000AA0CMIO8 × M126ES71944CB500AA0CMIO8 × M12D6ES71944EB000AA0CMIO8 × M86ES71944FA000AA0CM IO1 × M236ES71944FB000AA0CMIO2 × M126ES71944CA100AA0CMIO4 × M12塑料材质6ES71944CB100AA0 CMIO8 × M12塑料材质6ES71944CA200AA0CM用于IOLink主站模块,4 × M12塑料材质冷端补偿接头6ES719 44AB000AA0COMPENSATIONCONNECTOR 电源模块6ES71484CA000AA0PMEDC24VDC电源模块 连接模块6ES71944BA000AA0CMPMEECOFASTCUDP6ES71944BC000AA0CMPMEDIRECT6ES71944BD00 0AA0CMPME7/8" 6ES71944BE000AA0CMPMEPushPull安装导轨6ES71944GA000AA0NARROW,L:500MM6 ES71944GA200AA0NARROW,L:2000MM6ES71944GA600AA0NARROW,L:1000MM6ES71944GB000AA0WIDE ,L:500MM6ES71944GB200AA0WIDE,L:2000MM6ES71944GB600AA0WIDE,L:1000MM6ES71944GC700AA0CO MPACT,L:500MM 6ES71944GC200AA0COMPACT,L:2000MM 6ES71944GC600AA0COMPACT,L:1000MM 6ES71944GD000AA0COMPACTWIDE,L:500MM 6ES71944GD200AA0COMPACTWIDE,L:2000MM 6ES 71944GD100AA0COMPACTWIDE,L:1000MM ET200AL接口模块6ES71571AA000AB0PROFIBUS接口模块I M1571DP6ES71571AB000AB0PROFNET接口模块IM1571PN6ES71936BN000NE0ET200SP连接基座BUSEND6 ES71936AS000AA0ET200SP快连式连接适配器BASend1 × FCIO模块6ES71415BF000BA0DI8 × 24VDC,8 × M86 ES71435BF000BA0DIQ4+DQ4 × 24VDC/0.5A,8 × M86ES71415AF000BA0DI8 × 24VDC,4 × M126ES71415AH000 BA0DI16 × 24VDC,8 × M126ES71425AF000BA0DQ8 × 24VDC/2A,8 × M126ES71435AF000BA0DIQ4+DQ4 × 24 VDC/0.5A,4 × M126ES71435AH000BA0DIQ16 × 24VDC/0.5A,8 × M126ES71445KD000BA0AI4 × U/I/RTD,4 × M126ES71445KD500BA0AI4xRTD/TC,4 × M126ES71455ND000BA0AQ4 × U/I,4 × M126ES71475JD000BA0CM4 × IOLINK,4 × M12ET200ecoET200ecoPN6ES71416BF000AB08DIDC24V;4 × M126ES71416BG000AB08DIDC24 V;8 × M126ES71416BH000AB016DIDC24V;8 × M126ES71426BF500AB08DODC24V/0.5A;4 × M126ES71426BF00 0AB08DODC24V/1.3A;4 × M126ES71426BG000AB08DODC24V/1.3A;8 × M126ES71426BR000AB08DODC24V/ 2A;8 × M126ES71426BH000AB016DODC24V/1.3A;8 × M126ES71476BG000AB08DIODC24V/1.3A;8 × M126ES7 1446KD000AB08AI4U/I+4RTD/TC;8 × M126ES71446KD500AB08AIRTD/TC;8 × M126ES71456HD000AB04AO U/I;4 × M126ES71486JA000AB0IOLINKMASTER,4IOL+8DI+4DO24VDC/1.3A8 × M126ES71486JD000AB0IOLi nkmaster,4IOL,4 × M126ES71486CB000AA0PDDC24V;1 × 7/8"ET200ecoPN M12L6ES71416BH000BB016D IDC24V;M12L,8xM126ES71416BG000BB08DIDC24V;M12L,8xM126ES71426BG000BB08DODC24V/0.5A;M12L, 8xM126ES71426BR000BB08DODC24V/2A;M12L,8xM126ES71436BH000BB016DIQDC24V/0.5A/2A;M12L,8xM1 2ET200ecoDP IO模块6ES71413BF000XA08DIDC24V6ES71413BH000XA016DIDC24V6ES71423BF000XA0 8DODC24V/2A6ES71423BH000XA016DODC24V/0.5A6ES71433BH000XA08DI/8DODC24V/2A6ES71433BH10 0XA08DI/8DODC24V/1.3AET200ecoDP 连接块6ES71943AA000AA0ET200ecoDP,ECOFASTCONNECTI NGBLOCK6ES71943AA000BA0ET200ecoDP,M12,7/8"CONNECTINGBLOCKDP接头6ES79720BA120XA0D PCONNECTOR,90DEGREE,W/OPGSOCKET 6ES79720BB120XA0DPCONNECTOR,90DEGREE,WPGSOC KET 6ES79720BA420XA0DPCONNECTOR,35DEGREE,W/OPGSOCKET 6ES79720BB420XA0DPCONNEC TOR,35DEGREE,WPGSOCKET 6ES79720BA520XA0DPCONNECTOR,90DEGREE,W/OPGSOCKET,FC6ES 79720BB520XA0DPCONNECTOR,90DEGREE,WPGSOCKET,FC6ES79720BA610XA0DPCONNECTOR,35DE GREE,W/OPGSOCKET,FC6ES79720BB610XA0DPCONNECTOR,35DEGREE,WPGSOCKET,FC6ES79720BA70 0XA0PROFIBUSCONNECTOR,90DEGREE,W/OPGSOCKET 6ES79720BB700XA0PROFIBUSCONNECTOR, 90DEGREE,WPGSOCKET

