

精密单柱液压机 落地式单柱液压机 35T液压机

产品名称	精密单柱液压机 落地式单柱液压机 35T液压机
公司名称	玉环方博机械有限公司
价格	.00/台
规格参数	
公司地址	浙江台州玉环汽摩园工业区
联系电话	0576-87216855 13967655592

产品详情

35吨中型液压机，精密液压机，精密单柱液压机，落地式单柱液压机，35t液压机，单臂弓形液压机，整体焊接的坚固开式结构可使机身保持足够刚性的同时拥有最方便的操作空间。可根据用户要求，另配置进口plc、光栅保护以及人机界面（触摸屏）等先进元器件。对于客户的特殊要求，我们可以特别设计生产，最大限度的满足客户生产工艺要求。有意者请致电：13967655592 0576-87216855，何女士。或者发送邮件至fangbo.cn@163.com或者登陆我司官网www.fangbo.cn.com

fbv-kp系列 落地式单柱液压机 (fbv-kp series of hydraulic press machine.)

根据客户需求可定做非标准压机 (non-standard press can be customized according to customer demand.)

产品特点(product feature)

- 1.c型机身设计，占用空间小，方便操作。(the-c-body design, use small space and easy to operate.)
- 2.机身整体铸造，刚性好，性能稳定。(whole body casting, rigid and stable performance.)
- 3.配有充液阀，动作速度快。(with a filling valve, have a high speed.)
- 4.加长工作台，利于工件的安装放置。(extension working table, placing the installation of the workpiece conveniently.)
- 5.下压行程具有快进和工进两种速度，快进速度提高工作效率，工进速度可任意调节，保护模具，提高产品质量。(downward movement with the fast and feeding speed, the fast forward improve product quality.)
- 6.按键与脚踏两种循环启动方式，任意调整下压速度与时间。(key and foot switch two cycle start modes, pressure speed and time can be adjusted arbitrarily)

7.安全设计，采用双手操作，设有急停和上下点动功能。（ safety design , using both hands to operate , with emergency stop and jog up and down function. ）

8.广泛用于零部件的压型、压弯、冲孔、压印，及轴类零件的校正和压装等。（ widely used in parts of the press forming , stretching , bending , punching , stamping , shaft alignment and press-fit , ect. ）

9.红外线保护装置，下顶缸，压力传感器（选配类）。（ infrared protection , under cylinder , and pressure sensor can be configured (optionsl) . ）

技术参数 technical parameters

specifications	规格	单位/unit	fbv-kp35
theoretical output pressure	理论出力	kn	350(35t)
rated oil pressure	额定油压	mpa	17.5
max stroke	最大行程	mm	260
max opening height	最大开口宽度	mm	530
throat depth	喉深	mm	250
fast-forward speed	快进速度	mm/s	200
feeding speed	工进速度	mm/s	10~30
return speed	回程速度	mm/s	120
the size of the working table	工作台尺寸	mm	600 × 540
the height of the working table	工作台距地面高度	mm	810
mold mounting hole	模柄尺寸	mm	40

power of motor	电机功率	kw	5.5
power(3 ac,50hz)	电源(3 ac,50hz)	v	380
weight	重量	kg	2100

我司产品均可定制！