

工业自动化英特尔凌动3.5 "无风扇工业电脑赛扬1037U或I3-3217U N85ECM迷你电脑

产品名称	工业自动化英特尔凌动3.5 "无风扇工业电脑赛扬1037U或I3-3217U N85ECM迷你电脑
公司名称	北京天开创新技术有限公司
价格	2200.00/件
规格参数	
公司地址	中国北京市海淀区上地信息路1号2号楼20层2004室
联系电话	86 010 82894802/82894808 13810249588

产品详情

Model: N85ECM (or N85ECM) Intel Atom CDB 3.5" 3.5 fanless industrial pc Celeron 1037U or I3-3217U with 6 COM HD/WIFI

M920 Intel? Celeron? Processor 1037U (2M Cache, 1.80 GHz) Q1'13

Launch Date Q1'13

Processor Number 1037U

of Cores 2

of Threads 2

Clock Speed 1.8 GHz

Intel? Smart Cache 2 MB

DMI 5 GT/s

Instruction Set 64-bit

Instruction Set Extensions SSE4.1, 4.2

Embedded Options Available No

Lithography 22 nm

Max TDP 17 W

Processor Graphics Intel? HD Graphics

Intel Core i3-3217U Processor (3M Cache, 1.80 GHz)

Launch Date Q2'12

Processor Number i3-3217U

Intel Smart Cache 3 MB

of Cores 2

of Threads 4

Processor Base Frequency 1.8 GHz

TDP 17 W

Max Memory Size (dependent on memory type) 32 GB

Memory Types DDR3/L/-RS 1333/1600

Processor Graphics Intel HD Graphics 4000

Graphics Base Frequency 350 MHz

Graphics Max Dynamic Frequency 1.05 GHz

Graphics Output eDP/DP/HDI/SDVO/CRT

CPU Integrated Intel Celeron 1037U 1.8GHz dual-core CPU TDP17W

Graphics Intel HD Core graphics,Providing VAG,HDI display output

System Memory Onboard DDR3 2GB high speed memory,the memory onboard max up to 4GB

CPU Integrated Intel I3-3217UU 1.8GHz dual-core CPU TDP17W

Graphics Intel HD 4000 Core graphics,Providing VAG,HDI display output

System Memory Onboard DDR3 4GB high speed memory,the memory onboard max up to 4GB

Expansion Slot 1* Mini-PCIE,supports WIFI/3G module

Storage 1* 2.5" SATA

1* MSATA,supports SSD,WIFI

Network Integrated 2*Intel Gigabit LAN chip,Supports Wake-on-LAN

Front Panel Port 2* COM

2* USB 2.0

1* POWER,RESET switch

1* POWERHDD,HDDLED

Rear Panel Port 2* USB 2.0

4* COM

1* HDI

1* VGA

2* LAN

1* Line out(green)

1* DC_12V IN

1* WIFI antenna port

Cooling System 1* SYSFAN

Operating Temperature -0 ~50

Storage Temperature -20 ~70

Operating Humidity 5%-95%(relative humidity; non-condensing)

Anti-vibration 5~400Hz/random operating

Form Factor 172*107*54mm (L*W*H/mm)

Power Input DC_12V single power input

Installation Desktop or wall mounting

Material and craft Sandblasting oxidation process (Black)

Form Factor Mini-ITX Form Factor

3.5" SBC 6 layers, pcb size: 148x102mm