

温度开关 配电柜专用温度开关 赛普温度开关

产品名称	温度开关 配电柜专用温度开关 赛普温度开关
公司名称	乐清市赛邦电气有限公司
价格	68.00/个
规格参数	加工定制:是 品牌:saipwell/赛普 型号:kt011
公司地址	中国 浙江 温州市 柳市
联系电话	86 0577 62760721-8018 13758430648

产品详情

温度控制调节器 kto 011 / kts 011

- 1.适用于电力配电设施,配电柜等密闭设施内,调节控制温度均衡,有效的保护电气元件;
- 2.温控范围 0-60 ° c ;
- 3.产品通过 emi/ emc测试, en55014-2, en61000-3-2, en61000-3-3 ;
- 4.尺寸 : 67**43*33mm;
- 5.输入电压 : 110v-220v;
- 6.防护等级 : ip20 ;
- 7.安装方式 : din35mm导轨式按装。

技术参数 :

温箱nc(常闭);自动调温器在温度上升打开安装有一个红色的温度拨号盘.

技术数据

开关温度切换 7k(.4k)误差

传感器元素 恒温双金属

接点类型 攫取行动联络

阴抗 < 10m0hm

产品使用期限 >100 000个周期

开关容量 250vac,10(2)a

120vac,15(2)a

dc 30w

emc acc,to en 55014-1-2,en 61000-3-2,en 61000-3-3

连接 2接点线径2.5mm.螺丝扭力0.8nm

固定方式 截面为35mmdin路轨 , en50022 (或为出口过滤ef118系列)

外壳材质 塑料根据ul94 v-0 , 浅灰色

尺寸 60x33x43mm

重量 大约。 40g

贴合位置 简易

操作/保持温度 -20到80 /-45到+80。 c(-49到+176。 f)

防护等级 ip20

0 to +60 ° c 01140.0-00 01141.0-00 vde

-10 to +50 ° c 01142.0-00 01143.0-00 vde

+20 to +80 ° c 01159.0-00 01158.0-00 vde

+32 to +140 ° f 01140.9-00 01141.9-00 ul file no. e164102

+14 to +122 ° f 01142.9-00 01143.9-00 ul file no. e164102

0 to +60 ° c 01146.9-00 01147.9-00 ul file no. e164102

恒温器的工作原理:

由于热膨胀系数不同，双金属片在温度改变时，两面的热胀冷缩程度不同，因此在不同的温度下，其弯曲程度发生改变。

温度高于双金属片的膨胀温度时，双金属片接点位置变形而断开，电路断开。

温度低于双金属片的膨胀温度时，双金属片接点位置恢复原形而闭合，电路闭合。

温控器分常开和常闭两种

常闭：当设置好温度后，温控器处在常闭状态，当实际环境温度降到或接近设定温度时，就会启动负载加热，通常温控器处在常闭状态，当实际环境温度大于设定温度时，负载总是处在停运状态。

常开：当设置好温度后，温控器处于常开状态，当实际环境温度大于或接近设定温度时，就会启动负载散热，通常温控器都处在常开状态，当实际环境温度低于设定温度时，负载总是处在停运状态。

公司：赛普电气集团公司上海分公司

联系人：曾建华

电话:021-53080607-8029

传真:021-33050669

移动电话：15224173246

email:saip336@saip.cn

qq：1158774890

同类规格产品还有很多，欢迎来电咨询！

顾客满意是我们的宗旨。

赛普集团已引进国外资深管理与经验丰富的专业人事,以严谨的管理有创意的研发团队,先进的营销直念,在传统产品的基础上创造和发展了新的更适用的且具有良好性价等的产品.saip产品已获得ce、rohs、ccc、emc、vde、ul等国内国际认证.产品已得到机关行业的认证认可,并远销东南亚、中东、东欧及美州等地域.赛普现在有全球28家代理,其中中国六家,分别设在青岛、威海、南京、深圳、上海及温州,赛普已与多家国际化公司建立了良好的长期合作伙伴关系.赛普一如既往地坚持“合作发展,共同提高”的服务宗旨,以真诚的合作态度来最大程度地满足客户的需求.

乐清市赛邦电气有限公司系赛普电气集团有限公司全资分公司,主要负责——小型温控器、机柜除湿器(

加热器), 太阳能充放电控制器及韩国hibox产品和各类防水箱及信号灯的开发和制造. 乐清市赛邦电气有限公司系赛普电气集团有限公司全资分公司,主要负责——小型温控器、机柜除湿器(加热器), 太阳能充放电控制器及韩国hibox产品和各类防水箱及信号灯的开发和制造.

赛普电气集团(简称赛普)是一家专业从事电气产品研发,制造及营销的电气有限公司. 赛普集团已引进国外资深管理与经验丰富的专业人事,以严谨的管理有创意的研发团队,先进的营销直念,在传统产品的基础上创造和发展了新的更适用的且具有良好性价等的产品.saip产品已获得ce、 rohs、 ccc、 emc、 vde、 ul等国内国际认证.产品已得到机关行业的认证认可,并远销东南亚、 中东、 东欧及美州等地域. 赛普现在有全球28家代理,其中中国六家,分别设在青岛、 威海、 南京、 深圳、 上海及温州,赛普已与多家国际化公司建立了良好的长期合作伙伴关系.

赛普一如既往地坚持“ 合作发展,共同提高 ” 的服务宗旨,以真诚的合作态度来最大程度地满足客户的需求

<p>saip electric group co., ltd (called “ saip ” for short) is an enterprise specialized in design, production and sales of electric equipments.had office located in the largest manufacturing base of electric equipment of wenzhou china, which is called "the electric equiment capital of china". saip has five specialized branches, over 300 specialized cooperative partners. saip, an iso9001 certificated enterprise, owns modern production lines and high quality controlling equipment with scientific administration, professional engineers, highly trained teams technicians and skilled workers.</p>	
<p>now saip has five design and production bases in hong kong, taiwan, singapore, turkey and wenzhou(china mailand), 28 sales organizations in the world and more than 50 holding member enterprises. saip products cover low-voltage apparatus, welding equipment, instrument and meter, photoelectron, electrical products for construction ,automobile apparatus and industrial automation. the products are sold to more than 100 countries and regions. all exported products have passed through the certification of ce and partial products have passed through several kinds of international certification like rohs, tuv, ul ,kema,s,sirim and so on. saip as always inherits “ high quantity and sincere service ” . saip— your successful cooperative partner!!!</p>	

"供应温度开关 配电柜专用温度开关 赛普温度开关"的工作电压为220 (V) , 加工定制是是, 类型为金属膨胀式, 过载电流是10 (A) , 型号为kt011 , 品牌是saipwell/赛普, 产品认证为CE, 寿命是2000000 (次) , 动作温度为0~60 ()