

PVC塑料管材挤出机/塑料管材生产线

产品名称	PVC塑料管材挤出机/塑料管材生产线
公司名称	江苏联顺机械有限公司
价格	145000.00/台
规格参数	品牌:联顺 型号:ls-sjsz65
公司地址	乐余镇双桥村
联系电话	0512-58601108 13862260220

产品详情

pvc管材生产线					
pvc管材挤出生产线主要用于生产pvc水管，质量上乘，设备合理。					
特征:					
1. 产量:锥型双螺杆挤出机,适用于pvc粉末，产量高，可达到1000公斤/小时。					
2. 管径:联顺公司致力于设计并生产世界上最大的锥型双螺杆挤出机，生产最大的管径达到710mm.					
3. 辅助机械.具有外形美观,自动化控制和运转平稳等特性。					
技术参数					
管径	20-63mm单管	20-63mm双管	75-160mm	110-315mm	315-630mm
挤出机型号	sjz51/105	sjz65/132	sjz65/132	sjz80/156	sjz92/188
挤出机功率	18.5kw	37kw	37kw	55kw	110kw
挤出量	120kg/h	250kg/h	250kg/h	360kg/h	800kg/h
最大线速度	12m/min	10m/min	6m/min	3m/min	1.2m/min
pvc pipe production line					
this production line is mainly used to produce pvc water pipe; it is of high quality and reasonable design.					
characteristic:1. capacity: conical twin-screw extruder, suitable for process pvc powder with high capacity, max 1000kg/h2. diameter: lianshun succeed in designing and producing the biggest conical twin-screw extruder in the world. max products reach 710mm.3. auxiliary machine closely meet customer specifications. nice out-look,					

automatic control and stable running performance

pipe range	20-63mm single	20-63mm dual	75-160mm	110-315mm	315-630mm
extruder	sjz51/105	sjz65/132	sjz80/156	sjz80/156	sjz92/188
extruder power	18.5kw	37kw	37kw	55kw	110kw
extrusion capacity	120kg/h	250kg/h	250kg/h	360kg/h	800kg/h
max. production speed	12m/min	10m/min	6 m/min	3 m/min	1.2m/min

特点及用途: features and application :

sjz型系列锥形双螺杆挤出机，是一种适用于各类pvc粉料挤出成形的专用设备，配用不同模具及各类辅机就能生产出各类pvc材料的管材、异型材、板材、片材、棒材及造粒。features and applications
 sjz series conical double screw plastic extruders are special equipments which can extrude and mold by using various kinds pvc powders. equipped with different kinds of molds and auxiliary machines, it can produce various pvc pipes, profiles, sheets, plates, bars and granulation.主要技术参数main technical parameter

主要技术参数 main technical parameter

项目 item	sjsz-45	sjsz-51	sjz-65	sjz-80	sjz-92
螺杆直径 diameter of screw(mm)	45/100	51/105	65/132	80/156	92/188
螺杆数量 number of screw(mm)	2	2	2	2	2
螺杆转向 direction of screws	异向向外 screw rotation direction				
螺杆转速 screw rotation speed(rpm)	1-37	1-32	1-34.7	1-36.9	1-32.9
螺杆有效工作长度 effective length of screw(mm)	985	1070	1440	1800	2500
主电机功率 power of main engine (kw)	15	18.5	37	55	90
机筒加热功率b	12	18	24	36	86.8

arrel heating power (kw)					
生产能力 production capacity(kg/h)	95	80-120	250-300	320-450	500-600
机器中心高 center height(mm)	1000	1000	1000	1000	1000
净重 net weight(kg)	2800	3200	4000	5000	10000
外形尺寸(长 × 宽 × 高) dimensions(mm)(l × w × h)	3620 × 1050 × 2157	3000 × 1050 × 2200	4235 × 1520 × 2450	4750 × 1550 × 2460	6725 × 1550 × 2841

"PVC塑料管材挤出机/塑料管材生产线"的是否提供加工定制为是，品牌是联顺，型号为LS-SJSZ65，产品别名是塑料管材挤出机，管材挤出机，塑料挤出机，挤出机，型材挤出机，产品用途为SJZ型系列锥形双螺杆挤出机，是一种适用于各类PVC粉料挤出成形的专用设备，配用不同模具及各类辅机就能生产出各类PVC材料的管材、异型材、板材、片材、棒材及造粒，种类是管材挤出机，螺杆数为双螺杆，螺杆直径是65（mm），最大挤出直径为250（mm），生产能力是150-250（Kg/h），定位精度为3（mm），外形尺寸是4250X1520X2350（mm），电动机功率为37（kw）