

防粘母粒（开口母料）白色

产品名称	防粘母粒（开口母料）白色
公司名称	广州拓亿贸易有限公司
价格	23000.00/吨
规格参数	颜色:白色 品牌:台资
公司地址	广州市萝岗区科学城科学大道绿地广场B2栋1818
联系电话	020-22829556 13503090280

产品详情

产品图片

产品特点及用途

材质：pp
功能：抗静电、其它专用
适合塑料品种：bopp/pof/cpp/ipp/i
pe

参考配比量：1%--5%
耐晒性：6
颜色：白色

等级：高级吹膜
品牌：台资
应用工艺：吹塑

防粘母料

成分：亮宝牌ptf-776母料是一种高效的防粘母料，本产品是以共聚聚丙烯为载体，以进口合成硅石为有效成份复配而成的高性能防粘母料。

优点：本防粘母料通过在薄膜表面产生突出面让空气进入的方法,防止在收卷时薄膜之间的粘连.采用合成硅制成的ptf-776是专为bopp/pof/cpp/ipp/ip薄膜而设计.硅石多孔的特性,使其像海绵般释放爽滑剂和或抗静电剂.由于采用特殊制造工艺使其在最小的添加量的情况下达到最大限度的效果

指标：熔融指数：9 g/10min密度：0.93 g/cm³有效成份含量：5%水分：< 0.1%外观形状：米白色圆珠体

使用方法：添加至ptf-776薄膜表层,常规添加量在1%~5%之间，对于防粘要求严格或生产镀铝膜等产品时，建议使用较高的添加量，最理想的添加量必须经试验确定。

包装储存：本产品使用防潮包装，纸塑复合内衬薄膜袋，净重25kg，储存于阴凉干燥处，有效期为12个月。

product characteristics and uses

material: pp

reference to match specific flow: 1% - 1%

senior level: blown film

functions: antistatic, other special

resistance to bask in: 6

brand: taiwan

suitable for plastic varieties: bopp/pof/cpp/ipp/ipe

color: white

application process: blow molding

anti-sticking masterbatch

ingredients:

bright treasure card ptf - 776 masterbatch is a highly efficient anti-sticking masterbatch, this product is based on copolymerization polypropylene as the carrier, to import the synthesis of silica as the effective ingredients of compound with high-performance anti-sticking masterbatch.

advantages:

the anti-sticking masterbatch on the membrane surface to produce outstanding to force air into the method of preventing adhesion between film during winding. made of synthetic silicon ptf - 776 is designed for bopp/pof/cpp/ipp/ip film designed. the characteristics of porous silica, make them like a sponge smooth release agent and or antistatic agent. thanks to the use of special manufacturing process under the condition of the minimum amount to maximum effect

indicators:

the melt index: 9 g / 10 min

density: 0.93 g/cm³

the content of the effective ingredients: 5%

water: < 0.1%

appearance shape: rice white round bead

method of use:

added to the ptf - 776 film surface, the conventional content between 1% ~ 1%, the anti-sticking demanding or produce the products such as aluminum plating film, it is recommended to use higher content, the ideal amount must be determined by the test.

packaging and storage:

this product use moistureproof packaging, paper-plastic composite lining film bag, net weight 25 kg, store in a cool and dry place, is valid for 12 months.

联系方式

联系地址：中国广东广州市天河区大观南路4号达维商务中心112

移动手机：13503090280

客服电话：020-020 22829556/22829920

传真号码：86 020 22360980 腾讯qq：1203508613 企业qq：2355354515

阿里旺旺：tymy188

"供应防粘母粒（开口母料）"的颜色为白色，等级是高级吹膜，适合塑料品种为BOPP/POF/PP/IPP/IFE，耐晒性是6（级），材质为PP，应用工艺是吹塑，有效成分含量为5，品牌是台资，参考配比量为1%--5%