

抛光树脂|超纯水专用混合离子交换树脂|EC150UP|核级树脂18.2M

产品名称	抛光树脂 超纯水专用混合离子交换树脂 EC150UP 核级树脂18.2M
公司名称	杭州泳洲水处理科技有限公司
价格	65.00/升
规格参数	牌号:ec150up 离子型:混床树脂 酸碱性:混合型
公司地址	杭州市西湖区三墩镇振中路202号7幢436室
联系电话	86 0571 89961939/89905299

产品详情

ec150up超纯水专用混合离子交换树脂(抛光树脂)

提示：产品无需在交换柱中注水，直接装填避免二次分层。

ec150upultra-pure water mixed resins

product descriptionec150up is a premium grade, gel type, high capacity, high purity mixed ion exchange resin prepared with a 1:1 chemically equivalent ratio of cation to anion resin . the mixed resin is prepared from component resins which have been manufactured with the highest degree of purity and conversion to the h / oh form.

application

ec150up is specially prepared to provide a rapid rinse up to a resistivity of 18+ megohm *cm, and to provide a rapid rinse in for total organic carbon (toc). ec150up is designed to reliably provide upw quality water for microelectronics, laboratory, one-through cartridges, and high purity service-exchange application.

physical and chemical properties

component	strong acid cation	strong base anion
polymer structure	gel polystyrene crosslinked with divinylbenzene	
appearance	spherical beads	
functional group	-so3	-n(ch3)3
ionic form	99% h+	97% oh-
cation / anion ratio, v/v	1.0	2.0

particle size range (mm)	0.40 - 1.20	95%
shipping weight (approx.), g/ml	0.69 - 0.75	
effective size, mm	0.40 - 0.60	

recommended operating conditions	
ph limits	0 - 14
storage temp	5 - 35 ° c
temp limit	60 ° c
bed depth, min	700 mm
flow rate, service	20 - 40 bv/h

attentionthis resin mixture is manufactured with a very high percentage conversion to the hydrogen and hydroxide forms. exposure to the atmosphere for more than half an hour can result in uptake of substantial quantities of carbon dioxide which can affect the performance of this product. hence bags should be opened shortly before use and unused bags re-sealed carefully. this product should not be left in direct sunlight.

packaging

5 liter bags (aluminum foil antistatic vacuum encapsulation) or 50 liter drums.

卖家服务

1.杭州及周边城市本司提供有偿上门更换服务，具体费用请联系我们。2.由于拍照，上传图片及产品升级会导致产品图片及参数有所不详,如有疑之处，在拍之时敬请联系我司询问。若收到产品或配件与实际要求出现误差,本公司负责调换产品或配件,邮费各一半。3.由于耗材的特殊性，一旦使用将不可再销售，故签收请仔细检查外包装完好性，签收后即表示你对产品的完好性进行认可。

邮资说明1：我们默认物流方式为快递，也可代办物流。2：具体物流方式可依双方协商而定。其它以上产品如未能满足您的需求，请联系我司销售人员，我们竭诚为您服务。

"抛光树脂|超纯水专用混合离子交换树脂|EC150UP|核级树脂18.2M"的骨架结构为苯乙烯-二乙烯苯共聚体，酸碱性是混合型，颗粒尺度为0.40-0.80 95%，离子型是混床树脂，牌号为EC150UP，外观是球状颗粒

，用途为超纯水,18M超纯水制备，分类形式是凝胶型，含量 为100（%），湿视密度g/ml是0.69-0.75，溶解性为不溶与水及酸碱