

# 磨齿机 铣齿机 浙江科普工贸

产品名称	磨齿机 铣齿机 浙江科普工贸
公司名称	浙江科普工贸有限公司
价格	8500.00/部
规格参数	类型:铣齿机 品牌:浙江科普工贸 型号:450
公司地址	浙江省衢州市龙游县城南开发区德贤路4号
联系电话	0570-7799661 15356705105

## 产品详情

### 高速钢圆锯片

我公司生产高速钢圆锯片，此产品选用优质的hss钢原料，并采用高科技处理技术精制而成，切口无毛刺，无粉尘，可省二次加工。并具有耐磨、耐用、高效等特点。是汽车、摩托车、钢管家具、健力器材、自行车、童车、卫生洁具等行业，切割普通钢管，不锈钢管，铜、铝管及其他材料理想的刀具。切管机、弯管机、锯片研磨机、带锯机等。我们产品以安全环保高效为主要目的，请放心使用本公司所生产的各种规格的锯片。

钨钢主要用于精密零配件铣削加工，难切削的材质首选锯片

· 材质：钨钢/合金钢 · 加工范围：超硬零配件、精密配件的铣、切加工 · 适用机床：铣床

尺寸规格	外径： 63-500mm,内孔径 25.4-50mm,厚度：1-5m m
表面处理	本色，镀钛，渗氮，镀钛铝
齿形分	有齿和无齿
有齿齿形	尖齿，圆弧齿，左右齿，高低齿。齿形及倒角型式根

	锯加工材料。
材料	m2及超高速钢
用途	通用材料主要用于一般低硬度碳钢及有色金属棒材和管材的切断。超硬材料及镀钛锯片主要用于难切削材料（如不锈钢）棒材管材的切断。

常见问题 problem	产生原因 possible cause	解决方法 solution
毛刺burr	齿节距太大 tooth pitch is too large	调整齿节距 adjusting teeth pitch
	锯齿已磨损 saw tooth are with abrasion	重新磨齿 grinding saw teeth
锯齿间废屑太多 too much scraps produced between saw teeth	齿节距大小 tooth pitch is too small	调整齿节距 adjusting teeth pitch
	错误的齿型 tooth form is too high	重新开齿 re-hobbing sawing speed
	速度太快 sawing speed is too high	调整速度 adjusting sawing speed
	切割速度太高 cutting speed is too high	调整切割速度 adjusting the cutting speed

锯片爆裂 saw blade cracked	进料速度太高 feeding speed is too high	调整进料速度 adjusting the cutting speed
	锯片进刀速度不稳定 feeding speed of the saw blade is not stable enough	调整锯片进刀速度 adjusting the feeding speed of the saw blade
	进料和切割速度比错误 incorrect ratio occurred between the feeding speed and cutting speed	调整速度比 adjusting the speed ratio
	锯片没夹紧 saw blade is not firmly clamped	检查法兰 checking the flange
	加工材料没夹紧 work piece is not firmly clamped	检查夹具 checking the clamp
	齿节距太小或太大 tooth pitch is too large or too small	调整齿节距 adjusting teeth pitch
	润滑或冷却液没有或不足 lubricant or cooling oil is absent or insufficient	检查机械 checking the machine
	管材焊缝不均 the tubing welded joint is uneven	更换管材 replacement tubing

锯片规格有：

250*1.2	275*1.2	300*1.2	315*2.0	350*2.0	400*2.0	450*2.5
250*1.6	275*1.6	300*1.6	315*2.5	350*2.5	400*2.5	450*3.0

250*2.0	275*2.0	300*2.0	315*3.0	350*3.0	400*3.0	及小规格常
250*2.5	275*2.5	300*2.5	325*2.0	375*2.0	400*3.5	规锯片铣刀
250*3.0	275*3.0	300*3.0	325*2.5	375*2.5	400*4.0	也有

## 磨齿机

圆锯片外径：50-450

齿距：最大max.25

齿深:最大max.8

切削角：0度 -30度

进给速度（齿/分）：45-180

锯片厚度：最厚max.8mm

砂轮外径：70-150

砂轮子转速：4，500

传动马达：1/2

砂轮马达：3/4

净重：130kg

机台尺寸：800 \* 800 \* 1410

1.分度盘:2片

2.砂轮:10片

3.工作灯:1支

4.工具:1组

我司可订制非标：高速钢锯片，硬质合金钢锯片，欢迎您的来电，另外我司可提供锯片修磨服务。

电话：0570-7255377 传真：0570-7799663 联系人：晏小姐 qq：1832342291

手机号码:15356705107

"批发供应磨齿机"的动力类型为机械传动，最大加工齿数是500，是否库存为是，最大加工模数是500，类型为铣齿机，重量是130（kg），加工齿轮类型为直齿,斜齿,锥齿,弧齿，型号是450，控制形式为人工，主电机功率是550（kw），布局形式为立式，加工直径范围是50-450（mm），品牌为浙江科普工贸，产品类型是全新