

铜版制版机 20min/pc

产品名称	铜版制版机 20min/pc
公司名称	东莞市虎门库尔兹印刷机械厂
价格	28000.00/台
规格参数	加工定制:是 输出速度:20min/pc 印版最大幅面:500*600 (mm)
公司地址	中国 广东 东莞市 东莞市虎门镇村头管理区 (S35 8居歧牌坊斜对面3楼)
联系电话	86-76985252938 13829164276

产品详情

外观结构

主机与控制箱箱分离、控制板采用pvc防静电膜，耐腐蚀，抗老化

底架为gb角钢，pvc粉静电喷涂，整机表面喷有聚氯乙烯（pvc）防腐漆。

仪表和电气

本机的仪表（时间显示、转数显示、温度显示）全部采用数字显示，使之更加准确、直观。

电气控制元件采用国际名牌产品。

传动部分

传动轴采用ldk—p204高精度向心轴承。

主轴实际转数选用欧姆龙生产的变频器，数字显示主轴皮带轮的实际转数。

制冷系统

压缩机选用目前国际最先进的涡旋式全封闭风冷压缩机组。降低用电量，节约水资源。

性能指标

1. 温度测量误差：+1

2. 转数测量误差 : +10r/min

3. 计时误差 : +0.01s/min

4. 降温速度 : 1—2 /min

5. 电源电压 : 220v、380v

exterior structure

separation of host and control boxes, control panels using pvc anti-static film, corrosion resistance, anti-aging

chassis for the gb angle steel, pvc powder electrostatic spraying, the whole surface, spray with polyvinyl chloride (pvc) anti-corrosion paint.

instrumentation and electrical

instrument (time, speed, temperature) used in all figures show.

electrical control components adopt international famous brand.

transmission parts

Idk-p204 shaft with high precision radial bearings.

actual rpm spindle production of selected omron inverter, figures show the actual rpm spindle pulley.

cooling system

compressor selection is currently the most advanced full-enclosed air-cooled scroll compressor. to reduce power consumption, save water resources.

index parameters

1. temperature measurement errors: +1

2. rpm measurement error: +10 r / min

3. timing error: +0.01 s / min

4. cooling speed: 1-2 / min

5. supply voltage: 220v, 380v

型号 type	制版面积 plate area mm	药水容积 liquid volume l	涡轮转速tur bine speed r/min	温度控制 temperature control	时间控制 timer	总功率 total power kw	电源 electrical v
------------	--------------------------	----------------------------	--------------------------------	--------------------------------	---------------	--------------------------	-----------------------

fwj20a	250 × 350	20	0 ~ 450	15 ~ 30	0~99h	3.2	220/380	
fwj40a	350 × 500	40	0 ~ 450	15 ~ 30	0~99h4	4.0	220/380	
fwj60a	500 × 600	60	0 ~ 450	15 ~ 30	0~99h	5.5	220/380	
fwj80a	500 × 740	80	0 ~ 450	15 ~ 30	0~99h	6.5	220/380	
fwj100a	600 × 800	100	0 ~ 450	15 ~ 30	0~99h	7.0	220/380	
fwj120a	600 × 900	120	0 ~ 450	15 ~ 30	0~99h	8.5	220/380	
fwj140a	800 × 900	140	0 ~ 450	15 ~ 30	0~99h	9.3	220/380	
fwj160a	850 × 1000	160	0 ~ 450	15 ~ 30	0~99h	9.5	220/380	
fwj180a	850 × 1100	180	0 ~ 450	15 ~ 30	0~99h	11.2	220/380	
fwj200a	900 × 1200	200	0 ~ 450	15 ~ 30	0~99h	12.4	220/380	

"铜版制版机"的是否提供加工定制为是，输出速度是20min/pc，印版最大幅面为500*600 (mm)，印版厚度是1~3 (mm)，联线打孔为无，电源功率是4 (kw)，重量为350 (kg)，外形尺寸是1500*1000*1100 (mm)，品牌为库尔兹，型号是FWJ-60A，类型为腐蚀制版机