

# 生产出口核桃壳滤料 核桃壳磨料 8-12目核桃壳 12-20目核桃壳

产品名称	生产出口核桃壳滤料 核桃壳磨料 8-12目核桃壳 12-20目核桃壳
公司名称	巩义市超越滤料厂
价格	1.00/公斤
规格参数	滤料类型:果壳 适用对象:水 用途:防水
公司地址	河南巩义市米河镇米北村
联系电话	86 0371 63231230 13603980072

## 产品详情

生产出口核桃壳滤料 核桃壳磨料 8-12目核桃壳 12-20目核桃壳

核桃壳：0.5-1mm,1-2mm,2-4mm,4-6mm,6-8mm,8-10mm, 10-20目，20-40目等，可按客户要求进行调整生产。

外观：光泽优美、呈褐色，采用优质山核桃壳为原料，经破碎、风旋、抛光、蒸洗、筛选等加工而成

特点：此滤料坚韧性大，耐磨抗压、吸附能力强、抗油浸、不结块、不腐烂

用途：它是多用于油田、冶炼、环保化工等行业含油污水处理的理想过滤材料

物理、化学性能分析

分析项目	测试数据	分析项目	测试数据
比重	1250kg/cm <sup>3</sup>	cu	13.2%
容重	800kg/cm <sup>3</sup>	mn	9.5%
磨损率	1.5 %	zn	50%
浮皮率	3%	ca	0.5%
孔隙率	47	na	0.02%
除油率	>65-95%	k	0.025%

常用规格：0.5-1.0mm 0.5-0.8mm 0.6-1.2mm 0.8-1.6mm 1.0-2.0mm 2.0-4.0mm

联系我们：

巩义市超越滤料厂

联系人：陈晓丹

手机：13603980072

固定：0371-63231230

qq：2631506504

邮箱：2631506504@qq.com

厂址：巩义市米河镇米北村

about us:

gongyi city chaoyue filter media factory located in the center of gongyi, neighbored

shaolin temple, has the convenient traffic and advanced technology, is the professional enterprise of domestic activated carbon mills.

our products are the best material for water purification, mainly used for urban drinking water, chemicals, melting, electronic, oilfield, paper industry, industry waste water treatment and so on.

through the unremitting efforts of all staff in recent years, we developed from the single water purification material to the diversification four series:

§ activated carbon series:

water treatment activated carbon, air purification activated carbon, golden activated carbon, decolorizing activated carbon

§ purification filter media series:

anthracite filter media, manganese sand, quartz sand, walnut shell filter media, ceramsite

§ polishing materials:

brown fused alumina, corncob, walnut shell

§ flocculant series:

polymeric aluminium, alumina sulfate, polyaluminum ferric chloride, basic aluminium chloride

we promise to provide the highest quality, welcome all businessmen from home and abroad

to negotiate !

contact us:

gongyi city chaoyue filter media factory

contact person: xiaodan chen

mobile: 13603980072

tel no.:0371-63231230

q q : 2631506504

email: 2631506504@qq.com

address: mibei vollige, mihe town, gongyi city, china

图片速览 :

"生产出口核桃壳滤料 核桃壳磨料 8-12目核桃壳 12-20目核桃壳"的抗压力为100 ( kgf ) , 密度是1.25 ( g/cm<sup>3</sup> ) , 盐酸可溶率为5 ( % ) , 磨损率是5 , 壳含量为90.9% , 水分是8% , 类型为高效 , 硬度是3.2 , 适用对象为水 , 规格是1-2mm6-100目 , 吸附率为100 ( % ) , 化学成分是植物材料 , 仁含量为0.4% , 用途是防水 , 品牌为超越 , 性能是其他 , 孔隙率为80 ( % ) , 滤料类型是果壳