

圣普威蓄电池消防供货商稳压弱电胶体免维护

产品名称	圣普威蓄电池消防供货商稳压弱电胶体免维护
公司名称	山东萱创电子科技有限公司
价格	.00/件
规格参数	阀控式蓄电池:胶体电池 稳压电源:不间断电源 直流屏消防电池:逆变电源
公司地址	山东省济南市天桥区粟山路10号滨河小学东临圣地龙帛大厦6层080号（注册地址）
联系电话	15810400700 15810400700

产品详情

圣普威蓄电池特点

- 1.高质量、高可靠性
- 2.使用寿命长
- 3.无游离电解液，无腐蚀性气体泄露，对环境无污染，全面环保型
- 4.镀银铜端子，导电性能优良,外形美观
- 5.可深放电，耐过充过放
- 6.适应温度范围广（-40o ~ +60o）
- 7.特殊密封设计，决不泄露电解液，使用安全，三维方向可任意使用
- 8.电池放电至零电压保持1个月，充电仍可恢复
- 9.自放电小，每月小于3%，搁置寿命长,储存2年不失效.

圣普威蓄电池售后服务：

1. 对售出的电池咱们树立《顾客档案》，实施盯梢效劳。
2. 电池售出后，实施随时电话盯梢，并执行每年至少一次的完全巡检，并向顾客报告蓄电池运用状况，让顾客用的定心。
3. 发作顾客投诉时，一小时内供给解决计划。包含现场康复计划及退货处理计划，直到顾客满足。主旨是将客户的费事降到最小。
4. 正常状况下，退回电池在到货两周内出具检测报告，确属我司原因我司承当职责；非我司电池原因

，咱们出具相应报告，对顾客的运用加以辅导

质保规矩：质量确保期限：视运用方法及运用客户，质保期为三年。运用说明：铅酸蓄电池长时刻放置三个月要为电池弥补电量，放置半年让电池充放一次，达到一个循环;运用过程中，切忌把电放干再充电，对电池影响很大，要随用随充电，充溢停止，但也不要过充、过放电。包装：为纸箱，依据运送间隔可打扎带，可打木箱。纸箱包装：1只/箱，选用物流长途运送或两箱打一个包装，节约运送费用。运送：样品可选用快递方法，批量货，可选用物流或客车，部分地区依据长时刻经销商状况可选用代收款的方 式或预付30%--70%定金，余款代收的方法。检验：不论选用哪种方法运送货品，请客户和收货人一定在承运单位当事人在场时当场查检验货，查看外包装，是否破损，变形，是否沾水，小件可拿起来晃动，听听内部是否有配件掉落，用手捏一捏内部是否有碎屑或裂缝等，确保咱们的货品和 产品安全抵达目的地。若遇到不行抗因素，咱们三方可和谐解决运送问题。

【本公司ups电源/蓄电池批发零售商】原装，品种齐全！一切宝物八折出售！详情请点击！

圣普威蓄电池12V7AH型号参数报价北京蓝科万佳科技发展有限公司是致力于品牌不间断电源（ups）、工程机械设备、制冷设备、电子产品市场推广与技术转让的化公司。做为ups领域的化公司，敏锐的意识如何对网络进行整体保护。以确保网络的可靠性，可用性和容余性已成为互联网时代研究的新课题。公司以保护网络可靠性，发挥网络可用性为己任，汇集各方面力量，通过不断与发展今年又取得了艾默生ups和梅兰日兰ups、艾默生空调的代理权，为网络事业的发展提供的电源产品及解决方案,本公司以服务用户为终理念，从售前电话，现场电力勘察，电源产品方案设计到安装调试，产品使用，用户技术培训均出丰富的技术人员负责。

Beijing Lanke Wanjia Technology Development Co., Ltd. is a professional company dedicated to the marketing and technology transfer of brand UPS, engineering machinery e, refrigeration e, electronic products. As a professional company in the field of UPS, it is acutely aware of how to protect the network as a whole. To ensure the reliability, availability and redundancy of the network has become a new research topic in the Internet era. The company takes the protection of network reliability and the utilization of network as its own duty and gathers all forces.

Through continuous development, the company has obtained the agency rights of Emerson UPS, Merlin Gerin ups and Emerson air conditioner this year, providing professional power products and solutions for the development of network business. The company takes the concept of serving users as the end, from pre-sales telephone, on-site power survey, power product scheme design to installation and commissioning, product use, user technical training, all of which are in the charge of rich technical personnel.

圣普威蓄电池12V7AH型号参数报价公司在用户要求的同时不断挖掘用户新的需求，使用户真正高可靠性，可用性的网络整体ups电源保护方案。

The company of 12v7ah model parameters of St. purway battery constantly excavates the new needs of users at the same time of users' re, so as to make users truly high reliability and availability of the whole network UPS power protection scheme.

蓄电池结构特点:

Battery structure features:

电解质:呈凝胶状态，电解液无分层、电池循环性能好；电解液密度低、减缓对板栅腐蚀，电池浮充寿命长；

Electrolyte: gel state, no electrolyte layering, good battery cycle performance, low electrolyte density, slow corrosion to grid, long life of battery float.

气相二氧化硅:采用进口气相二氧化硅，分散性能好，性能；

Fumed silica: imported fumed silica, good dispersion and performance;

极板:放射状筋条设计、涂膏式活，大电流放电性能好；

Plate: radial bar design, paste type active, high current discharge performance;

隔板:胶体电池专用隔板，内阻小，孔率高，使用寿命长；

Diaphragm: special diaphragm for gel battery, small internal resistance, high porosity, long service life;

过量电解液设计:电解质载液量高，充满极板、隔板和壳体腔，电池散热好，不易发生热失控现象；

Excessive electrolyte design: high electrolyte carrying capacity, full of plate, partition and shell cavity, good

heatdissipation of battery, not prone to thermal runawayphenomenon;

胶体紧极群:防止活性脱落 ;

Colloidal tight group: prevent active shedding;

胶体蓄电池阀 , 灵敏度高 , 使用可靠 ;

Gel battery valve, high sensitivity, reliable use;

电壳体:槽、盖加厚设计 , 采用抗冲击、耐震动的ABS材料 , 运输、使用中无漏液、鼓壳等危险 , 可靠

Battery shell: the tank and cover are thickened and made of impact resistant and vibration resistant ABS material, so

there is no danger of leakage or bulging during transportation and use, which is reliable