

65%矿物玻纤增强PPS美国泰科纳6165A6耐热级防火阻燃pps原料

产品名称	65%矿物玻纤增强PPS美国泰科纳6165A6耐热级防火阻燃pps原料
公司名称	京冀（广州）新材料有限公司
价格	48.00/千克
规格参数	PPS:65%矿物玻纤增强 6165A6:耐热级 美国泰科纳:防火阻燃pps原料
公司地址	广州市南沙区丰泽东路106号（自编1号楼）X1301-E014087（注册地址）
联系电话	18938547875 18938547875

产品详情

泰科纳PPS FORTRON产品牌号特点/江浙沪一级供应泰科纳PPS FORTRON原厂原包，由于泰科纳PPS FORTRON产品型号多，就没有一一列出来，如有需求请来电咨询

泰科纳PPS FORTRON一级代理原厂原包/泰科纳PPS FORTRON产品系列

Celanese FORTRON 203 PPS, Unfilled

Celanese FORTRON 205 PPS, Unfilled

Celanese FORTRON 0205B4/20?m PPS, Specialty

Celanese FORTRON 214 PPS, Unfilled

Celanese FORTRON 309 PPS, Unfilled

Celanese FORTRON 320 PPS, Unfilled

Celanese FORTRON 1115E7 PPS, Glass Reinforced

Celanese FORTRON 1115L0 PPS, 15% Specialty

Celanese FORTRON 1120L4 PPS, 20% Specialty

Celanese FORTRON 1130L0 PPS, 30% Glass Reinforced

Celanese FORTRON 1130L4 PPS, 30% Glass Reinforced

Celanese FORTRON 1131L4 ITT PPS, 30% Glass Reinforced

Celanese FORTRON 1132L4 PPS, Glass Reinforced

Celanese FORTRON 1140000000 PPS, 40% Glass Reinforced

Celanese FORTRON 1140L0 PPS, 40% Glass Reinforced

Celanese FORTRON 1140L4 PPS, 40% Glass Reinforced

Celanese FORTRON 1140L4-T PPS, Glass Reinforced

Celanese FORTRON 1140L6 PPS, 40% Glass Reinforced

Celanese FORTRON 1140L7 PPS, 40% Glass Reinforced

Celanese FORTRON 1141L4 PPS, 40% Glass Reinforced

Celanese FORTRON 1200L1 PPS, Specialty

Celanese FORTRON 1342L4 PPS, 40% Specialty

Celanese FORTRON 4184L4 PPS, 53% Mineral / Glass Reinforced

Celanese FORTRON 4184L6 PPS, 53% Mineral / Glass Reinforced

Celanese FORTRON 4332L6 PPS, Mineral / Glass Reinforced

Celanese FORTRON 4665B6 PPS, 65% Mineral / Glass Reinforced

Celanese FORTRON 6150T6 PPS, 50% Specialty

Celanese FORTRON 6160B4 PPS, 60% Mineral / Glass Reinforced

Celanese FORTRON 6165A4 PPS, 65% Mineral / Glass Reinforced

Celanese FORTRON 6165A6 PPS, 65% Mineral / Glass Reinforced

Celanese FORTRON 6341L4 PPS, 40% Specialty

Celanese FORTRON 6345L4 PPS, 30% Specialty

Celanese FORTRON 6450A6 PPS, 51% Specialty

Celanese FORTRON 6850L6 PPS, 50% Mineral / Glass Reinforced

Celanese FORTRON CES50 PPS, 40% Specialty

Celanese FORTRON FX4382T1 PPS, Impact Modified

Celanese FORTRON ICE 504L PPS, 40% Specialty

Celanese FORTRON ICE 506L PPS, 40% Glass Reinforced

Celanese FORTRON ICE 716A PPS, 65% Mineral / Glass Reinforced

Celanese FORTRON ICE 716L PPS, 65% Specialty

Celanese FORTRON ICE 717F PPS, 65% Mineral / Glass Reinforced

Celanese FORTRON MT9115L0 DW PPS, 15% Specialty

Celanese FORTRON MT9140L4 PPS, 40% Medical Technology

Celanese FORTRON MT9140L6 PPS, 40% Medical Technology

Celanese FORTRON MT9141L4 DW PPS, 40% Specialty

Celanese FORTRON MT9205P4 PPS, Medical Technology

Celanese FORTRON MT9320C0 PPS, Medical Technology

Celanese FORTRON 0203HS PPS, Unfilled

PPS树脂FORTRON的特征

· 耐热性

具有良好的长期耐热性，能在200 ~ 240 温度下持续使用。也能在短时间内承受 260 以上的高温。

. 机械强度

熔点约为280 ，玻璃态转移温度约为90 ，热变形温度介于260 ~ 270 之间，甚至在较高的温度下仍然保持很高的强度，同时具有**的抗蠕变性能。

. 耐热水性

吸水率很低，在热水中仍具有较高的强度。

. 耐化学药品性

具有很强的耐酸、碱和各种有机溶剂的特性，仅次于氟树脂。

. 阻燃性

在未添加任何阻燃剂的情况下，仍具有较高的阻燃性(UL94 可燃性V0等级)。

. 电气性能

在高温、高湿条件下仍拥有较好的电气性能。

. 尺寸稳定性

由于其耐热性、耐水性和耐化学药品性能好，在各种环境中都呈现出很好的尺寸稳定性。

. 成形性

流动性很好，因此能用于注塑成型精密部件。

供应泰科纳PPS FORTRON的应用领域：

1、机械工业：机械工业中特别运用于在高湿、强腐蚀的环境下的部件制备。用于壳体、结构件、***件及密封材料，具体有如：泵壳、泵轮、阀、轴承、轴承支架、活塞环及齿轮、滑轮、风扇、流量计部件、法兰盘、万向头、计数器、水准仪等。

2、电子电器：PPS用于电子电器工业可占30%，它适合于环境温度高于200 的高温电器元件；可制造发电机和发动机上的点涮、电涮托架、启动器线圈、屏蔽罩及叶片等；在电视机上，可用于高电压外壳及插座、接线柱及端子板等；在电子工业、制造变压器、阻流圈及继电器的骨架和壳体，集成电路载体；利用高频性能，制造H级绕线架和微调电容器等。微型电子元件封装、连接器、接线器、插座、线圈骨架、马达壳、电磁调节盘、电视高频头轴、继电器、微调电容器、保险丝支架、收录机、磁疗器等零部件。还应用于精密仪器：电脑、计时器、转速器、复印机、照相机、温度传感器以及各种测量仪表的壳体和部件。

3、汽车工业：PPS用于汽车工业占45%左右，主要用于汽车功能件；点火器、加热器、汽化器、离合器、变速器、齿轮箱、轴承支架、灯罩、保险杠、风扇、排气系统以及反光镜和车灯座的零部件。可代替金属制作排气筒循环阀及水泵叶轮，气动信号调解器等。

4、家用电器：热风筒、卷发器、干发器、烫发器、微波炉、咖啡煲、干衣机、电熨斗、电饭煲等的防护涂层和零部件。