

上海 注塑机 聚氨酯发泡机 激光机 光学镀膜机用2HP风冷式冷水机

产品名称	上海 注塑机 聚氨酯发泡机 激光机 光学镀膜机用2HP风冷式冷水机
公司名称	樱井冷冻设备（上海）有限公司
价格	8000.00/台
规格参数	加工定制:是 类型:风冷式冷水机 品牌:樱井
公司地址	上海市金山区张堰镇松金公路2758号1幢A1106室
联系电话	13816216708

产品详情

company profile 公司簡介

櫻井冷凍設備（上海）有限公司是一家從事冷凍設備及普通機械設備領域內的技術開發、技術諮詢、技術服務、銷售、安裝及維修工業冷凍機、低溫冷凍機、冷庫一體機、激光冷水機、螺桿式冷水機、模具控溫機、冷熱一體機等現代合資企業。

櫻井公司始終秉著“以科技為核心、以質量樹品牌、以信譽拓市場、以服務求發展。”的企業精神和“精益求精、追求卓越”的品質政策,以踏實穩健的作風,不斷提高技術和工藝水平,贏得了國內外新老客戶的好評. 櫻井產品廣泛用於塑膠 電子、電鍍、激光、醫藥、食品、紡織、化工、包裝、發泡等行業。

櫻井公司堅持以“質量第一、客戶至上、共同發展”的經營理念，以提升客戶滿意度為宗旨。竭誠為新老客戶攜手共創新的輝煌！

ying jing is rproduction and of industrial chillers、

including low-temperature chillers、 integral cold storage refrigeration machine、 laser-chiller、 high effective spiral long rod freezing unit、 mold temperture machine eact modern high-tech enterprise.

ying jing company has always resolve them"science and technology as the core,the quality o

f tree brand, with credit

extension market,service development," the enterprise spirit and "the pursuit of excellence excellence" quality policy,

in a practical atyle of robust and continuously improve technical and technological level,has won praise at home and

abroad old and new customers, making yingjing products serve a wide range of plastics ,electroplating,laser,food,

textiles,chemicals, packaging,foam, pharmaceutical,and other industries.

ying jing company adheres to" quality first,customers first,common development" business philosophy in order to

enhance customer satisfaction objectives for the service and dedication with the new and old customers hand in hand

with new glory.

機組特點featurer of the unit

高品質壓縮機:

作為冷水機心髒, 櫻井機械采用歐美日全新進口優質原裝壓縮機,內置安全保護,低噪音,省電耐用.

high quality compressor

considering that the compressor is the heat of the cooling-water machines,yingjing cooling-water machines select and use imported high prototype compressors form europe,america and japan. built-in security protection setting,lowest noise,lowest electricity consumption and longest service life will

bring you full satisfaction.

水箱式蒸發器

不鏽鋼厚質水箱式蒸發器,內置自動補水等裝置,省去工程安裝中的膨脹水箱,方便安裝保養,並適用於大溫差小流量等特殊場合.

water tank evaporator

water tank evaporator is made with thick stainless steel having automatic water compensation function. with out

requiring of installation of expansion water tank makes maintenance more convenient and is fit for high flow

rate and small temperature difference and other special applications.

水冷式冷凝器

日本神戶最新高效外螺紋銅管制作,散熱量大,體積小巧.運用cad/cam設計加工技術,配合cnc加工中心制作完成,結構緊湊,可靠性高,外型美觀,高效節能.

water cooling type condenser

using the newest cad/cam designing and processing techniques,with newest high efficiency external spiral steel tubes form kobe,

japan which have the features of high capacity of heat dissipating compactness,the water cooling condenser is manufactured by

cnc processing center,having the features of compact conformation,high reliability,beautiful appearance,high efficiency and

low energy consumption.

風冷式冷凝器

高速沖床沖孔,翻片質量可靠.二次翻邊,銅管與翅片更加緊密接觸,換熱效率高.采用全進口銅管和全自動彎頭焊接,大大增強了氣密性,杜絕制冷劑泄漏現象.尤其適合水資源缺乏或水質硬度高的地區使用.

air cooling type condenser

air cooling type condenser is punched by high speed punching machine.cooling fins' quality is reliable.two times of edge

flanging making the steeltule and the fin touch more tightly each other result in high efficiency of heat exchang.completely

adopting imported steel tubes and full automatic bent tube welding technique greatly enhances oxygen leak-proof and completely avoids the leaking of cooling mediums. so,this type of condenser is more fit for the district where lack

water or where water hardness is high.

機組配置

配置精密電子溫度控制器,精確控制水溫於5-25 以內.內置壓縮機超負載保護器,循環水泵超負載制,系統壓力異常保護器,高效進口乾燥過濾器及膨脹閥,維修手閥接口等裝置,確保了機器可靠安全運行,方便了保養和維修.

unit composition

the unit incorporating accurate electric temperature control which can accurately control the

temperature between 5-25 ,

built-in compressor overburden protector, circulating water pump overburden breaker, system abnormal high and low pressure protector,

imported high efficiency dry filter and expanding valve, repairing hand valve repairing hand valve interface and other

settings is insured to be safely and reliably operated and conveniently maintained.

可選水泵裝置

根據用戶工程設計要求配備進口高效節能水泵,使櫻井冷水機安裝使用快捷方便.

optional pump settings

we can provide imported high efficiency and low energy consumption pump according to the requirement of the consumers to

make the installation and using of the yingjing water-cooling machine more quick and convenient.

多功能操作面板

操作面板上裝有電流表,控制系統保險,壓縮機開關按鍵,水泵開關按鍵,電子溫控器,各項安全保護故障燈,機組啟動指示燈,操作簡單,使用方便.

multi-function panel

there is an ammeter, a safety fuse for control system, a switch button for compressor, a switch button for the pump, an electric

temperature control, protection trouble lights, unit start-up and operating indicator light on the operation panel. all these settings are easy and convenient to use.

洽購須知

1 制冷量 : kcal/h或kw

2 数量 台

3 用途(空调.工业用等)

4 有无特殊用途

5 冷冻水出、入水温度

6 冷却水温度

7 防腐要求

8 电压、电流 频率

9 安装地点

10 防腐等级

"上海 注塑机 聚氨酯发泡机 激光机 光学镀膜机用2HP风冷式冷水机"的结构类型为活塞式，应用领域是塑胶电子激光医药生物，加工定制为是，输入功率是1.6（kw），类型为风冷式冷水机，重量是102（kg），型号为YJ-2AC，标准制冷量是5.28（kw），品牌为樱井，外形尺寸是580*550*900