





nga41 20020 hs0ba	a412/2 0g5	1.85	33.0	25.0	22.0	20.0	17.0	14.0	11.0	6.0	4.7	3.8	3.2	2.1	1.9
nga41 20020 hs0ba	a412/2 0g5	1.80	36.0	27.0	23.0	21.0	18.0	15.0	12.0	7.0	4.9	3.9	3.3	2.2	2.0
nga41 20020 hs0ba	a412/2 0g5	1.75	45.0	34.0	27.0	23.0	18.0	15.0	12.0	7.0	5.0 n >	3.9	3.3	2.2	2.0
nga41 20020 hs0ba	a412/2 0g5	1.70	51.0	38.0	29.0	24.0	19.0	15.0	12.0	7.0	5.0	4.0	3.3	2.2	2.0
nga41 20020 hs0ba	a412/2 0g5	1.65	56.0	40.0	31.0	25.0	19.0	15.0	12.0	7.0	5.0	4.0 s pan>	3.3	2.2	2.0
nga41 20020 hs0ba	a412/2 0g5	1.60	60.0	42.0	31.0	26.0	19.0	15.0	12.0	7.0	5.0	4.0	3.3	2.2	2.0

恒功率放电参数表 (20 瓦/单体)

编号	型号	电压	2min	3min	5min	7min	10min	15min	20min	30min	45min	1h	2h	3h
nga412 0020hs 0ba	a412/2 0g5	1.85	438.0	414.0	378.0	348.0	302.0	257.0	229.0	195.0	151.0	126.0	71.0	51.0
nga412 0020hs 0ba	a412/2 0g5	1.80	566.0	521.0	467.0	421.0	359.0	292.0	252.0	208.0	160.0	131.0	77.0	55.0
nga412 0020hs 0g5	a412/2 0g5	1.75	658.0	596.0	518.0	467.0	398.0	315.0	267.0	213.0	164.0	135.0	77.0	56.0

0ba															
nga412 a412/2	1.70	741.0	657.0	555.0	494.0	424.0	331.0	277.0	216.0	166.0	136.0	78.0	56.0		
0020hs 0g5															
0ba															
nga412 a412/2	1.65	799.0	701.0	583.0	511.0	439.0	339.0	282.0	218.0	167.0	136.0	79.0	56.0		
0020hs 0g5															
0ba															
nga412 a412/2	1.60	874.0	760.0	610.0	521.0	447.0	343.0	285.0	219.0	168.0	136.0				
0020hs 0g5															
0ba															

"供应阳光蓄电池 德国过阳光蓄电池 阳光A412/20G5价格"的外型尺寸为176167126 ( mm ) ，电压是12 ( V ) ，类型为储能用蓄电池，荷电状态是免维护蓄电池，化学类型为胶体蓄电池，电池盖和排气栓结构是阀控式密闭蓄电池，型号为A412/20G5，适用范围是UPS蓄电池，品牌为Sonnenschein/德国阳光，产品认证是泰尔，额定容量为20AH