

中空玻璃设备、中空玻璃涂胶机、气控双组份涂胶机

产品名称	中空玻璃设备、中空玻璃涂胶机、气控双组份涂胶机
公司名称	济南岳峰机械有限公司
价格	68000.00/台
规格参数	品牌:济南岳峰 型号:bst03 功率:0 (kw)
公司地址	济南市历城区华山镇前王村148号
联系电话	0531-88266521 15805319221

产品详情

bst03型双组份涂胶机，其关键零部件均采用国际知名品牌，优良的品质及可靠性，辅以关键机制部件采用高强度优质不锈钢经热处理工艺精制而成，使双组份涂胶机的可靠耐用性大大提高，确保了设备的优良品质。

该涂胶机的基料泵、固化剂泵及比例泵的高压阀口均采用零泄露特殊合金研磨制造，设有独特方便的可调式配比机构，辅以两种组份的比例检测系统，最大限度地保证双组份胶近乎苛刻的配比要求，满足玻璃幕墙或中空玻璃胶的比例要求。

根据客户需求，可定制美国graco原装部件高性能双组份涂胶机。

【技术参数】

设备型号	bst03
混合比	6:1~14:1
基料桶	55加仑(200l)
固化剂桶	5加仑(20l)
最大耗气量	0.8m ³ /min
挤胶最大压力	20mpa
供气压力	0.5~0.8mpa

出胶量 4~10l/min

外型尺寸 1100 × 950 × 2500mm

the bst03 high-efficiency adhesive dispensing machine, whose key parts are supplied by international leading brand, has a good quality and reliability. the key functional parts are made of high-tension and quality stainless steel with thermal treatment, the reliability and durability of the machine are greatly improved, ensuring a fairly well quality of machine.

the material pump, curing agent pump and proportional pump high pressure valve of the machine are made of special leakage-free alloy by grinding. the proportional pump is installed with an adjustable proportioning mechanism; the nearly fastidious proportioning requirements of the bicomponent adhesive are fulfilled, as well as those of curtain wall glass and insulating glass.

the key parts can assemble with graco with good quality and reliability depends on customer requirement.

technical parameter

model bst03

mix ratio 6:1~14:1

xcharging basket 55加仑(200l)

curing agent basket 5加仑(20l)

beat rubber quantit 0.8m³/min

squeeze pressure 20mpa

air pressure 0.5~0.8mpa

output 4~10l/min

overall dimension 1100 × 950 × 2500mm

st03型双组份涂胶机，其关键零部件均采用国际知名品牌，优良的品质及可靠性，辅以关键机制部件采用高强度优质不锈钢经热处理工艺精制而成，使双组份涂胶机的可靠耐用性大大提高，确保了设备的优良品质。

该涂胶机的基料泵、固化剂泵及比例泵的高压阀口均采用零泄露特殊合金研磨制造，设有独特方便的可调式配比机构，辅以两种组份的比例检测系统，最大限度地保证双组份胶近乎苛刻的配比要求，满足玻璃幕墙或中空玻璃胶的比例要求。

根据客户需求，可定制美国graco原装部件高性能双组份涂胶机。

【技术参数】

设备型号 bst03

混合比	6:1~14:1
基料桶	55加仑(200l)
固化剂桶	5加仑(20l)
最大耗气量	0.8m ³ /min
挤胶最大压力	20mpa
供气压力	0.5~0.8mpa
出胶量	4~10l/min
外型尺寸	1100 × 950 × 2500mm

"中空玻璃设备、中空玻璃涂胶机、气控双组份涂胶机"的品牌为济南岳峰，型号是BST03，功率为0（Kw），重量是600（kg），最小加工尺寸为20，最大加工尺寸是5000，加工厚度范围为3-60（mm），玻璃回转直径是50（mm），钻孔直径为50（mm），进料速度是4-10（m/min），外形尺寸为1100*950*2500（mm），玻璃机械种类是双组份打胶机，生产线类型为中空玻璃生产线，生产玻璃种类是汽车玻璃,建筑玻璃,装饰玻璃,航空玻璃,家电玻璃,家具玻璃,中空玻璃,超白浮法玻璃,微晶玻璃,光学玻璃,空心玻璃砖,其他