

真皮激光切割机合力激光 皮革激光切割加工.专业激光切割

产品名称	真皮激光切割机合力激光 皮革激光切割加工.专业激光切割
公司名称	东莞市合力激光设备有限公司
价格	20000.00/米
规格参数	加工贸易形式:厂家定做 加工能力:1400*800 主要加工设备:激光切割机激光雕刻机激光雕花机
公司地址	中国 广东 东莞市 万江区小享文明路28号长江小学对面
联系电话	86-076921661919 13662928094

产品详情

hl-c系列激光切割机

hl-c laser cutting machine

hl-640c

hl-960c

hl-1080c

hl-1280c

hl-1390c

hl-1480c

hl-1680c

hl-1610c

hl-1810c

机器简介means of indicators

hl-c激光切割机是一款专门为工艺品及精度要求高的产品雕刻面设计的机型，主要体现速度快精度高的两大特点。机器采用x轴y轴细分步进系统，配有三条进口直线导轨，进口三相步进电机，全不锈钢蜂窝底板平台，新加坡光路系统，在电路控制系统上采用dsp控制技术，高效稳定的开关电源，usb数据传输，使整机工作更稳定，速度更快，精度更高，其广泛应用于工艺品雕刻、橡胶印刷版雕刻，电子产品雕刻，摄影影像雕刻、模型雕刻等对雕刻精度要求比较高的行业。

hl-c laser cutting machine is a dedicated to artworks and high precision products carving face design of aircraft, mainly reflected faster of the two high precision characteristics ,x-axis machines y-axis stepper system imports three – phase stepper motor ,all stainless cellular on floor platform,singapore optical syserm ,the circuit control system using dsp technology, a highly efficient and stable power supply switches, usb data transmission ,unit work more stable ,faster ,more precise its widely used in carving handicrafts , rubber hardcore sculpture , electronic products , sculpture,photography images carving handicrafts , rubber hardcopy sculpture, electronic products , sculpture , photography images carving, sculpture ,etc. model for carving high precision industries

技术参数technical-parameters

产品型号/machine model hl-640c hl-960c hl-1080c hl-1280c 激光类型laser type 国产co2激光器/hermetic and detached co2 laser tube

激光功率/laser power 65w/70w/80w

雕刻面积/engraving area 600mm*400mm 900*600mm 1000*800 mm 1200*800 mm

雕刻速度/engraving speed 0-1500mm/s

切割速度/cutting spees 0-800mm/s

重复精度/repeating locating $\pm 0.05\text{mm}$

运动系统/moving system cnc控制系统/ cnc controlling units

冷却方式/cooling mode 强制水冷及保护系统/water-cooling and protection system

工作电压/working voltage $220 \pm 10\% 50\text{hz}$

整机功率/whole power 1250w

工作温度/operating temperature 0 -45

工作湿度/prerating humidity 5%-95%

控制软件/controlling software 正版合力激光软件/ original heliaser software

支持格式/graphic format supported bmp plt ai dxf dst

整机重量/gross weight 150kg/200 kg/240 kg/290 kg

详细配置detailed configuration

德国原装进口步进电机及驱动系统germany imported fully stepper motor and drive systems

b helilaser控制系统

b.helilaser control system

c.采用国外进口直线导轨

c.foreign imports in linear guideway

d.双传输方式：工业串口、usb串口

d.dual transmission of usb 2.0

e.中英文液晶显示，人性化按键控制板

e.chinese/english lcd, humanity button panels

f.国产激光器（70/80）选配

f.homemade laser(70/80)matching

g.光路系统采用新加坡全进口激光镜片

g.optical system uses laser singapore in\mports all lenses

h.高强度不锈钢蜂窝底板

h.high strength stainless rail cellular integration backplane

i.机箱一体化结构

i.chassis integration structure

j.支持u盘下载数据

j.support u-download data

适用材料applicable materials

本品适用于木制品、纸张、皮革、布料、有机玻璃、环氧树脂、亚克力、毛料、塑料、橡胶、瓷砖、水晶、玉石、竹制品等非金属材料。

wood . paper . leather . cloth . organic glass . resin . acrylic . wollens . plastic . rubber . ceramic tile . crystal . boulder bamboo board other non-metal material.

适用行业applicable industry

本类机型机器适用于服装绣花、皮革制品、竹木制品、电子电器、模型、工艺品、广告、包装印刷、纸制品等行业

this dinds of model apply to cloth . leather . tabu ectoy . computerize embroidery cutting . electric product .

"真皮激光切割机合力激光 皮革激光切割加工.专业激光切割"的加工贸易形式为厂家定做，加工设备数量是550，主要加工设备为激光切割机激光雕刻机激光雕花机，加工能力是1400*800