

## 广东省三菱代理商(人机界面) 三菱触摸屏GS2107-WTB

产品名称	广东省三菱代理商(人机界面) 三菱触摸屏GS2107-WTB
公司名称	上海黎雨自动化设备有限公司
价格	888.00/件
规格参数	三菱:1 不限:2 日本:3
公司地址	上海嘉定区曹安公路2300弄10栋19号
联系电话	13661558636 13162007958

## 产品详情

我们是做供应商三菱变频器,PLC , 触摸屏 , 伺服 , 电机 , 三菱触摸屏 全国总代理

[GT10系列触摸屏] 三菱一级代理商(人机界面) 三菱触摸屏GS2107-WTB

三菱触摸屏- 上海三菱触摸屏代理- 三菱人机界面

GT1030-LBD-C

4.5寸,单色(2色),背光3色(绿/橙/红),DC24V电源 , 和PLC通讯 : RS-422 , 和电脑通讯下载 : RS-232

GT1030-LBD2-C

4.5寸,单色(2色),背光3色(绿/橙/红),DC24V电源 , 和PLC通讯 : RS-232 , 和电脑通讯下载 : RS-232

GT1030-LBDW-C

4.5寸,单色(2色),背光3色(白/粉/红),DC24V电源 , 和PLC通讯 : RS-422 , 和电脑通讯下载 : RS-232

GT1030-LBDW2-C

4.5寸,单色(2色),背光3色(白/粉/红),DC24V电源 , 和PLC通讯 : RS-232 , 和电脑通讯下载 : RS-232

GT1020-LBD-C

3.7寸,单色(2色),背光3色(绿/橙/红),DC24V电源 , 和PLC通讯 : RS-422 , 和电脑通讯下载 : RS-232

GT1020-LBD2-C

3.7寸,单色(2色),背光3色(绿/橙/红),DC24V电源 , 和PLC通讯 : RS-232 , 和电脑通讯下载 : RS-232

GT1020-LBL-C 3.7寸,单色(2色),背光3色(绿/橙/红),DC5V

电源 , 和PLC通讯 : RS-422 , 和电脑通讯下载 : RS-232

GT1020-LBDW-C

3.7寸,单色(2色),背光3色(白/粉/红),DC24V电源 , 和PLC通讯 : RS-422 , 和电脑通讯下载 : RS-232

GT1020-LBDW2-C

3.7寸,单色(2色),背光3色(白/粉/红),DC24V电源 , 和PLC通讯 : RS-232 , 和电脑通讯下载 : RS-232

GT1020-LBLW-C 3.7寸,单色(2色),背光3色(白/粉/红),DC5V

电源 , 和PLC通讯 : RS-422 , 和电脑通讯下载 : RS-232

[触摸屏—PLC用RS-422通讯线]

GT10-C10R4-8P FXCPU ( MINI-DIN 8 芯 ) 直接连接用RS-422 电缆 [ 1m ]

GT10-C30R4-8P FXCPU ( MINI-DIN 8 芯 ) 直接连接用RS-422 电缆 [ 3m ]

GT10-C100R4-8P FXCPU ( MINI-DIN 8 芯 ) 直接连接用RS-422 电缆 [ 10m ]

GT10-C200R4-8P FXCPU ( MINI-DIN 8 芯 ) 直接连接用RS-422 电缆 [ 20m ]

GT10-C300R4-8P FXCPU ( MINI-DIN 8 芯 ) 直接连接用RS-422 电缆 [ 30m ]

GT10-C30R4-25P QnA/ACPU ( DSUB 25 芯 ) 直接连接用RS-422 电缆 [ 3m ]

GT10-C100R4-25P QnA/ACPU ( DSUB 25 芯 ) 直接连接用RS-422 电缆 [ 10m ]

GT10-C200R4-25P QnA/ACPU ( DSUB 25 芯 ) 直接连接用RS-422 电缆 [ 20m ]

GT10-C300R4-25P QnA/ACPU ( DSUB 25 芯 ) 直接连接用RS-422 电缆 [ 30m ]

[触摸屏—PLC用RS-232通讯线]

GT10-C30R2-6P QCPU ( MINI-DIN 6 芯 ) 直接连接用RS-232 电缆 [ 3m ]

[触摸屏—电脑用RS-232下载线]

GT01-C30R2-6P PC ( 画图软件 ) ( DSUB 9 芯 : 母 ) —3 色GOT 连接用 ( MINI DIN 6芯 ) [ 3m ]

[电池]

GT11-50BAT 背光灯用 ( GT1030 备用品 )

[GT11系列触摸屏]

GT1175-VNBA-C \*\* 10.4" 256 COLOR TFT AC bbbbb (RS422/232) + 3MB MEMORY 21270

GT1165-VNBA-C \*\* 8.4" 256 COLOR TFT AC bbbbb (RS422/232) + 3MB MEMORY 17020

GT1155-QSBD 5.7" 256 COLOR STN DC bbbbb (RS422/232) + 3MB MEMORY + CF CARD 13550

GT1155-QSBD-C \*\* 5.7" 256 COLOR STN DC bbbbb (RS422/232) + 3MB MEMORY 8870

GT1150-QLBD 5.7" 16 GRAY SCALES DC bbbbb (RS422/232) + 3MB MEMORY + CF CARD 9420

GT1150-QBBD-C \*\* 5.7" 16 BLUE SCALES DC bbbbb (RS422/232) + 3MB MEMORY 6090

[GT11系列电缆及选件]

GT09-C20USB-5P \*\* USB DATA TRANSMISSION CABLE 2M 1060

GT01-C30R4-8P \*\* FX CPU ConNECTION CABLE (RS422) 3M 1060

GT01-C100R4-8P FX CPU ConNECTION CABLE (RS422) 10M 1770

GT01-C200R4-8P FX CPU ConNECTION CABLE (RS422) 20M 1950

GT01-C300R4-8P FX CPU ConNECTION CABLE (RS422) 30M 2210

GT01-C30R2-9S FX ConNECTION CABLE (RS232C) 1500

GT11-50BAT BATTERY FOR GT11 400

GT11-50FNB OPTIonAL FUNCTION BOARD 450

[F900GOT/FX DU系列触摸屏]

F940WGOT-TWD-C 7" 256 COLOR TFT DC bbbbb (CHINESE) 13540

F940GOT-SWD-C \*\* 5.7" 8 COLOR STN DC bbbbb (RS422/232C) 8870

F940GOT-LWD-C \*\* 5.7" 2 COLOR B&W STN DC bbbbb (RS422/232C) 6090

F940GOT-BWD-C 5.7" 2 COLOR BLUE&WHITE STN DC bbbbb (RS422/232C) 5780

F930GOT-BWD-C \*\* 4.4" 2 COLOR B&W STN DC bbbbb (RS422/232C) 3350

F930GOT-BBD-K-C 4.4" 2 COLOR B&W STN DC bbbbb (RS422/232C) WITH KEYPADS 4300

F920GOT-BBD5-K-C \*\* 2.6" 2 COLOR B&W STN DC bbbbb (RS422/232C) WITH KEYPADS 1710

FX-10DU-E DATA ACCESS UNIT (LCD 16 CHARACTERS X 2 LINES) 1880

FX-10DM-E DISPLAY MODULE (LCD 16 CHARACTERS X 2 LINES) 1550

FX1N-5DM \*\* DISPLAY MODULE FOR FX1S/1N PLC 450

[F900GOT/FX DU系列电缆及选件]

F2-232CAB-1 TRANSFER CABLE BETWEEN COMPUTER AND DATA ACCESS UNIT 1320

FX-232CAB-1 \*\* 电脑与触摸屏RS-232通讯线，用于下载程序 1140

FX-50DU-CAB0-10M ConNECTION CABLE BETWEEN FGOT & FX CPU (10M) 1490

FX-50DU-CAB0 \*\* ConNECTION CABLE BETWEEN FGOT & FX CPU/ POSITIonING UNIT (3M) 1270

FX-50DU-CAB0-R1 ConNECTION CABLE BETWEEN F940 & CPU(FX1S/1N/2N) 140

F9GT-40PSC PROTECTION SHEETS FOR F940GOT 250

F9GT-30PSC PROTECTION SHEETS FOR F930GOT 250

F9GT-40FMB SCREEN DATA TRANSFER BOARD FOR F940WGOT/ F940GOT 1280

F9GT-40UMB SCREEN DATA TRANSFER BOARD FOR F940GOT 840

PM-20BL BATTERY FOR F940WGOT/ F940GOT 490

FX2NC-32BL BATTERY FOR F930GOT(-K)/ HANDY GOT 330

[触摸屏软件]

SW2D5C-GTWK2-CL GT WORKS2 CHINESE VERSION2 (GOT1000 & GOT900) 4940

SW2D5C-GTWK2-E GT WORKS2 ENGLISH VERSION2 (GOT1000 & GOT900) 4940

SW2D5C-GTD2-E GOT900 PROGRAMMING SOFTWARE 2960

A9GTSOFT-LKEY-P LICENSE KEY FOR SOFTGOT TO PERSonAL COMPUTER 14800

[GOT15系列触摸屏]

GT1595-XTBA 15" XGA 256 COLOR TFT AC bbbbbb (65,536 COLOR - OPTIONAL) 57440

GT1585-STBA 12.1" SVGA 256 COLOR TFT AC bbbbb (65,536 COLOR - OPTIONAL) 41040

GT1585-STBD 12.1" SVGA 256 COLOR TFT DC bbbbb (65,536 COLOR - OPTIONAL) 42070

GT1575-VNBA 10.4" VGA 256 COLOR TFT AC bbbbb 22540

GT1575-VNBD 10.4" VGA 256 COLOR TFT DC bbbbb 23290

GT1562-VNBA 8.4" VGA 16 COLOR TFT AC bbbbb 19440

GT1562-VNBD 8.4" VGA 16 COLOR TFT DC bbbbb 20330

[GOT15系列触摸屏通讯卡]

GT15-75QBUSL Q-BUS (1CH) UNIT SLIM MODEL FOR QCPU (Q-MODE) 1770

GT15-75QBUS2L Q-BUS (2CH) UNIT SLIM MODEL FOR QCPU (Q-MODE) 2650

GT15-QBUS Q-BUS (1CH) UNIT STANDARD MODEL FOR QCPU (Q-MODE) 2210

GT15-QBUS2 Q-BUS (2CH) UNIT STANDARD MODEL FOR QCPU (Q-MODE) 3100

GT15-75ABUSL A-BUS (1CH) UNIT SLIM MODEL FOR QnA/ACPU 1770

GT15-75ABUS2L A-BUS (2CH) UNIT SLIM MODEL FOR QnA/ACPU 2650

GT15-ABUS A-BUS (1CH) UNIT STANDARD MODEL FOR QnA/ACPU 2210

GT15-ABUS2 A-BUS (2CH) UNIT STANDARD MODEL FOR QnA/ACPU 3100

GT15-J71E71-100 ETHERNET (100base-TX/10base-T) UNIT 2650

GT15-75J71LP23-Z OPTICAL LOOP UNIT 10610

GT15-75J71BR13-Z COAXIAL BUS UNIT 10610

GT15-75J61BT13-Z INTELLIGENT DEVICE STATION UNIT 5310

[GOT1000选项]

GT15-FNB OPTIOnAL FUNCTION BOARD (A/FX LADDER MONITOR) 1770

GT15-QFNB OPTIOnAL FUNCTION BOARD (Q/QnA/A/FX LADDER MONITOR) 2650

GT15-QFNB16M OPTIOnAL FUNCTION BOARD (Q/QnA/A/FX LADDER MONITOR) + 16MB 4860

GT05-MEM-ADPC CF CARD -> MEMORY CARD (TYPE II) ConVERSION ADAPTOR 890

GT15-XHNB MULTI-COLOR DISPLAY BOARD FOR 65,536 COLOR DISPLAY 3980

GT15-90XLTT BACKLIGHT FOR 15" TYPE HIGH-BRIGHTNESS TFT (XGA) 3100

GT15-80SLTT BACKLIGHT FOR 12.1" TYPE HIGH-BRIGHTNESS TFT (SVGA) 1590

GT15-70VLTN BACKLIGHT FOR 10.4" TYPE TFT (VGA) 1590

GT15-60VLTN BACKLIGHT FOR 8.4" TYPE TFT (VGA) 1590

GT15-BAT BATTERY FOR GT15 360

[GOT1000 电缆]

GT01-C30R2-6P \*\* Q CPU ConNECTION CABLE (RS232C) 3M 1500

GT15-QC12B Q BUS ConNECTION CABLE 1.2M 790

GT15-QC30B Q BUS ConNECTION CABLE 3M 1260

GT15-QC50B Q BUS ConNECTION CABLE 5M 1890

GT15-QC100B Q BUS ConNECTION CABLE 10M 3140

GT15-QC150BS Q BUS LONG DISTANCE ConNECTION CABLE 15M 3460

GT15-QC200BS Q BUS LONG DISTANCE ConNECTION CABLE 20M 4160

GT15-QC250BS Q BUS LONG DISTANCE ConNECTION CABLE 25M 4950

GT15-QC300BS Q BUS LONG DISTANCE ConNECTION CABLE 30M 5730

GT15-QC350BS Q BUS LONG DISTANCE ConNECTION CABLE 35M 6600

[A900GOT系列触摸屏 (8.9" - 12.1")]

A985GOT-TBA-V 12.1" 256 COLOR TFT AC bbbbb (VIDEO/RGB bbbbb) 43120

A985GOT-TBD-V 12.1" 256 COLOR TFT DC bbbbb (VIDEO/RGB bbbbb) 43120

A985GOT-TBA \*\* 12.1" 256 COLOR TFT AC bbbbb 37240

A985GOT-TBD 12.1" 256 COLOR TFT DC bbbbb 37240

A975GOT-TBA-CH \*\* 10.4" 256 COLOR TFT AC bbbbb (SUPPORT CERTIFIED CHINESE FONT) 26500

A975GOT-TBD-CH 10.4" 256 COLOR TFT DC bbbbb (SUPPORT CERTIFIED CHINESE FONT) 26500

A970GOT-TBA-CH \*\* 10.4" 16 COLOR TFT AC bbbbb (SUPPORT CERTIFIED CHINESE FONT) 20000

A970GOT-TBD-CH 10.4" 16 COLOR TFT DC bbbbb (SUPPORT CERTIFIED CHINESE FONT) 20000

[A900GOT 系列触摸屏 此类基本已经停止销售]



A950GOT-TBD 停售 5.7" 256 COLOR TFT DC bbbbb (RS422) 19510

A950GOT-SBD-B 停售 5.7" 8 COLOR STN DC bbbbb (RS422) 14130

A950GOT-LBD 停售 5.7" 2 COLOR B&W STN DC bbbbb (RS422) 10750

A950GOT-TBD-M3 停售 5.7" 256 COLOR TFT DC bbbbb (RS422) + 3M MEMORY 21970

A950GOT-SBD-M3-B 停售 5.7" 8 COLOR STN DC bbbbb (RS422) + 3M MEMORY 15930

A950GOT-LBD-M3 停售 5.7" 2 COLOR B&W STN DC bbbbb (RS422) + 3M MEMORY 12750

A951GOT-QTBD 停售 5.7" 256 COLOR TFT DC bbbbb (Q BUS) 19300

A951GOT-QSBD-B 停售 5.7" 8 COLOR STN DC bbbbb (Q BUS) 13150

A951GOT-QLBD 停售 5.7" 2 COLOR B&W STN DC bbbbb (Q BUS) 9860

A951GOT-QTBD-M3 停售 5.7" 256 COLOR TFT DC bbbbb (Q BUS) + 3M MEMORY 21970

A951GOT-QSBD-M3-B 停售 5.7" 8 COLOR STN DC bbbbb (Q BUS) + 3M MEMORY 16420

A951GOT-QLBD-M3 停售 5.7" 2 COLOR B&W STN DC bbbbb (Q BUS) + 3M MEMORY 13150

A951GOT-SBD-B 停售 5.7" 8 COLOR STN DC bbbbb (BUS) 11500

A951GOT-LBD 停售 5.7" 2 COLOR B&W STN DC bbbbb (BUS) 9460

A951GOT-SBD-M3-B 停售 5.7" 8 COLOR STN DC bbbbb (BUS) + 3M MEMORY 13080

A951GOT-LBD-M3 停售 5.7" 2 COLOR B&W STN DC bbbbb (BUS) + 3M MEMORY 11020

A953GOT-SBD-B 停售 5.7" 8 COLOR STN DC bbbbb (RS232C) 12750

A953GOT-LBD 停售 5.7" 2 COLOR B&W STN DC bbbbb (RS232C) 9460

A953GOT-SBD-M3-B 停售 5.7" 8 COLOR STN DC bbbbb (RS232C) + 3M MEMORY 14130

A953GOT-LBD-M3 停售 5.7" 2 COLOR B&W STN DC bbbbb (RS232C) + 3M MEMORY 10750

A956GOT-TBD 停售 5.7" 256 COLOR TFT DC bbbbb 19300

A956GOT-SBD-B 停售 5.7" 8 COLOR STN DC bbbbb 14130

A956GOT-LBD 停售 5.7" 2 COLOR B&W STN DC bbbbb 10750

A956GOT-SBD-M3-B 停售 5.7" 8 COLOR STN DC bbbbb + 3M MEMORY 15930

A956GOT-LBD-M3 停售 5.7" 2 COLOR B&W STN DC bbbbb + 3M MEMORY 12750

A956WGOT-TBD 停售 7" 256 COLOR TFT DC bbbbb 17380

[A900GOT 通讯卡]

A9GT-BUSS \*\* BUS ConNECTION BOARD AnS/A/QnA/QnAS CPU 1540

A9GT-BUSSU QnA/ACPU BUS ConNECTION MODULE, 1 CONNECTOR, CE-COMPLIANT 1580

A9GT-BUS2S BUS ConNECTION BOARD AnS/A/QnA/QnAS CPU (MORE THAN 1 GOT) 1990

A9GT-BUS2SU QnA/ACPU BUS ConNECTION MODULE, FOR AGOT, 2 ConNECTORS 2400

A9GT-QBUSS \*\* QCPU BUS CONNECTION, FOR A985/975/970/960GOT, 1 ConNECTOR 1600

A9GT-QBUS2S QCPU BUS CONNECTION, FOR A985/975/970/960GOT, 2 ConNECTORS 2390

A9GT-QBUS2SU QCPU (Q MODE) BUS CONNECTION, FOR AGOT, 2 ConNECTORS 2550

A9GT-50WQBUSS QCPU (Q MODE) BUS CONNECTION, FOR A965WGOT, 1 Connector 1800

A9GT-RS4 \*\* RS-422 Connection BOARD 1270

A9GT-RS2 \*\* RS-232 Connection BOARD 1270

A9GT-RS2T RS-232C CONNECTION, WITH BUILT-IN CLOCK FUNCTION 2160

A9GT-80R1 INTERFACE FOR ANALOG RGB bbbbb 4130

A9GT-80V4 INTERFACE FOR NTSC/PAL bbbbb 4130

A7GT-J71AP23 Connection TO MELSECNET II FIBER OPTIC NETWORK 9550

A7GT-J71AR23 Connection TO MELSECNET II COAXIAL NETWORK 9550

A7GT-J71AT23B Connection TO MELSECNET/B TWISTED PAIR NETWORK 6370

A8GT-J61BT13 Connection TO CC-bbbb (INTELLIGENT DEVICE) 4710

A8GT-J61BT15 Connection TO CC-bbbb (REMOTE DEVICE) 1570

A9GT-QJ71LP23 Connection TO MELSECNET/10 FIBER OPTIC NETWORK FOR QnA 9550

A9GT-QJ71BR13 Connection TO MELSECNET/10 COAXIAL NETWORK FOR QnA 9550

A9GT-J71E71-T ETHERNET Connection (10 base-T) 2390

[A900GOT 存储功能卡]

A9GT-FNB OPTION FOR EXTENDED O.S. (A/FX LADDER MONITOR) 1540

A9GT-FNB1M OPTION FOR EXTENDED O.S. + 1M MEMORY (A/FX LADDER MONITOR) 2320

A9GT-FNB2M OPTION FOR EXTENDED O.S. + 2M MEMORY (A/FX LADDER MONITOR) 4640

A9GT-FNB4M OPTION FOR EXTENDED O.S. + 4M MEMORY (A/FX LADDER MONITOR) 6960

A9GT-FNB8M OPTION FOR EXTENDED O.S. + 8M MEMORY (A/FX LADDER MONITOR) 9570

A9GT-QFNB OPTION FOR EXTENDED O.S. (A/FX SERIES PLC) 2390

A9GT-QFNB4M OPTION FOR EXTENDED O.S. + 4M MEMORY (QnA/A/FX LADDER MONITOR) 7170

A9GT-QFNB8M OPTION FOR EXTENDED O.S. + 8M MEMORY (QnA/A/FX LADDER MONITOR) 9910

A9GTMEM-20MF MEMORY CAPACITY 32M byte FLASH PC CARD 8700

A9GTMEM-40MF MEMORY CAPACITY 64M byte FLASH PC CARD 14350

[A900GOT 选件]

A9GT-80PSC TRANSPARENCY PROTECT SHEET (5 SHEETS) FOR A985GOT 580

A9GT-80PSCL TRANSPARENCY PROTECT SHEET (5 SHEETS) FOR A985GOT 580

A9GT-70PSC TRANSPARENCY PROTECT SHEET (5 SHEETS) FOR A97XGOT 420

A9GT-70PSCL TRANSPARENCY PROTECT SHEET (5 SHEETS) FOR A97XGOT 420

A9GT-60PSC TRANSPARENCY PROTECT SHEET (5 SHEETS) FOR A960GOT 390

A9GT-60PSCL TRANSPARENCY PROTECT SHEET (5 SHEETS) FOR A960GOT 390

A9GT-50PSC TRANSPARENCY PROTECT SHEET (5 SHEETS) FOR A95XGOT (-M3) 480

A9GT-70STAND A97XGOT, A960GOT DESKTOP STAND 1930

A9GT-70LTTCH SPARE BACK LIGHT FOR A97xGOT-CH LCD, TFT, 2QTY 620

A9GT-70LTS SPARE BACK LIGHT FOR A97XGOT LCD, STN, 2QTY 620

A9GT-70KBF EXTERNAL I/O INTERFACE UNIT FOR A985/975/970/960GOT(-B) 2950

A8GT-50KBF EXTERNAL I/O INTERFACE UNIT FOR A95XGOT(-M3)/A956WGOT 2900

[A900GOT 电缆]

AC30R4-25P 3M RS422 CABLE FOR CPU ConNECTION (AnS/A/QnA/QnAS/FX2) 1860

AC100R4-25P 10M RS422 CABLE FOR CPU ConNECTION (AnS/A/QnA/QnAS/FX2) 2760

AC300R4-25P 30M RS422 CABLE FOR CPU ConNECTION (AnS/A/QnA/QnAS/FX2) 4610

FX9GT-CAB0-150 1.5M ConNECTION CABLE BETWEEN GOT AND CPU (FX1S/1N/2N) 430

FX9GT-CAB0 \*\* 3M ConNECTION CABLE BETWEEN GOT AND CPU (FX1S/1N/2N) 560

FX9GT-CAB0-10M 10M ConNECTION CABLE BETWEEN GOT AND CPU (FX1S/1N/2N) 620

A8GT-C12NB 1.2M BUS CONNECTION (A/Q CPU ) 1200

A8GT-C30NB 3M BUS CONNECTION (A/Q CPU ) 1840

A8GT-C50NB 5M BUS CONNECTION (A/Q CPU ) 2010

A8GT-C100EXSS-1 10M BUS CONNECTION (AnS/QnAS CPU) 3600

A8GT-C200EXSS-1 20M BUS CONNECTION (AnS/QnAS CPU) 5210

A8GT-C300EXSS-1 30M BUS CONNECTION (AnS/QnAS CPU) 6800

A8GT-C100BS 10M BUS CABLE FOR GOT/GOT BUS CONNECTION 2400

A8GT-C200BS 20M BUS CABLE FOR GOT/GOT BUS CONNECTION 4010

A8GT-C300BS 30M BUS CABLE FOR GOT/GOT BUS CONNECTION 5600

A9GT-QC150BS 15M CONNECTION CABLE FOR A9GT-QCNB/GOT AND GOT 3530

A9GT-QC200BS 20M CONNECTION CABLE FOR A9GT-QCNB/GOT AND GOT 4260

A9GT-QC250BS 25M CONNECTION CABLE FOR A9GT-QCNB/GOT AND GOT 5040

A9GT-QC300BS 30M CONNECTION CABLE FOR A9GT-QCNB/GOT AND GOT 5850

A9GT-QC350BS 35M CONNECTION CABLE FOR A9GT-QCNB/GOT AND GOT 6730

A1SC07B 0.7M BUS CONNECTION (AnS/QnAS CPU) 590

A1SC12B 1.2M BUS CONNECTION (AnS/QnAS CPU ) 850

A1SC30B 3M BUS CONNECTION (AnS/QnAS CPU) 1350

A1SC50B 5M BUS CONNECTION (AnS/QnAS CPU) 1990

AC06B 0.6M BUS CONNECTION (A/QnA CPU & A7GT-CNB) 790

AC12B 1.2M BUS CONNECTION (A/QnA CPU & A7GT-CNB) 1200

AC30B 3M BUS CONNECTION (A/QnA CPU & A7GT-CNB) 1600

AC50B 5M BUS CONNECTION (A/QnA CPU & A7GT-CNB) 1990

AC12B-R 1.2M RIGHT-ANGLED BUS CONNECTION (A/QnA CPU & A7GT-CNB) 1380

AC30B-R 3M RIGHT-ANGLED BUS CONNECTION (A/QnA CPU & A7GT-CNB) 1860

AC50B-R 5M RIGHT-ANGLED BUS CONNECTION (A/QnA CPU & A7GT-CNB) 2310

A7GT-CNB LONG DISTANCE BUS/CONNECTOR CONVERSION BOX (A/QnA CPU) 960

AC300PIO-20P 30M PRINTER CONNECTION 3310

AC30PIO-20P 3M PRINTER CONNECTION 138AC30R2-9P 3M DATA TRANSFER CABLE (D-SUB 9 PIN/25 PIN) 1620