

西门子电源模块6EP1333-3BA00 SITOP开关电源modular 5A基本电源

产品名称	西门子电源模块6EP1333-3BA00 SITOP开关电源modular 5A基本电源
公司名称	上海领国自动化科技有限公司
价格	1050.00/个
规格参数	加工定制:否 品牌:siemens/西门子 型号:6ep1333-3ba00
公司地址	上海市金山区枫泾镇环东一路65弄7号3959室
联系电话	18800378001

产品详情

销售西门子sitop电源 6ep电源6ep1333-2aa01销售西门子sitop电源

6ep电源6ep1333-3ba00销售西门子sitop电源 6ep电源6ep1334-2aa01销售西门子sitop电源

6ep电源6ep1334-3ba00销售西门子sitop电源 6ep电源6ep1336-3ba00销售西门子sitop电源

6ep电源6ep1332-1sh42销售西门子sitop电源 6ep电源6ep1331-1sh02销售西门子sitop电源

6ep电源6ep1333-2ba01销售西门子sitop电源 6ep电源6ep1332-2ba10销售西门子sitop电源

6ep电源6ep1336-2ba00

sitop电源

sitop电源6ep1 331-2ba00

sitop电源6ep1 331-2ba10

sitop电源6ep1 332-1sh12

sitop电源6ep1 332-1sh22

sitop电源6ep1 332-1sh31

sitop电源6ep1 332-2ba00

6ep1 332-2ba10

sitop电源6ep1 333-2aa01

sitop电源6ep1 333-2ba01

sitop电源6ep1 333-2ba00

sitop电源6ep1 333-3ba00

sitop电源6ep1 334-1sh01

sitop电源6ep1 334-2aa00

sitop电源6ep1 334-2aa01

sitop电源6ep1 334-2ba00

sitop电源6ep1 334-2ba01

sitop电源6ep1 334-3ba00

sitop电源6ep1 336-1sh01

sitop电源6ep1 336-2ba00

sitop电源6ep1 336-3ba00

sitop电源6ep1337-3ba00

sitop电源6ep1 353-0aa00

sitop电源6ep1 353-2ba00

sitop电源6ep1 434-1sh01

sitop电源6ep1 434-2ba00

sitop电源6ep1 436-1sh01

sitop电源6ep1436-3ba00

sitop电源6ep1 436-3ba10

sitop电源6ep1 437-1sh01

sitop电源6ep1 437-1sl01

sitop电源6ep1 437-2ba00

sitop电源6ep1 437-2ba10

sitop电源6ep1 437-3ba00

sitop电源6ep1 536-2aa00

sitop电源6ep1 632-1a101

sitop电源6ep1 731-2ba00

sitop电源6ep1 732-0aa00

6ep1457-3ba00

6ep1456-2ba00

6ep1961-3ba10

6ep1961-3ba00

6ep1961-3ba20

6ep1961-2ba00

6ep1436-3ba10

6ep1437-3ba10

6ep1732-0aa00

6ep1621-2ba00

6ep1353-2ba00

6ep1353-0aa00

6ep1 336-3ba10

6ep1 436-3ba10

6ep1 437-3ba10

6ep1 456-2ba00

6ep1 457-3ba00

6ep1 333-2aa01

6ep1 333-2ba01

6ep1 334-2ba01

6ep1 436-2ba10

6ep1333-1a12

manufacturer:siemens

manufacturer part no:6ep1333-3ba00

modular power suppliesbasis of the modular concept is a complete line of 24 vdc power supplies from 5a up to 40a.

compact design

adjustable output voltage up to 28.8 vdc

3 led operating indications

selectable reaction to short circuit: automatic restart or storing shutdown

possible to use in parallel connection (load sharing)

din rail mounting

sitop modular comes in:

5a, 10a, 20a and 40a devices can be used for single-phase (l1 and n) and for 3-phase applications by using 2 hot wires only within the provided input voltage range capabilitythe power supplies fulfill:

radio interference suppression, class b

restriction of the input current harmonic waves in acc. w. en 61 000-3-2 (except 6ep1337-3ba00)power supplies and add-on modules meet:

ambient temperature range from 0 ° c + 60 ° cpower security componentsthe signaling module can be snapped onto the left side of the basic device. the module offers floating signal contacts (“ output voltage o.k. and “ ready for operation o.k. ”) and a signal input for remote on/off of the basic device.the buffer module bypasses power interruptions in the msec range. 100 msec at 40 a, 800 msec at 5 a, up to max. of 3 sec at low load current, din rail mounting is possible at any location in the switching cabinet.the redundancy module guarantees stable 24vdc power by decoupling two power supplies in parallel operation. the module monitors both power supplies and makes sure that the stand by power supply immediately takes over when the output voltage of the operating power supply drops below the (adjustable) threshold voltage. for applications above 20 amps one redundancy module per power supply is required.

"西门子电源模块6EP1333-3BA00 SITOP开关电源modular 5A基本电源"的型号为6EP1333-3BA00，输出频率是0.05-0.06（kHz），品牌为Siemens/西门子，产品认证是CEUL，工作电压为AC120/230-500（V），加工定制是否