

艾默生编码器M45R-14M

产品名称	艾默生编码器M45R-14M
公司名称	上海晖翰自动化科技有限公司
价格	面议
规格参数	
公司地址	上海市浦东周康路26号万达广场E座1505室
联系电话	021-33891089 18201884748

产品详情

m45r-14m mentor ii drive, 7.5 to 10 hp @ 208-240vac input, 15 to 20 hp @ 380-480vac input, regen m45we extends standard warranty to 5 years on mentor ii - 45a model m550-14m mentor ii drive, 125 hp @ 208-240vac input, 250 hp @ 380-480vac input, non-regen m550-14m660 mentor ii drive, 575-660vac input, 550a cont. output current, non-regen (208-480vac control power required) m550r-14m mentor ii drive, 125 hp @ 208-240vac input, 250 hp @ 380-480vac input, regen m550r-14m660 mentor ii drive, 575-660vac input, 550a cont. output current, regen (208-480vac control power required) m550we extends standard warranty to 5 years on mentor ii - 550a model m700-14m mentor ii drive, 150 hp @ 208-240vac input, 300 hp @ 380-480vac input, non-regen m700-14m660 mentor ii drive, 575-660vac input, 700a cont. output current, non-regen (208-480vac control power required) m700r-14m mentor ii drive, 150 hp @ 208-240vac input, 300 hp @ 380-480vac input, regen m700r-14m660 mentor ii drive, 575-660vac input, 700a cont. output current, regen (208-480vac control power required) m700we extends standard warranty to 5 years on mentor ii - 700a model m75-14m mentor ii drive, 15 hp @ 208-240vac input, 25 to 30 hp @ 380-480vac input, non-regen m75r-14m mentor ii drive, 15 hp @ 208-240vac input, 25 to 30 hp @ 380-480vac input, regen m75we extends standard warranty to 5 years on mentor ii - 75a model m825-14m mentor ii drive, 200 hp @ 208-240vac input, 400 hp @ 380-480vac input, non-regen m825-14m660 mentor ii drive, 575-660vac input, 825a cont. output current, non-regen (208-480vac control power required) m825r-14m mentor ii drive, 200 hp @ 208-240vac input, 400 hp @ 380-480vac input, regen m825r-14m660 mentor ii drive, 575-660vac input, 825a cont. output current, regen (208-480vac control power required) m825we extends standard warranty to 5 years on mentor ii - 825a model m900-14m mentor ii drive, 250 hp @ 208-240vac input, 500 hp @ 380-480vac input, non-regen m900-14m660 mentor ii drive, 575-660vac input, 900a cont. output current, non-regen (208-480vac control power required) m900r-14m mentor ii drive, 250 hp @ 208-240vac input, 500 hp @ 380-480vac input, regen m900r-14m660 mentor ii drive, 575-660vac input, 900a cont. output current, regen (208-480vac control power required) m900we extends standard warranty to 5 years on mentor ii - 900a model m'ax 403an m'ax servo drive, 3.5a cont. output current, 7a peak current (2 sec), supply voltage: 380-480vac, with display and keypad m'ax 406an m'ax servo drive, 6.5a cont. output current, 13a peak current (2 sec), supply voltage: 380-480vac, with display and keypad m'ax 409an m'ax servo drive, 9.5a cont. output current, 19a peak current (2 sec), supply voltage: 380-480vac, with display and keypad m'ax 412an m'ax servo drive, 12.5a cont. output current, 25a peak current (2 sec), supply voltage: 380-480vac, with display and keypad maxax100 maxax, 220v - 3?, 4.2a output current, nema 1 maxax200 maxax, 220v - 3?, 14a output current, nema 1 maxax300 maxax, 220v - 3?, 21.2a output current, nema 1 mc-1 merge controller - up to 4 lines when used in conjunction w/ pcm-19's mc202-00-000 mc202, 2 axis controller, 1 servo with encoder follower

capability or 2 stepper axis. mc206-00-000 mc206, 1 to 7 1/2 axis controller, with 1 servo or stepper axis enabled
mc224-00-000 mc224, 1 to 24 axis controller, accepts up to 4 daughter boards md02r-04 4 line, 20 character back-lit display with function / numeric keypad (with bridging capability). md03r-02 2 line, 20 character back-lit display with function / numeric keypad (no bridging capability). md-24 profibus-dp interface card (mentor ii, quantum iii)
md24-ug md-24 interface card (profibus-dp) user guide md-25 devicenet interface interface card (mentor ii, quantum iii) md25-ug md-25 interface card (devicenet) user guide md-29an md29, 32 bit co-processor with ctnet (not compatible with md-29an-revd) (mentor ii, quantum iii) md-29an-revd md29, 32 bit coprocessor with ctnet-revd (current version of ctnet) (mentor ii, quantum iii) md-404-00-000 mds drive module, 4a cont. output current, 8a peak current, with backplane and fuses md-407-00-000 mds drive module, 7a cont. output current, 14a peak current, with backplane and fuses md-410-00-000 mds drive module, 10a cont. output current, 20a peak current, with backplane and fuses md-420-00-000 mds drive module, 20a cont. output current, 40a peak current, with backplane and fuses md-434-00-000 mds drive module, 34a cont. output current, 68a peak current, with backplane and fuses mdibs interbus-s interface card (mentor ii, quantum iii) mdibs-ug mdibs interface card (interbus-s) user guide mentorsoft windows based configuration tool for mentor mentor-ug mentor ii user guide mf-1250-20 ac line filter, 3?, 20 amp, 480vac (mp-1250) mf-2500-35 ac line filter, 3?, 35 amp, 480vac (mp-2500) mf-5000-65 ac line filter, 3?, 65 amp, 480vac (mp-5000) mfg-1 allows system speed to be adjusted digitally mge-205-cbns-0000 mg 2" servo motor, english mounting flange, 5 lb-in cont. torque, 240vac, ms connectors, 5000 rpm max speed, 24vdc brake
mge-205-cons-0000 mg 2" servo motor, english mounting flange, 5 lb-in cont. torque, 240vac, ms connectors, 5000 rpm max speed mge-208-cbns-0000 mg 2" servo motor, english mounting flange, 9 lb-in cont. torque, 240vac, ms connectors, 5000 rpm max speed, 24vdc brake mge-208-cons-0000 mg 2" servo motor, english mounting flange, 9 lb-in cont. torque, 240vac, ms connectors, 5000 rpm max speed mge-316-cbns-0000 mg 3" servo motor, english mounting flange, 18.6 lb-in cont. torque, 240vac, ms connectors, 4000 rpm max speed, 24vdc brake
mge-316-cons-0000 mg 3" servo motor, english mounting flange, 18.6 lb-in cont. torque, 240vac, ms connectors, 4000 rpm max speed mge-340-cbns-0000 mg 3" servo motor, english mounting flange, 48 lb-in cont. torque, 240vac, ms connectors, 3000 rpm max speed, 24vdc brake mge-340-cons-0000 mg 3" servo motor, english mounting flange, 48 lb-in cont. torque, 240vac, ms connectors, 3000 rpm max speed mge-4120-cbns-0000 mg 4" servo motor, english mounting flange, 162 lb-in cont. torque, 240vac, ms connectors, 3000 rpm max speed, 24vdc brake
mge-4120-cons-0000 mg 4" servo motor, english mounting flange, 162 lb-in cont. torque, 240vac, ms connectors, 3000 rpm max speed mge-455-cbns-0000 mg 4" servo motor, english mounting flange, 68 lb-in cont. torque, 240vac, ms connectors, 3000 rpm max speed, 24vdc brake

mge-455-cons-0000 mg 4" servo motor, english mounting flange, 68 lb-in cont. torque, 240vac, ms connectors, 3000 rpm max speed mge-490-cbns-0000 mg 4" servo motor, english mounting flange, 120 lb-in cont. torque, 240vac, ms connectors, 3000 rpm max speed, 24vdc brake mge-490-cons-0000 mg 4" servo motor, english mounting flange, 100 lb-in cont. torque, 240vac, ms connectors, 3000 rpm max speed mgff-xxx standard duty motor feedback cable for 2" & 3" motors, 8 pair w/shield, custom length - 1 ft increments (pto1a-16-23ssr to nt, mg, mh motors) mgfs-xxx standard duty motor feedback cable for 2" & 3" motors, 8 pair w/shield, custom length - 1 ft increments, minimum 20 ft per order (db26p-ss, db26p-sa to pt06a-16-23-ssr) mgm-205-cbns-0000 mg 2" servo motor, metric mounting flange, 5 lb-in cont. torque, 240vac, ms connectors, 5000 rpm max speed, 24vdc brake mgm-205-cons-0000 mg 2" servo motor, metric mounting flange, 5 lb-in cont. torque, 240vac, ms connectors, 5000 rpm max speed
mgm-208-cbns-0000 mg 2" servo motor, metric mounting flange, 9 lb-in cont. torque, 240vac, ms connectors, 5000 rpm max speed, 24vdc brake mgm-208-cons-0000 mg 2" servo motor, metric mounting flange, 9 lb-in cont. torque, 240vac, ms connectors, 5000 rpm max speed mgm-316-cbns-0000 mg 3" servo motor, metric mounting flange, 18.6 lb-in cont. torque, 240vac, ms connectors, 4000 rpm max speed, 24vdc brake mgm-316-cons-0000 mg 3" servo motor, metric mounting flange, 18.6 lb-in cont. torque, 240vac, ms connectors, 4000 rpm max speed mgm-340-cbns-0000 mg 3" servo motor, metric mounting flange, 48 lb-in cont. torque, 240vac, ms connectors, 3000 rpm max speed, 24vdc brake mgm-340-cons-0000 mg 3" servo motor, metric mounting flange, 48 lb-in cont. torque, 240vac, ms connectors, 3000 rpm max speed mgm-4120-cbns-0000 mg 4" servo motor, metric mounting flange, 162 lb-in cont. torque, 240vac, ms connectors, 3000 rpm max speed, 24vdc brake mgm-4120-cons-0000 mg 4" servo motor, metric mounting flange, 162 lb-in cont. torque, 240vac, ms connectors, 3000 rpm max speed mgm-455-cbns-0000 mg 4" servo motor, metric mounting flange, 68 lb-in cont. torque, 240vac, ms connectors, 3000 rpm max speed, 24vdc brake

mgm-455-cons-0000 mg 4" servo motor, metric mounting flange, 68 lb-in cont. torque, 240vac, ms connectors, 3000 rpm max speed
mgm-490-cbns-0000 mg 4" servo motor, metric mounting flange, 120 lb-in cont. torque, 240vac, ms connectors, 3000 rpm max speed, 24vdc brake

mgm-490-cons-0000 mg 4" servo motor, metric mounting flange, 120 lb-in cont. torque, 240vac, ms connectors, 3000 rpm max speed
mhe-316-cbns-0000 mh 3" servo motor, english mounting flange, 21.5 lbs-in cont. torque, ms connectors, 480vac, 4000 rpm max speed, 24vdc brake
mhe-316-cons-0000 mh 3" servo motor, english mounting flange, 21.5 lbs-in cont. torque, ms connectors, 480vac, 4000 rpm max speed
mhe-340-cbns-0000 mh 3" servo motor, english mounting flange, 46 lbs-in cont. torque, ms connectors, 480vac, 3000 rpm max speed, 24vdc brake
mhe-340-cons-0000 mh 3" servo motor, english mounting flange, 46 lbs-in cont. torque, ms connectors, 480vac, 3000 rpm max speed
mhe-455-cbns-0000 mh 4" servo motor, english mounting flange, 72.5 lbs-in cont. torque, ms connectors, 480vac, 3000 rpm max speed, 24vdc brake
mhe-455-cons-0000 mh 4" servo motor, english mounting flange, 72.5 lbs-in cont. torque, ms connectors, 480vac, 3000 rpm max speed
mhe-490-cbns-0000 mh 4" servo motor, english mounting flange, 105 lbs-in cont. torque, ms connectors, 480vac, 3000 rpm max speed, 24vdc brake
mhe-490-cons-0000 mh 4" servo motor, english mounting flange, 105 lbs-in cont. torque, ms connectors, 480vac, 3000 rpm max speed
mhm-316-cbns-0000 mh 3" servo motor, metric mounting flange, 21.5 lbs-in cont. torque, ms connectors, 480vac, 4000 rpm max speed, 24vdc brake
mhm-316-cons-0000 mh 3" servo motor, metric mounting flange, 21.5 lbs-in cont. torque, ms connectors, 480vac, 4000 rpm max speed
mhm-340-cbns-0000 mh 3" servo motor, metric mounting flange, 46 lbs-in cont. torque, ms connectors, 480vac, 3000 rpm max speed, 24vdc brake
mhm-340-cons-0000 mh 3" servo motor, metric mounting flange, 46 lbs-in cont. torque, ms connectors, 3000 rpm max speed
mhm-455-cbns-0000 mh 4" servo motor, metric mounting flange, 72.5 lbs-in cont. torque, ms connectors, 480vac, 3000 rpm max speed, 24vdc brake
mhm-455-cons-0000 mh 4" servo motor, metric mounting flange, 72.5 lbs-in cont. torque, ms connectors, 480vac, 3000 rpm max speed
mhm-490-cbns-0000 mh 4" servo motor, metric mounting flange, 105 lbs-in cont. torque, ms connectors, 480vac, 3000 rpm max speed, 24vdc brake
mhm-490-cons-0000 mh 4" servo motor, metric mounting flange, 105 lbs-in cont. torque, ms connectors, 480vac, 3000 rpm max speed
hm-6120-cbns-0000 mh 6" servo motor, metric mounting flange, 120 lbs-in cont. torque, ms connectors, 480vac, 3000 rpm max speed, 24vdc brake
hm-6120-cons-0000 mh 6" servo motor, metric mounting flange, 120 lbs-in cont. torque, ms connectors, 480vac, 3000 rpm max speed
mhm-6200-cbns-0000 mh 6" servo motor, metric mounting flange, 234 lbs-in cont. torque, ms connectors, 480vac, 3000 rpm max speed, 24vdc brake
mhm-6200-cons-0000 mh 6" servo motor, metric mounting flange, 234 lbs-in cont. torque, ms connectors, 480vac, 3000 rpm max speed
mhm-6300-cbns-0000 mh 6" servo motor, metric mounting flange, 299 lbs-in cont. torque, ms connectors, 480vac, 3000 rpm max speed, 24vdc brake
mhm-6300-cons-0000 mh 6" servo motor, metric mounting flange, 299 lbs-in cont. torque, ms connectors, 480vac, 3000 rpm max speed
mhm-8250-cbns-0000 mh 8" servo motor, metric mounting flange, 285 lbs-in cont. torque, ms connectors, 480vac, 3000 rpm max speed, 24vdc brake
mhm-8250-cons-0000 mh 8" servo motor, metric mounting flange, 285 lbs-in cont. torque, ms connectors, 480vac, 3000 rpm max speed
mhm-8500-cbns-0000 mh 8" servo motor, metric mounting flange, 530 lbs-in cont. torque, ms connectors, 480vac, 3000 rpm max speed, 24vdc brake
mhm-8500-cons-0000 mh 8" servo motor, metric mounting flange, 530 lbs-in cont. torque, ms connectors, 480vac, 3000 rpm max speed
mhm-8750-cbns-0000 mh 8" servo motor, metric mounting flange, 748 lbs-in cont. torque, ms connectors, 480vac, 2500 rpm max speed, 24vdc brake
mhm-8750-cons-0000 mh 8" servo motor, metric mounting flange, 748 lbs-in cont. torque, ms connectors, 480vac, 2500 rpm max speed
mlp-002-00 logic power supply, 2.1 a, +24 vdc, universal input 90 to 264 vac (epsilon, mp-1250)
mlp-005-00 logic power supply, 5.0 a, +24 vdc, universal input 90 to 264 vac (epsilon, mp-2500)
mlp-010-00 logic power supply, 10 a, +24 vdc, universal input 90 to 264 vac (epsilon, mp-5000)
mlr-2580-00 ac line reactor, 3?, 80 amp, 25 mh (mp-5000, only required on systems using over 35kw of continuous power)
mnt2n100hp-n1 mentor ii expresspak, 100hp, 240vac input, 344 amps output, nema 1, non-regen
mnt2n100hp-n12 mentor ii expresspak, 100hp, 240vac input, 344 amps output, nema 12, non-regen
mnt2n10hp-n1 mentor ii expresspak, 10hp, 240vac input, 38 amps output, nema 1, non-regen
mnt2n10hp-n12 mentor ii expresspak, 10hp, 240vac input, 38 amps output, nema 12, non-regen
mnt2n125hp-n1 mentor ii expresspak, 125hp, 240vac input, 426 amps output, nema 1, non-regen
mnt2n125hp-n12 mentor ii expresspak, 125hp, 240vac input, 426 amps output, nema 12, non-regen
mnt2n150hp-n1 mentor ii expresspak, 150hp, 240vac input, 506 amps output, nema 1, non-regen
mnt2n150hp-n12 mentor ii expresspak, 150hp, 240vac input, 506 amps output, nema 12, non-regen
mnt2n15hp-n1 mentor ii expresspak, 15hp,

240vac input, 55 amps output, nema 1, non-regen mnt2n15hp-n12 mentor ii expresspak, 15hp, 240vac input, 55 amps output, nema 12, non-regen mnt2n200hp-n1 mentor ii expresspak, 200hp, 240vac input, 675 amps output, nema 1, non-regen mnt2n200hp-n12 mentor ii expresspak, 200hp, 240vac input, 675 amps output, nema 12, non-regen mnt2n20hp-n1 mentor ii expresspak, 20hp, 240vac input, 72 amps output, nema 1, non-regen mnt2n20hp-n12 mentor ii expresspak, 20hp, 240vac input, 72 amps output, nema 12, non-regen mnt2n25hp-n1 mentor ii expresspak, 25hp, 240vac input, 89 amps output, nema 1, non-regen mnt2n25hp-n12 mentor ii expresspak, 25hp, 240vac input, 89 amps output, nema 12, non-regen mnt2n30hp-n1 mentor ii expresspak, 30hp, 240vac input, 106 amps output, nema 1, non-regen mnt2n30hp-n12 mentor ii expresspak, 30hp, 240vac input, 106 amps output, nema 12, non-regen mnt2n40hp-n1 mentor ii expresspak, 40hp, 240vac input, 140 amps output, nema 1, non-regen mnt2n40hp-n12 mentor ii expresspak, 40hp, 240vac input, 140 amps output, nema 12, non-regen mnt2n50hp-n1 mentor ii expresspak, 50hp, 240vac input, 172 amps output, nema 1, non-regen mnt2n50hp-n12 mentor ii expresspak, 50hp, 240vac input, 172 amps output, nema 12, non-regen mnt2n5hp-n1 mentor ii expresspak, 5hp, 240vac input, 20 amps output, nema 1, non-regen mnt2n5hp-n12 mentor ii expresspak, 5hp, 240vac input, 20 amps output, nema 12, non-regen mnt2n60hp-n1 mentor ii expresspak, 60hp, 240vac input, 206 amps output, nema 1, non-regen mnt2n60hp-n12 mentor ii expresspak, 60hp, 240vac input, 206 amps output, nema 12, non-regen mnt2n7.5hp-n1 mentor ii expresspak, 7.5hp, 240vac input, 29 amps output, nema 1, non-regen mnt2n7.5hp-n12 mentor ii expresspak, 7.5hp, 240vac input, 29 amps output, nema 12, non-regen mnt2n75hp-n1 mentor ii expresspak, 75hp, 240vac input, 255 amps output, nema 1, non-regen mnt2n75hp-n12 mentor ii expresspak, 75hp, 240vac input, 255 amps output, nema 12, non-regen mnt2r100hp-n1 mentor ii expresspak, 100hp, 240vac input, 344 amps output, nema 1, regen mnt2r100hp-n12 mentor ii expresspak, 100hp, 240vac input, 344 amps output, nema 12, regen mnt2r10hp-n1 mentor ii expresspak, 10hp, 240vac input, 38 amps output, nema 1, regen mnt2r10hp-n12 mentor ii expresspak, 10hp, 240vac input, 38 amps output, nema 12, regen mnt2r125hp-n1 mentor ii expresspak, 125hp, 240vac input, 426 amps output, nema 1, regen mnt2r125hp-n12 mentor ii expresspak, 125hp, 240vac input, 426 amps output, nema 12, regen mnt2r150hp-n1 mentor ii expresspak, 150hp, 240vac input, 506 amps output, nema 1, regen mnt2r150hp-n12 mentor ii expresspak, 150hp, 240vac input, 506 amps output, nema 12, regen mnt2r15hp-n1 mentor ii expresspak, 15hp, 240vac input, 55 amps output, nema 1, regen mnt2r15hp-n12 mentor ii expresspak, 15hp, 240vac input, 55 amps output, nema 12, regen mnt2r200hp-n1 mentor ii expresspak, 200hp, 240vac input, 675 amps output, nema 1, regen mnt2r200hp-n12 mentor ii expresspak, 200hp, 240vac input, 675 amps output, nema 12, regen mnt2r20hp-n1 mentor ii expresspak, 20hp, 240vac input, 72 amps output, nema 1, regen mnt2r20hp-n12 mentor ii expresspak, 20hp, 240vac input, 72 amps output, nema 12, regen mnt2r25hp-n1 mentor ii expresspak, 25hp, 240vac input, 89 amps output, nema 1, regen mnt2r25hp-n12 mentor ii expresspak, 25hp, 240vac input, 89 amps output, nema 12, regen mnt2r30hp-n1 mentor ii expresspak, 30hp, 240vac input, 106 amps output, nema 1, regen mnt2r30hp-n12 mentor ii expresspak, 30hp, 240vac input, 106 amps output, nema 12, regen mnt2r40hp-n1 mentor ii expresspak, 40hp, 240vac input, 140 amps output, nema 1, regen mnt2r40hp-n12 mentor ii expresspak, 40hp, 240vac input, 140 amps output, nema 12, regen mnt2r50hp-n1 mentor ii expresspak, 50hp, 240vac input, 172 amps output, nema 1, regen mnt2r50hp-n12 mentor ii expresspak, 50hp, 240vac input, 172 amps output, nema 12, regen mnt2r5hp-n1 mentor ii expresspak, 5hp, 240vac input, 20 amps output, nema 1, regen mnt2r5hp-n12 mentor ii expresspak, 5hp, 240vac input, 20 amps output, nema 12, regen mnt2r60hp-n1 mentor ii expresspak, 60hp, 240vac input, 206 amps output, nema 1, regen mnt2r60hp-n12 mentor ii expresspak, 60hp, 240vac input, 206 amps output, nema 12, regen mnt2r7.5hp-n1 mentor ii expresspak, 7.5hp, 240vac input, 29 amps output, nema 1, regen mnt2r7.5hp-n12 mentor ii expresspak, 7.5hp, 240vac input, 29 amps output, nema 12, regen mnt2r75hp-n1 mentor ii expresspak, 75hp, 240vac input, 255 amps output, nema 1, regen mnt2r75hp-n12 mentor ii expresspak, 75hp, 240vac input, 255 amps output, nema 12, regen mnt4n1000hp-n1 mentor ii expresspak, 1000hp, 480vac input, 1660 amps output, nema 1, non-regen mnt4n1000hp-n12 mentor ii expresspak, 1000hp, 480vac input, 1660 amps output, nema 12, non-regen mnt4n100hp-n1 mentor ii expresspak, 100hp, 480vac input, 172 amps output, nema 1, non-regen mnt4n100hp-n12 mentor ii expresspak, 100hp, 480vac input, 172 amps output, nema 12, non-regen mnt4n10hp-n1 mentor ii expresspak, 10hp, 480vac input, 20 amps output, nema 1, non-regen mnt4n10hp-n12 mentor ii expresspak, 10hp, 480vac input, 20 amps output, nema 12, non-regen mnt4n1250hp-n12 mentor ii expresspak, 250hp, 480vac input, 428 amps output, nema 12, non-regen mnt4n125hp-n1 mentor ii expresspak, 125hp, 480vac input, 205 amps output, nema 1, non-regen mnt4n125hp-n12 mentor ii expresspak, 125hp, 480vac input, 205 amps output, nema 12, non-regen mnt4n150hp-n1 mentor ii expresspak, 150hp, 480vac input, 255 amps output, nema 1, non-regen mnt4n150hp-n12 mentor ii expresspak,

150hp, 480vac input, 255 amps output, nema 12, non-regen mnt4n15hp-n1 mentor ii expresspak, 15hp, 480vac input, 29 amps output, nema 1, non-regen mnt4n15hp-n12 mentor ii expresspak, 15hp, 480vac input, 29 amps output, nema 12, non-regen mnt4n200hp-n1 mentor ii expresspak, 200hp, 480vac input, 338 amps output, nema 1, non-regen mnt4n200hp-n12 mentor ii expresspak, 200hp, 480vac input, 338 amps output, nema 12, non-regen mnt4n20hp-n1 mentor ii expresspak, 20hp, 480vac input, 38 amps output, nema 1, non-regen mnt4n20hp-n12 mentor ii expresspak, 20hp, 480vac input, 38 amps output, nema 12, non-regen mnt4n250hp-n1 mentor ii expresspak, 250hp, 480vac input, 428 amps output, nema 1, non-regen mnt4n25hp-n1 mentor ii expresspak, 25hp, 480vac input, 43 amps output, nema 1, non-regen mnt4n25hp-n12 mentor ii expresspak, 25hp, 480vac input, 43 amps output, nema 12, non-regen mnt4n300hp-n1 mentor ii expresspak, 300hp, 480vac input, 508 amps output, nema 1, non-regen mnt4n300hp-n12 mentor ii expresspak, 300hp, 480vac input, 508 amps output, nema 12, non-regen mnt4n30hp-n1 mentor ii expresspak, 30hp, 480vac input, 55 amps output, nema 1, non-regen