

进口不锈钢316过滤器品牌

产品名称	进口不锈钢316过滤器品牌
公司名称	深圳欧阀进出口贸易有限公司
价格	.00/台
规格参数	品牌:美国威盾 型号:VTON 规格:DN15-DN500
公司地址	深圳市福田区梅花路梅林多丽工业区1栋
联系电话	0755-29077977 13428666198

产品详情

进口不锈钢316过滤器品牌 进口不锈钢316过滤器价格 进口不锈钢316过滤器特点 进口不锈钢316过滤器标准

关键词：进口不锈钢316过滤器 进口不锈钢篮式过滤器 进口不锈钢y型过滤器 进口不锈钢燃气过滤器 进口不锈钢氧气过滤器 进口不锈钢水用过滤器 进口不锈钢蒸汽过滤器 进口不锈钢t型过滤器 进口不锈钢高压过滤器

品牌:美国威盾vton

产品名称：进口不锈钢316过滤器

一. 『产品描述』

美国威盾vton进口不锈钢316过滤器（stainless steel 316 filter）是输送介质的管道系列不可缺少的一种装置，通常安装在减压阀、泄压阀、定水位阀或其它设备的进口端，用来消除介质中的杂质，以保护阀门及设备的正常使用。该过滤器具有结构先进，阻力小，排污方便等特点。适用介质可为水，油、气。可按用户要求制作滤网，其外型基本相同（y型），内部件全部采用不锈钢，坚固耐用。当需要清洗时，只要将可拆卸的滤筒取出，去除滤出的杂质后，重新装入即可，使用维护极为方便。该过滤器体形小、滤眼细、阻力小、效果高、安装检修方便、成本低、并排污时间短，对一般小型号者，只需5-10分钟。一般通水网为18-30目/cm²，通气网为40-100目/cm²，通油网为100-300目/cm²。

usa vton imported 316 stainless steel filter is a device for pipeline transmission medium series indispensable, usually installed in the valve, relief valve inlet pressure, water valves or other equipment end, used to remove impurities in the medium, to protect the valve and equipment in normal use. the filter has advantages of advanced structure, small resistance, sewage and convenient. applicable medium for water, oil, and gas. according to user requirements making screen, the appearance is basically the same (type y), the internal parts are made of

stainless steel, durable. when cleaning, as long as the removable cartridge is removed, remove the filter out impurities, you can reload, maintenance is extremely easy to use. the filter of small body, eye fine filter, small resistance, high efficiency, convenient installation and maintenance, low cost, and short time of sewage, generally small number, only 5-10 minutes. general water network for 18-30 /cm², ventilation network for 40-100 /cm², 100-300 /cm² oil through network.

二．进口不锈钢316过滤器主要参数：

产品名称：进口不锈钢过滤器(美国威盾vton品牌)

规格范围：dn15-dn500

温度范围：-40 500

压力范围：pn16-pn320

阀体材质：不锈钢

滤网材质：不锈钢

连接方式：法兰

适用范围:水、油品、蒸汽、天然气、液化气、气体、液体以及某些腐蚀性液体等

三．进口不锈钢316过滤器具有以下优点：

- 1．进口不锈钢316过滤器铸造的阀体是兼有钢和优点的优良材料，在机械工程 上应用广泛。
- 2．进口不锈钢316过滤器内腔设有三道加强筋，用于防止滤网变形，有效地缓解了由于过滤器内的污物过多而造成的内外高负压力差。
- 3．滤网采用不锈钢双层网结构，坚固耐用，具有结构先进、流阻小、排污方便 等特点。
- 4．过滤网顶端设有橡胶密封垫或金属垫，极大地提高了其密封的可靠性
5. 耐腐蚀、长寿命
6. 清除杂物极其方便
7. 易拆卸、方便清洗
8. 过滤面积大、过滤功能强
9. 流阻小、体积小、结构简单、重量轻
10. 滤芯网为不锈钢制作
11. 双层网结构过滤网、坚固耐用
12. 适用介质: 水、蒸汽、气体、油品、硝酸类等腐蚀性流体。

如果您有需要咨询更详细的产品信息

请咨询授权代理商--深圳欧阀进出口贸易有限公司

联系人：张先生

电话：0755-29077977 0755-33137572

手机：13428666198 <http://www.fm5899.com>

进口阀门：<http://www.588fm.com> <http://www.588fm.com/sitemap.htm>

<http://www.588fm.com/famen/detail/1262.html>

<http://www.588fm.com/famen/detail/1211.html>

<http://www.588fm.com/famen/detail/1170.html>

<http://www.588fm.com/famen/detail/1110.html>

<http://www.588fm.com/famen/detail/1111.html>

<http://www.588fm.com/famen/detail/1118.html>

<http://www.588fm.com/famen/detail/1125.html>

<http://www.588fm.com/famen/detail/1173.html>

<http://www.588fm.com/famen/detail/1176.html>

<http://www.588fm.com/famen/detail/1177.html>

<http://www.588fm.com/famen/detail/1191.html>

<http://www.588fm.com/famen/detail/1203.html>