

艾默生电机SE11200075

产品名称	艾默生电机SE11200075
公司名称	上海晖翰科技公司
价格	1.00/件
规格参数	
公司地址	上海市浦东新区建韵路638号A栋2楼西侧
联系电话	021-33890487 15021249950

产品详情

se11200025 commander se (size 1), 0.33hp, 230vac, 1? input - 3? output, 1.5a cont. output current, nema 1

se11200037 commander se (size 1), 0.50hp, 230vac, 1? input - 3? output, 2.3a cont. output current, nema 1

se11200055 commander se (size 1), 0.75hp, 230vac, 1? input - 3? output, 3.1a cont. output current, nema 1

se11200075 commander se (size 1), 1hp, 230vac, 1? input - 3? output, 4.3a cont. output current, nema 1

se232001-n1 commander se expresspak, 1hp, 230v - 3?, 3.8 amps, nema 1

se232001-n12 commander se expresspak, 1hp, 230v - 3?, 3.8 amps, nema 12

se232002-n1 commander se expresspak, 2hp, 230v - 3?, 5.6 amps, nema 1

se232002-n12 commander se expresspak, 2hp, 230v - 3?, 5.6 amps, nema 12

se232003-n1 commander se expresspak, 3hp, 230v - 3?, 9.5 amps, nema 1

se232003-n12 commander se expresspak, 3hp, 230v - 3?, 9.5 amps, nema 12

se23200400 commander se (size 2), 5hp, 230v - 3?, 17a cont. output current, nema 1

se232005-n1 commander se expresspak, 5hp, 230v - 3?, 12.0 amps, nema 1

se232005-n12 commander se expresspak, 5hp, 230v - 3?, 12.0 amps, nema 12

se23400075 commander se (size 2), 1hp, 460v - 3?, 2.1a cont. output current, nema 1

se23400150 commander se (size 2), 2hp, 460v - 3?, 4.2a cont. output current, nema 1

se234001-n1 commander se expresspak, 1hp, 480v - 3?, 2.1 amps, nema 1

se234001-n12 commander se expresspak, 1hp, 480v - 3?, 2.1 amps, nema 12

se23400220 commander se (size 2), 3hp, 460v - 3?, 5.8a cont. output current, nema 1

se234002-n1 commander se expresspak, 2hp, 480v - 3?, 2.8 amps, nema 1

se234002-n12 commander se expresspak, 2hp, 480v - 3?, 2.8 amps, nema 12

se234003-n1 commander se expresspak, 3hp, 480v - 3?, 3.8 amps, nema 1

se234003-n12 commander se expresspak, 3hp, 480v - 3?, 3.8 amps, nema 12

se23400400 commander se (size 2), 5hp, 460v - 3?, 9.5a cont. output current, nema 1

se234005-n1 commander se expresspak, 5hp, 480v - 3?, 5.6 amps, nema 1

se234005-n12 commander se expresspak, 5hp, 480v - 3?, 5.6 amps, nema 12

se2d200075 commander se (size 2), 1hp, 230vac, 1? or 3? input - 3? output, 4.3a cont. output current, nema 1

se2d200150 commander se (size 2), 2hp, 230vac, 1? or 3? input - 3? output, 7.5a cont. output current, nema 1

se2d200220 commander se (size 2), 3hp, 230vac, 1? or 3? input - 3? output, 10.6a cont. output current, nema 1

se2we extends standard warranty to 5 years on commander se - size 2

se33200550 commander se (size 3), 7.5hp, 230v - 3?, 25a cont. output current, nema 1

se33200750 commander se (size 3), 10hp, 230v - 3?, 28.5a cont. output current, nema 1

se332007-n1 commander se expresspak, 7.5hp, 230v - 3?, 16.0 amps, nema 1

se332007-n12 commander se expresspak, 7.5hp, 230v - 3?, 16.0 amps, nema 12

se332010-n1 commander se expresspak, 10hp, 230v - 3?, 25 amps, nema 1

se332010-n12 commander se expresspak, 10hp, 230v - 3?, 25 amps, nema 12

se33400550 commander se (size 3), 7.5hp, 460v - 3?, 13a cont. output current, nema 1

se33400750 commander se (size 3), 10hp, 460v - 3?, 16.5a cont. output current, nema 1

se334007-n1 commander se expresspak, 7.5hp, 480v - 3?, 9.5 amps, nema 1

se334007-n12 commander se expresspak, 7.5hp, 480v - 3?, 9.5 amps, nema 12

se334010-n1 commander se expresspak, 10hp, 480v - 3?, 12 amps, nema 1

se334010-n12 commander se expresspak, 10hp, 480v - 3?, 12 amps, nema 12

se3we extends standard warranty to 5 years on commander se - size 3

se43401100 commander se (size 4), 15hp, 460v - 3?, 24.5a cont. output current, nema 1

se43401500 commander se (size 4), 20hp, 460v - 3?, 30.5a cont. output current, nema 1

se434015-n1 commander se expresspak, 15hp, 480v - 3?, 16 amps, nema 1

se434015-n12 commander se expresspak, 15hp, 480v - 3?, 16 amps, nema 12

se43401850 commander se (size 4), 25hp, 460v - 3?, 37a cont. output current, nema 1

se434020-n1 commander se expresspak, 20hp, 480v - 3?, 25 amps, nema 1

se434020-n12 commander se expresspak, 20hp, 480v - 3?, 25 amps, nema 12

se4we extends standard warranty to 5 years on commander se - size 4

se51 bi-polar speed reference input card (commander se)

se51-ug se51 card user guide

se53402200 commander se (size 5), 30hp, 460v - 3?, 46a cont. output current, nema 1

se534025-n1 commander se expresspak, 25hp, 480v - 3?, 37 amps, nema 1

se534025-n12 commander se expresspak, 25hp, 480v - 3?, 37 amps, nema 12

se53403000 commander se (size 5), 40hp, 460v - 3?, 60a cont. output current, nema 1

se534030-n1 commander se expresspak, 30hp, 480v - 3?, 46 amps, nema 1

se534030-n12 commander se expresspak, 30hp, 480v - 3?, 46 amps, nema 12

se53403700 commander se (size 5), 50hp, 460v - 3?, 70a cont. output current, nema 1

se534040-n1 commander se expresspak, 40hp, 480v - 3?, 60 amps, nema 1

se534040-n12 commander se expresspak, 40hp, 480v - 3?, 60 amps, nema 12

se534050-n1 commander se expresspak, 50hp, 480v - 3?, 70 amps, nema 1

se534050-n12 commander se expresspak, 50hp, 480v - 3?, 70 amps, nema 12

se55 quickey / cloning module (commander se)

se73 profibus-dp interface card (commander se)

se73-ug se73 (profibus-dp) user guide

se74 interbus-s interface card (commander se)

se77co canopen interface card (commander se)

se77co-ug se77co (canopen) user guide

se77dn devicenet interface card (commander se)

se77dn-ug se77dn (devicenet) user guide

se-ug commander se users guide

sm-canopen canopen solutions module

sm-canopen canopen solutions module

sm-canopen canopen solutions module

smco-ug sm-canopen user guide

sm-dac sm fan and pump duty-assist preprogrammed option module

sm-devicenet devicenet solutions module

sm-devicenet devicenet solutions module

sm-devicenet devicenet solutions module

smdn-ug sm-devicenet user guide

sm-encoder plus encoder plus solutions module, provides an additional incremental encoder feedback port.

smep-ug sm-encoder plus user guide

sm-etc 15 pin d shell to 15 pin screw terminal break out board for servo and vector motor encoder feedback cable

sm-ethernet ethernet tcp/ip solutions module

sm-ethernet ethernet tcp/ip solutions module

sm-ethernet ethernet tcp/ip solutions module

sm-ezmotion motion made easy solutions module, utilizing powertools programming software

smez-ug sm-ezmotion user guide

sm-fsc sm flying shear control preprogrammed option module

sm-heatsink dbr1 braking resistor, 75 ohm, 50 watt, heatsink mount for unidrive sp size 1

sm-heatsink dbr2 braking resistor, 37.5 ohm, 100 watt, heatsink mount for unidrive sp size 2

sm-i/o lite i/o lite solutions module - (1) +/- 10v bi-polar or 4-20ma input, (3) digital inputs, (1) 0-10v or 4-20ma

output, (1) relay output, (1) incremental encoder speed reference input

sm-i/o lite i/o lite solutions module - (1) +/- 10v bi-polar or 4-20ma input, (3) digital inputs, (1) 0-10v or 4-20ma output, (1) relay output, (1) incremental encoder speed reference input

sm-i/o lite i/o lite solutions module - (1) +/- 10v bi-polar or 4-20ma input, (3) digital inputs, (1) 0-10v or 4-20ma output, (1) relay output, (1) incremental encoder speed reference input

sm-i/o plus i/o solutions module, high performance, (2) +/- 10v analog input, (1) +/- 10v output, (3) digital inputs, (3) programmable digital i/o, (2) relay output,

sm-i/o timer i/o lite solutions module w/real time clock for scheduling events, (1) +/- 10v bi-polar or 4-20ma input, (3) digital inputs, (1) 0-10v or 4-20ma output, (1) relay output, (1) incl enc spd ref input

sm-i/o timer i/o lite solutions module w/real time clock for scheduling events, (1) +/- 10v bi-polar or 4-20ma input, (3) digital inputs, (1) 0-10v or 4-20ma output, (1) relay output, (1) incl enc spd ref input

sm-i/o timer i/o lite solutions module w/real time clock for scheduling events, (1) +/- 10v bi-polar or 4-20ma input, (3) digital inputs, (1) 0-10v or 4-20ma output, (1) relay output, (1) incl enc spd ref input

smib-ug sm-interbus-s user guide

sm-interbus interbus-s solutions module

sm-interbus interbus-s solutions module

sm-interbus interbus-s solutions module

sm-keypad led keypad, 7 digit led data display, configured for unidrive sp

sm-keypad plus lcd keypad, back-lit, dual language, on-screen help, remote mountable

smpb-ug sm-profibus user guide

sm-pelv pelv solutions module - isolated i/o to namur ne37 specification for chemical industry applications

sm-pelv pelv solutions module - isolated i/o to namur ne37 specification for chemical industry applications

sm-pelv pelv solutions module - isolated i/o to namur ne37 specification for chemical industry applications

sm-profibus profibus-dp solutions module - fieldbus option only

sm-profibus profibus-dp solutions module - fieldbus option only

sm-profibus profibus-dp solutions module - fieldbus option only

sm-resolver resolver solutions module, providing a resolver feedback port, w/simulated encoder output

sm-sercos sercos solutions module

sm-slm slm solutions module

smue-ug sm-uni encoder user guide

sm-uni encoder universal encoder plus solutions module, provides an additional incremental or absolute encoder feedback port and simulated encoder output.

sm-winder sm speed and torque based centerwind preprogrammed option module

snccd-001.5 mso-spacerun: yes> sync in/out cable, 7 pin mini-din connector on one end and an 8 pin mini -din connector on the other, 1.5 ft length (fm3/4 to fm3/4)

sp1201-lcd unidrive sp with lcd keypad, 230vac, max cont output current (hp): normal duty - 5.2a (1.5hp), heavy duty - 4.3a (1hp)

sp1201-led unidrive sp with led keypad, 230vac, max cont output current (hp): normal duty - 5.2a (1.5hp), heavy duty - 4.3a (1hp)

sp1201-nkp unidrive sp without keypad, 230vac, max cont output current (hp): normal duty - 5.2a (1.5hp), heavy duty - 4.3a (1hp)

sp1202-lcd unidrive sp with lcd keypad, 230vac, max cont output current (hp): normal duty - 6.8a (2hp), heavy duty - 5.8a (1.5hp)

sp1202-led unidrive sp with led keypad, 230vac, max cont output current (hp): normal duty - 6.8a (2hp), heavy duty - 5.8a (1.5hp)

sp1202-nkp unidrive sp without keypad, 230vac, max cont output current (hp): normal duty - 6.8a (2hp), heavy duty - 5.8a (1.5hp)

sp1203-lcd unidrive sp with lcd keypad, 230vac, max cont output current (hp): normal duty - 9.6a (3hp), heavy duty - 7.5a (2hp)

sp1203-led unidrive sp with led keypad, 230vac, max cont output current (hp): normal duty - 9.6a (3hp), heavy duty - 7.5a (2hp)

sp1203-nkp unidrive sp without keypad, 230vac, max cont output current (hp): normal duty - 9.6a (3hp), heavy duty - 7.5a (2hp)

sp1204-lcd unidrive sp with lcd keypad, 230vac, max cont output current (hp): normal duty - 11a (3hp), heavy duty - 10.6a (3hp)

sp1204-led unidrive sp with led keypad, 230vac, max cont output current (hp): normal duty - 11a (3hp), heavy duty - 10.6a (3hp)

sp1204-nkp unidrive sp without keypad, 230vac, max cont output current (hp): normal duty - 11a (3hp), heavy duty - 10.6a (3hp)

sp1401-lcd unidrive sp with lcd keypad, 460vac, max cont output current (hp): normal duty - 2.8a (1.5hp), heavy duty - 2.1a (1hp)

sp1401-led unidrive sp with led keypad, 460vac, max cont output current (hp): normal duty - 2.8a (1.5hp), heavy duty - 2.1a (1hp)

sp1401-nkp unidrive sp without keypad, 460vac, max cont output current (hp): normal duty - 2.8a (1.5hp), heavy duty - 2.1a (1hp)

sp1402-lcd unidrive sp with lcd keypad, 460vac, max cont output current (hp): normal duty - 3.8a (2hp), heavy duty - 3.0a (2hp)

sp1402-led unidrive sp with led keypad, 460vac, max cont output current (hp): normal duty - 3.8a (2hp), heavy duty - 3.0a (2hp)

sp1402-nkp unidrive sp without keypad, 460vac, max cont output current (hp): normal duty - 3.8a (2hp), heavy duty - 3.0a (2hp)

sp1403-lcd unidrive sp with lcd keypad, 460vac, max cont output current (hp): normal duty - 5.0a (3hp), heavy duty - 4.2a (3hp)

sp1403-led unidrive sp with led keypad, 460vac, max cont output current (hp): normal duty - 5.0a (3hp), heavy duty - 4.2a (3hp)

sp1403-nkp unidrive sp without keypad, 460vac, max cont output current (hp): normal duty - 5.0a (3hp), heavy duty - 4.2a (3hp)

sp1404-lcd unidrive sp with lcd keypad, 460vac, max cont output current (hp): normal duty - 6.9a (5hp), heavy duty - 5.8a (3hp)

sp1404-led unidrive sp with led keypad, 460vac, max cont output current (hp): normal duty - 6.9a (5hp), heavy duty - 5.8a (3hp)

sp1404-nkp unidrive sp without keypad, 460vac, max cont output current (hp): normal duty - 6.9a (5hp), heavy duty - 5.8a (3hp)

sp1405-lcd unidrive sp with lcd keypad, 460vac, max cont output current (hp): normal duty - 8.8a (5hp), heavy duty - 7.6a (5hp)

sp1405-led unidrive sp with led keypad, 460vac, max cont output current (hp): normal duty - 8.8a (5hp), heavy duty - 7.6a (5hp)

sp1405-nkp unidrive sp without keypad, 460vac, max cont output current (hp): normal duty - 8.8a (5hp), heavy duty - 7.6a (5hp)

sp1406-lcd unidrive sp with lcd keypad, 460vac, max cont output current (hp): normal duty - 11a (7.5hp), heavy duty - 9.5a (5hp)

sp1406-led unidrive sp with led keypad, 460vac, max cont output current (hp): normal duty - 11a (7.5hp), heavy duty - 9.5a (5hp)

sp1406-nkp unidrive sp without keypad, 460vac, max cont output current (hp): normal duty - 11a (7.5hp), heavy duty - 9.5a (5hp)

sp1we extends standard warranty to 5 years on unidrive sp - size 1

sp2201-lcd unidrive sp with lcd keypad, 230vac, max cont output current (hp): normal duty - 15.5a (5hp), heavy duty

- 12.6a (3hp)

sp2201-led unidrive sp with led keypad, 230vac, max cont output current (hp): normal duty - 15.5a (5hp), heavy duty - 12.6a (3hp)

sp2201-nkp unidrive sp without keypad, 230vac, max cont output current (hp): normal duty - 15.5a (5hp), heavy duty - 12.6a (3hp)

sp2202-lcd unidrive sp with lcd keypad, 230vac, max cont output current (hp): normal duty - 22a (7.5hp), heavy duty - 17a (5hp)

sp2202-led unidrive sp with led keypad, 230vac, max cont output current (hp): normal duty - 22a (7.5hp), heavy duty - 17a (5hp)

sp2202-nkp unidrive sp without keypad, 230vac, max cont output current (hp): normal duty - 22a (7.5hp), heavy duty - 17a (5hp)

sp2203-lcd unidrive sp with lcd keypad, 230vac, max cont output current (hp): normal duty - 28a (10hp), heavy duty - 25a (7.5hp)

sp2203-led unidrive sp with led keypad, 230vac, max cont output current (hp): normal duty - 28a (10hp), heavy duty - 25a (7.5hp)

sp2203-nkp unidrive sp without keypad, 230vac, max cont output current (hp): normal duty - 28a (10hp), heavy duty - 25a (7.5hp)

sp2401-lcd unidrive sp with lcd keypad, 460vac, max cont output current (hp): normal duty - 15.3a (10hp), heavy duty - 13a (10hp)

sp2401-led unidrive sp with led keypad, 460vac, max cont output current (hp): normal duty - 15.3a (10hp), heavy duty - 13a (10hp)

sp2401-nkp unidrive sp without keypad, 460vac, max cont output current (hp): normal duty - 15.3a (10hp), heavy duty - 13a (10hp)

sp2402-lcd unidrive sp with lcd keypad, 460vac, max cont output current (hp): normal duty - 21a (15hp), heavy duty - 16.5a (10hp)

sp2402-led unidrive sp with led keypad, 460vac, max cont output current (hp): normal duty - 21a (15hp), heavy duty - 16.5a (10hp)

sp2402-nkp unidrive sp without keypad, 460vac, max cont output current (hp): normal duty - 21a (15hp), heavy duty - 16.5a (10hp)

sp2403-lcd unidrive sp with lcd keypad, 460vac, max cont output current (hp): normal duty - 29a (20hp), heavy duty - 25a (20hp)

sp2403-led unidrive sp with led keypad, 460vac, max cont output current (hp): normal duty - 29a (20hp), heavy duty - 25a (20hp)

sp2403-nkp unidrive sp without keypad, 460vac, max cont output current (hp): normal duty - 29a (20hp), heavy duty

- 25a (20hp)

sp2we extends standard warranty to 5 years on unidrive sp - size 2

sp3201-lcd unidrive sp with lcd keypad, 230vac, max cont output current (hp): normal duty - 42a (15hp), heavy duty - 31a (10hp)

sp3201-led unidrive sp with led keypad, 230vac, max cont output current (hp): normal duty - 42a (15hp), heavy duty - 31a (10hp)

sp3201-nkp unidrive sp without keypad, 230vac, max cont output current (hp): normal duty - 42a (15hp), heavy duty - 31a (10hp)

sp3202-lcd unidrive sp with lcd keypad, 230vac, max cont output current (hp): normal duty - 54a (20hp), heavy duty - 42a (15hp)

sp3202-led unidrive sp with led keypad, 230vac, max cont output current (hp): normal duty - 54a (20hp), heavy duty - 42a (15hp)

sp3202-nkp unidrive sp without keypad, 230vac, max cont output current (hp): normal duty - 54a (20hp), heavy duty - 42a (15hp)

sp3401-lcd unidrive sp with lcd keypad, 460vac, max cont output current (hp): normal duty - 35a (25hp), heavy duty - 32a (25hp)

sp3401-led unidrive sp with led keypad, 460vac, max cont output current (hp): normal duty - 35a (25hp), heavy duty - 32a (25hp)

sp3401-nkp unidrive sp without keypad, 460vac, max cont output current (hp): normal duty - 35a (25hp), heavy duty - 32a (25hp)

sp3402-lcd unidrive sp with lcd keypad, 460vac, max cont output current (hp): normal duty - 43a (30hp), heavy duty - 40a (30hp)

sp3402-led unidrive sp with led keypad, 460vac, max cont output current (hp): normal duty - 43a (30hp), heavy duty - 40a (30hp)

sp3402-nkp unidrive sp without keypad, 460vac, max cont output current (hp): normal duty - 43a (30hp), heavy duty - 40a (30hp)

sp3403-lcd unidrive sp with lcd keypad, 460vac, max cont output current (hp): normal duty - 56a (40hp), heavy duty - 46a (30hp)

sp3403-led unidrive sp with led keypad, 460vac, max cont output current (hp): normal duty - 56a (40hp), heavy duty - 46a (30hp)

sp3403-nkp unidrive sp without keypad, 460vac, max cont output current (hp): normal duty - 56a (40hp), heavy duty - 46a (30hp)

sp3501-lcd unidrive sp with lcd keypad, 575vac, max cont output current (hp): normal duty - 5.4a (3hp), heavy duty - 4.1a (2hp)

sp3501-led unidrive sp with led keypad, 575vac, max cont output current (hp): normal duty - 5.4a (3hp), heavy duty - 4.1a (2hp)

sp3501-nkp unidrive sp without keypad, 575vac, max cont output current (hp): normal duty - 5.4a (3hp), heavy duty - 4.1a (2hp)

sp3502-lcd unidrive sp with lcd keypad, 575vac, max cont output current (hp): normal duty - 6.1a (5hp), heavy duty - 5.4a (3hp)

sp3502-led unidrive sp with led keypad, 575vac, max cont output current (hp): normal duty - 6.1a (5hp), heavy duty - 5.4a (3hp)

sp3502-nkp unidrive sp without keypad, 575vac, max cont output current (hp): normal duty - 6.1a (5hp), heavy duty - 5.4a (3hp)

sp3503-lcd unidrive sp with lcd keypad, 575vac, max cont output current (hp): normal duty - 8.4a (7.5hp), heavy duty - 6.1a (5hp)

sp3503-led unidrive sp with led keypad, 575vac, max cont output current (hp): normal duty - 8.4a (7.5hp), heavy duty - 6.1a (5hp)

sp3503-nkp unidrive sp without keypad, 575vac, max cont output current (hp): normal duty - 8.4a (7.5hp), heavy duty - 6.1a (5hp)

sp3504-lcd unidrive sp with lcd keypad, 575vac, max cont output current (hp): normal duty - 11a (10hp), heavy duty - 9.5a (7.5hp)

sp3504-led unidrive sp with led keypad, 575vac, max cont output current (hp): normal duty - 11a (10hp), heavy duty - 9.5a (7.5hp)

sp3504-nkp unidrive sp without keypad, 575vac, max cont output current (hp): normal duty - 11a (10hp), heavy duty - 9.5a (7.5hp)

sp3505-lcd unidrive sp with lcd keypad, 575vac, max cont output current (hp): normal duty - 16a (15hp), heavy duty - 12a (10hp)

sp3505-led unidrive sp with led keypad, 575vac, max cont output current (hp): normal duty - 16a (15hp), heavy duty - 12a (10hp)

sp3505-nkp unidrive sp without keypad, 575vac, max cont output current (hp): normal duty - 16a (15hp), heavy duty - 12a (10hp)

sp3506-lcd unidrive sp with lcd keypad, 575vac, max cont output current (hp): normal duty - 22a (20hp), heavy duty - 18a (15hp)

sp3506-led unidrive sp with led keypad, 575vac, max cont output current (hp): normal duty - 22a (20hp), heavy duty - 18a (15hp)

sp3506-nkp unidrive sp without keypad, 575vac, max cont output current (hp): normal duty - 22a (20hp), heavy duty - 18a (15hp)

sp3507-lcd unidrive sp with lcd keypad, 575vac, max cont output current (hp): normal duty - 27a (25hp), heavy duty - 22a (20hp)

sp3507-led unidrive sp with led keypad, 575vac, max cont output current (hp): normal duty - 27a (25hp), heavy duty - 22a (20hp)

sp3507-nkp unidrive sp without keypad, 575vac, max cont output current (hp): normal duty - 27a (25hp), heavy duty - 22a (20hp)

sp3we extends standard warranty to 5 years on unidrive sp - size 3

sp4201-lcd unidrive sp with lcd keypad, 230vac, max cont output current (hp): normal duty - 68a (25hp), heavy duty - 56a (20hp)

sp4201-led unidrive sp with led keypad, 230vac, max cont output current (hp): normal duty - 68a (25hp), heavy duty - 56a (20hp)

sp4201-nkp unidrive sp without keypad, 230vac, max cont output current (hp): normal duty - 68a (25hp), heavy duty - 56a (20hp)

sp4202-lcd unidrive sp with lcd keypad, 230vac, max cont output current (hp): normal duty - 80a (30hp), heavy duty - 68a (25hp)

sp4202-led unidrive sp with led keypad, 230vac, max cont output current (hp): normal duty - 80a (30hp), heavy duty - 68a (25hp)

sp4202-nkp unidrive sp without keypad, 230vac, max cont output current (hp): normal duty - 80a (30hp), heavy duty - 68a (25hp)

sp4203-lcd unidrive sp with lcd keypad, 230vac, max cont output current (hp): normal duty - 104a (40hp), heavy duty - 80a (30hp)

sp4203-led unidrive sp with led keypad, 230vac, max cont output current (hp): normal duty - 104a (40hp), heavy duty - 80a (30hp)

sp4203-nkp unidrive sp without keypad, 230vac, max cont output current (hp): normal duty - 104a (40hp), heavy duty - 80a (30hp)

sp4401-lcd unidrive sp with lcd keypad, 480vac, max cont output current (hp): normal duty - 68a (50hp), heavy duty - 60a (50hp)

sp4401-led unidrive sp with led keypad, 480vac, max cont output current (hp): normal duty - 68a (50hp), heavy duty - 60a (50hp)

sp4401-nkp unidrive sp without keypad, 480vac, max cont output current (hp): normal duty - 68a (50hp), heavy duty - 60a (50hp)

sp4402-lcd unidrive sp with lcd keypad, 480vac, max cont output current (hp): normal duty - 83a (60hp), heavy duty - 74a (60hp)

sp4402-led unidrive sp with led keypad, 480vac, max cont output current (hp): normal duty - 83a (60hp), heavy duty

- 74a (60hp)

sp4402-nkp unidrive sp without keypad, 480vac, max cont output current (hp): normal duty - 83a (60hp), heavy duty - 74a (60hp)

sp4403-lcd unidrive sp with lcd keypad, 480vac, max cont output current (hp): normal duty -104a (75hp), heavy duty -96a (75hp)

sp4403-led unidrive sp with led keypad, 480vac, max cont output current (hp): normal duty -104a (75hp), heavy duty -96a (75hp)

sp4403-nkp unidrive sp without keypad, 480vac, max cont output current (hp): normal duty -104a (75hp), heavy duty -96a (75hp)

sp4601-lcd unidrive sp with lcd keypad, 575/690vac, max cont output current (hp): normal duty - 22a (20/25hp), heavy duty - 18a (15/20hp)

sp4601-led unidrive sp with led keypad, 575/690vac, max cont output current (hp): normal duty - 22a (20/25hp), heavy duty - 18a (15/20hp)

sp4601-nkp unidrive sp without keypad, 575/690vac, max cont output current (hp): normal duty - 22a (20/25hp), heavy duty - 18a 15/20hp)

sp4602-lcd unidrive sp with lcd keypad, 575/690vac, max cont output current (hp): normal duty - 27a (25/30hp), heavy duty - 22a (20/25hp)

sp4602-led unidrive sp with led keypad, 575/690vac, max cont output current (hp): normal duty - 27a (25/30hp), heavy duty - 22a (20/25hp)

sp4602-nkp unidrive sp without keypad, 575/690vac, max cont output current (hp): normal duty - 27a (25/30hp), heavy duty - 22a (20/25hp)

sp4603-lcd unidrive sp with lcd keypad, 575/690vac, max cont output current (hp): normal duty - 36a (30/40hp), heavy duty - 27a (25/30hp)

sp4603-led unidrive sp with led keypad, 575/690vac, max cont output current (hp): normal duty - 36a (30/40hp), heavy duty - 27a (25/30hp)

sp4603-nkp unidrive sp without keypad, 575/690vac, max cont output current (hp): normal duty - 36a (30/40hp), heavy duty - 27a (25/30hp)

sp4604-lcd unidrive sp with lcd keypad, 575/690vac, max cont output current (hp): normal duty - 43a (40/50hp), heavy duty - 36a (40hp)

sp4604-led unidrive sp with led keypad, 575/690vac, max cont output current (hp): normal duty - 43a (40/50hp), heavy duty - 36a (30/40hp)

sp4604-nkp unidrive sp without keypad, 575/690vac, max cont output current (hp): normal duty - 43a (40/50hp), heavy duty - 36a (30/40hp)

sp4605-lcd unidrive sp with lcd keypad, 575/690vac, max cont output current (hp): normal duty - 52a (50/60hp),

heavy duty - 43a (40/50hp)

sp4605-led unidrive sp with led keypad, 575/690vac, max cont output current (hp): normal duty - 52a (50/60hp), heavy duty - 43a (40/50hp)

sp4605-nkp unidrive sp without keypad, 575/690vac, max cont output current (hp): normal duty - 52a (50/60hp), heavy duty - 43a (40/50hp)

sp4606-lcd unidrive sp with lcd keypad, 575/690vac, max cont output current (hp): normal duty - 62a (60/74hp), heavy duty - 52a (50/60hp)

sp4606-led unidrive sp with led keypad, 575/690vac, max cont output current (hp): normal duty - 62a (60/74hp), heavy duty - 52a (50/60hp)

sp4606-nkp unidrive sp without keypad, 575/690vac, max cont output current (hp): normal duty - 62a (60/75hp), heavy duty - 52a (50/60hp)

sp4we extends standard warranty to 5 years on unidrive sp - size 4

sp5401-lcd unidrive sp with lcd keypad, 480vac, max cont output current (hp): normal duty -138a (100p), heavy duty -124a (100hp)

sp5401-led unidrive sp with led keypad, 480vac, max cont output current (hp): normal duty -138a (100p), heavy duty -124a (100hp)

sp5401-nkp unidrive sp without keypad, 480vac, max cont output current (hp): normal duty -138a (100p), heavy duty -124a (100hp)

sp5402-lcd unidrive sp with lcd keypad, 480vac, max cont output current (hp): normal duty -168a (125p), heavy duty -156a (125hp)

sp5402-led unidrive sp with led keypad, 480vac, max cont output current (hp): normal duty -168a (125p), heavy duty -156a (125hp)

sp5402-nkp unidrive sp without keypad, 480vac, max cont output current (hp): normal duty -168a (125p), heavy duty -156a (125hp)

sp5601-lcd unidrive sp with lcd keypad, 575/690vac, max cont output current (hp): normal duty - 84a (75/100hp), heavy duty - 62a (75hp)

sp5601-led unidrive sp with led keypad, 575/690vac, max cont output current (hp): normal duty - 84a (75/100hp), heavy duty - 62a (60/75hp)

sp5601-nkp unidrive sp without keypad, 575/690vac, max cont output current (hp): normal duty - 84a (75/100hp), heavy duty - 62a (60/75hp)

sp5602-lcd unidrive sp with lcd keypad, 575/690vac, max cont output current (hp): normal duty - 99a (100/125hp), heavy duty - 84a (100hp)

sp5602-led unidrive sp with led keypad, 575/690vac, max cont output current (hp): normal duty - 99a (100/125hp), heavy duty - 84a (100hp)

sp5602-nkp unidrive sp without keypad, 575/690vac, max cont output current (hp): normal duty - 99a (100/125hp), heavy duty - 84a (75/100hp)

sx13200075pb commander sx, 1.0hp, 230vac, 3 input - 3 output, 4.4a cont. output current, nema 4x

sx13400075pb commander sx, 1.0hp, 460vac, 3 input - 3 output, 2.2a cont. output current, nema 4x

sx13400150pb commander sx, 2.0hp, 460vac, 3 input - 3 output, 4.4a cont. output current, nema 4x

sx1we extends standard warranty to 5 years on commander sx - size 1

sx23200150pb commander sx, 2.0hp, 230vac, 3 input - 3 output, 8.0a cont. output current, nema 4x

sx23200220pb commander sx, 3.0hp, 230vac, 3 input - 3 output, 10.0a cont. output current, nema 4x

sx23400220pb commander sx, 3.0hp, 460vac, 3 input - 3 output, 6.1a cont. output current, nema 4x

sx23400400pb commander sx, 5.0hp, 460vac, 3 input - 3 output, 10.0a cont. output current, nema 4x

sx2we extends standard warranty to 5 years on commander sx - size 2

sx33200400pb commander sx, 5.0hp, 230vac, 3 input - 3 output, 16.9a cont. output current, nema 4x

sx33400550pb commander sx, 7.5hp, 460vac, 3 input - 3 output, 13.6a cont. output current, nema 4x

sx33400750pb commander sx, 10.0hp, 460vac, 3 input - 3 output, 16.9a cont. output current, nema 4x

sx3we extends standard warranty to 5 years on commander sx - size 3

sxsoft windows based configuration tool for the commander sx

sypt-lite programming tool for drive's with built in plc capability and sm-apps lite module

sypt-lite programming tool for drive's with built in plc capability and sm-apps lite module

syptpro coprocessor module programming and ctnet system configuration tool, software registration required

syptpro coprocessor module programming and ctnet system configuration tool, software registration required

t-21 data entry terminal - used w/ either fx or pcm 535 for editing and displaying simple motion parameters

t-60 pc based operator interface keyboard and display terminal, 8 i/o, mso-spacerun: yes> 9-32 vdc, 9 pin comm. conn. 64k std

t-61 mso-spacerun: yes> enhanced pc based operator interface keyboard and display terminal, 24 i/o, mso-spacerun: yes> 95-145 vac, 25 pin communication connector 32k standard

td-10 rs-232, db-9 male to db-9 male, 10 ft length

td-25 rs-232, db-9 male to db-9 male, 25 ft length

td-50 rs-232, db-9 male to db-9 male, 50 ft length

td-xxx rs-232, db-9 male to db-9 male, custom length - 1 ft increments

term-h terminator block for head of serial string (en,epsilon, mds)

term-t terminator block for tail of serial string (en, epsilon, mds)

tia-10 rs232 serial interface molded cable, db9-s on computer end, db9-p on drive end, 10 ft length (en, epsilon, mds to pc, hmi, plc {modbus master})

tia-25 rs232 serial interface molded cable, db9-s on computer end, db9-p on drive end, 25 ft length (en, epsilon, mds to pc, hmi, plc {modbus master})

tia-50 rs232 serial interface molded cable, db9-s on computer end, db9-p on drive end, 50 ft length (en, epsilon, mds to pc, hmi, plc {modbus master})

tia-ece-xxx external fx to pc

tia-ice-xxx internal fx to pc

tia-xxx rs232 serial interface molded cable, db9-s on computer end, db9-p on drive end, custom length - 1 ft increments (en, epsilon, mds to pc, hmi, plc {modbus master})

ud50 extended i/o, small option module (unidrive)

ud50-ug ud50 module user guide

ud51 second encoder feedback, small option module (unidrive)

ud51-ug ud51 module user guide

ud52 sin/cos (absolute - hipurface protocol) encoder feedback, small option module (unidrive)

ud52-ug ud52 module user guide

ud53 resolver feedback, small option module (undrive)

ud53-ug ud53 module user guide

ud55 memory cloning, small option module (unidrive)

ud55-ug ud55 module user guide

ud70 application coprocessor with modbus rtu, large option module (unidrive)

ud70/md29-ug ud70 and md29 user guide

ud70-dac duty-assist, preprogrammed large option module with modbus rtu (unidrive)

ud70-dmw dual mode winder, preprogrammed large option module with modbus rtu (unidrive)

ud70-fsc flying shear control, preprogrammed large option module with modbus rtu (unidrive)

ud71 rs-232/485, large option module (unidrive)

ud71-ug ud71 module user guide

ud73 application coprocessor with profibus-dp, large option module (unidrive)

ud73-com profibus-dp, large option module - communications only (unidrive)

ud73-dac duty-assist, preprogrammed large option module with profibus-dp (unidrive)

ud73-dmw dual mode winder, preprogrammed large option module with profibus-dp (unidrive)

ud73-fsc flying shear control, preprogrammed large option module with profibus-dp (unidrive)

ud73-ug ud73 module (profibus-dp) user guide

ud74 application coprocessor with interbus-s, large option module (unidrive)

ud74-com interbus-s, large option module - communications only (unidrive)

ud74-dac duty-assist, preprogrammed large option module with interbus-s (unidrive)

ud74-dmw dual mode winder, preprogrammed large option module with interbus-s (unidrive)

ud74-fsc flying shear control, preprogrammed large option module with interbus-s (unidrive)

ud74-ug ud74 module (interbus-s) user guide

ud75 application coprocessor with ctnet (not compatible with ud75-revd module), large option module (unidrive)

ud75-dac duty-assist, preprogrammed large option module with ctnet (unidrive)

ud75-dmw dual mode winder, preprogrammed large option module with ctnet (unidrive)

ud75-fsc flying shear control, preprogrammed large option module with ctnet (unidrive)

ud75-revd application coprocessor with ctnet rev d (current version of ctnet), large option module (unidrive)

ud76 application coprocessor with modbus plus, large option module (unidrive)

ud76-com modbus plus, large option module - communications only (unidrive)

ud76-ug ud76 module (modbus plus) user guide

ud77co application coprocessor with canopen, large option module (unidrive)

ud77co-com canopen, large option module - communications only (unidrive)

ud77-dac duty-assist, preprogrammed large option module with devicenet (unidrive)

ud77-dmw dual mode winder, preprogrammed large option module with devicenet (unidrive)

ud77dn application coprocessor with devicenet, large option module (unidrive)

ud77dn-com devicenet, large option module - communications only (unidrive)

ud77-fsc flying shear control, preprogrammed large option module with devicenet (unidrive)

ud77-ug ud77 module (devicenet) user guide

ud78 precision analog input, 24vdc back-up supply connection, large option module (unidrive)

ud78-ug ud78 module user guide

udbv1 screw terminal to 15 pin break out board for servo motor encoder feedback cable (unidrive)

udbv3 screw terminal to 8 pin break out board for vector motor encoder feedback cable (unidrive)

ufcs-005 motor feedback cable, connectors on both ends, 5 ft length (unidrive, unidrive sp to nt, mg, mh)

ufcs-015 motor feedback cable, connectors on both ends, 15 ft length (unidrive, unidrive sp to nt, mg, mh)

ufcs-025 motor feedback cable, connectors on both ends, 25 ft length (unidrive, unidrive sp to nt, mg, mh)

ufcs-050 motor feedback cable, connectors on both ends, 50 ft length (unidrive, unidrive sp to nt, mg, mh)

ufcs-100 motor feedback cable, connectors on both ends, 100 ft length (unidrive, unidrive sp to nt, mg, mh)

ufcs-xxx motor feedback cable, connectors at both ends, custom length - 1 ft increments (unidrive, unidrive sp to nt, mg, mh)

uni1203lv unidrive (size 1), 1hp, 230v - 3, 3.8a cont. output current, nema 1

uni1203vtclv unidrive vtc (size 1), 1hp, 230v - 3, 3.8 a cont. output current, nema 1

uni1204lv unidrive (size 1), 1.5hp, 230v - 3, 5.6a cont. output current, nema 1

uni1204vtclv unidrive vtc (size 1), 1.5hp, 230v - 3, 5.6 a cont. output current, nema 1

uni1205lv unidrive (size 1), 3hp, 230v - 3, 9.5a cont. output current, nema 1

uni1205vtclv unidrive vtc (size 1), 3hp, 230v - 3, 9.5 a cont. output current, nema 1

uni1401 unidrive (size 1), 1hp, 460v - 3, 2.1a cont. output current, nema 1

uni1401lft unidrive lft, 1hp, 460v - 3, 2.1 amps, nema 1

uni1401-n1 unidrive expresspak, 1hp, 460v - 3, 2.1 amps, nema 1

uni1401-n12 unidrive expresspak, 1hp, 460v - 3, 2.1 amps, nema 12

uni1401vtc unidrive vtc (size 1), 1hp, 460v - 3, 2.1 a cont. output current, nema 1

uni1402 unidrive (size 1), 1.5hp, 460v - 3, 2.8a cont. output current, nema 1

uni1402lft unidrive lft, 1.5hp, 460v - 3, 2.8 amps, nema 1

uni1402-n1 unidrive expresspak, 1.5hp, 460v - 3, 2.8 amps, nema 1

uni1402-n12 unidrive expresspak, 1.5hp, 460v - 3, 2.8 amps, nema 12

uni1402vtc unidrive vtc (size 1), 1.5hp, 460v - 3, 2.8 a cont. output current, nema 1

uni1403 unidrive (size 1), 2hp, 460v - 3, 3.8a cont. output current, nema 1

uni1403lft unidrive lft, 2hp, 460v - 3, 3.8 amps, nema 1

uni1403-n1 unidrive expresspak, 2hp, 460v - 3, 3.8 amps, nema 1

uni1403-n12 unidrive expresspak, 2hp, 460v - 3, 3.8 amps, nema 12

uni1403vtc unidrive vtc (size 1), 2hp, 460v - 3, 3.8 a cont. output current, nema 1

uni1404 unidrive (size 1), 3hp, 460v - 3, 5.6a cont. output current, nema 1

uni1404lft unidrive lft, 3hp, 460v - 3, 5.6 amps, nema 1

uni1404-n1 unidrive expresspak, 3hp, 460v - 3, 5.6 amps, nema 1

uni1404-n12 unidrive expresspak, 3hp, 460v - 3, 5.6 amps, nema 12

uni1404vtc unidrive vtc (size 1), 3hp, 460v - 3, 5.6 a cont. output current, nema 1

uni1405 unidrive (size 1), 5hp, 460v - 3, 9.5a cont. output current, nema 1

uni1405lft unidrive lft, 5hp, 460v - 3, 9.5 amps, nema 1

uni1405-n1 unidrive expresspak, 5hp, 460v - 3, 9.5 amps, nema 1

uni1405-n12 unidrive expresspak, 5hp, 460v - 3, 9.5 amps, nema 12

uni1405vtc unidrive vtc (size 1), 5hp, 460v - 3, 9.5 a cont. output current, nema 1

uni1we >extends standard warranty to 5 years on unidrive - size 1

uni2201lv unidrive (size 2), 3hp, 230v - 3, 12.0a cont. output current, nema 1

uni2201vtclv unidrive vtc (size 2), 3hp, 230v - 3, 12 a cont. output current, nema 1

uni2202lv unidrive (size 2), 5hp, 230v - 3, 16.0a cont. output current, nema 1

uni2202vtclv unidrive vtc (size 2), 5hp, 230v - 3, 16 a cont. output current, nema 1

uni2203lv unidrive (size 2), 7.5hp, 230v - 3, 25a cont. output current, nema 1

uni2203vtclv unidrive vtc (size 2), 7.5hp, 230v - 3, 25 a cont. output current, nema 1

uni2401 unidrive (size 2), 7.5hp, 460v - 3, 12a cont. output current, nema 1

uni2401lft unidrive lft, 7.5hp, 460v - 3, 12 amps, nema 1

uni2401-n1 unidrive expresspak, 7.5hp, 460v - 3, 12 amps, nema 1

uni2401-n12 unidrive expresspak, 7.5hp, 460v - 3, 12 amps, nema 12

uni2401vtc unidrive vtc (size 2), 7.5hp, 460v - 3, 12 a cont. output current, nema 1

uni2402 unidrive (size 2), 10hp, 460v - 3, 16a cont. output current, nema 1

uni2402lft unidrive lft, 10hp, 460v - 3, 16 amps, nema 1

uni2402-n1 unidrive expresspak, 10hp, 460v - 3, 16 amps, nema 1

uni2402-n12 unidrive expresspak, 10hp, 460v - 3, 16 amps, nema 12

uni2402vtc unidrive vtc (size 2), 10hp, 460v - 3, 16 a cont. output current, nema 1

uni2403 unidrive (size 2), 15hp, 460v - 3, 25a cont. output current, nema 1

uni2403lft unidrive lft, 15hp, 460v - 3, 25 amps, nema 1

uni2403-n1 unidrive expresspak, 15hp, 460v - 3, 25 amps, nema 1

uni2403-n12 unidrive expresspak, 15hp, 460v - 3, 25 amps, nema 12

uni2403vtc unidrive vtc (size 2), 15hp, 460v - 3, 25 a cont. output current, nema 1

uni2we extends standard warranty to 5 years on unidrive - size 2

uni3201lv unidrive (size 3), 10hp, 230v - 3, 34a cont. output current, nema 1

uni3201vtclv unidrive vtc (size 3), 10hp, 230v - 3, 34 a cont. output current, nema 1

uni3202lv unidrive (size 3), 15hp, 230v - 3, 46a cont. output current, nema 1

uni3202vtclv unidrive vtc (size 3), 15hp, 230v - 3, 46a cont. output current, nema 1

uni3203lv unidrive (size 3), 20hp, 230v - 3, 60a cont. output current, nema 1

uni3203vtclv unidrive vtc (size 3), 20hp, 230v - 3, 60a cont. output current, nema 1

uni3204lv unidrive (size 3), 25hp (30hp), 230v - 3, 70a cont. output current, nema 1

uni3204vtclv unidrive vtc (size 3), 25hp / 30hp, 230v - 3, 70a cont. output current, nema 1

uni3401 unidrive (size 3), 25hp, 460v - 3, 34a cont. output current, nema 1

uni3401lft unidrive lft, 20hp, 460v - 3, 34 amps, nema 1

uni3401-n1 unidrive expresspak, 25hp, 460v - 3, 34 amps, nema 1

uni3401-n12 unidrive expresspak, 25hp, 460v - 3, 34 amps, nema 12

uni3401vtc unidrive vtc (size 3), 25hp, 460v - 3, 34 a cont. output current, nema 1

uni3402 unidrive (size 3), 30hp, 460v - 3, 40a cont. output current, nema 1

uni3402lft unidrive lft, 25hp, 460v - 3, 40 amps, nema 1

uni3402-n1 unidrive expresspak, 30hp, 460v - 3, 40 amps, nema 1

uni3402-n12 unidrive expresspak, 30hp, 460v - 3, 40 amps, nema 12

uni3402vtc unidrive vtc (size 3), 30hp, 460v - 3, 40 a cont. output current, nema 1

uni3403 unidrive (size 3), 30hp, 460v - 3, 46a cont. output current, nema 1

uni3403lft unidrive lft, 30hp, 460v - 3, 46 amps, nema 1

uni3403-n1 unidrive expresspak, 30hp, 460v - 3, 46 amps, nema 1

uni3403-n12 unidrive expresspak, 30hp, 460v - 3, 46 amps, nema 12

uni3403vtc unidrive vtc (size 3), 30hp, 460v - 3, 46 a cont. output current, nema 1

uni3404 unidrive (size 3), 40hp, 460v - 3, 60a cont. output current, nema 1

uni3404lft unidrive lft, 40hp, 460v - 3, 60 amps, nema 1

uni3404-n1 unidrive expresspak, 40hp, 460v - 3, 60 amps, nema 1

uni3404-n12 unidrive expresspak, 40hp, 460v - 3, 60 amps, nema 12

uni3404vtc unidrive vtc (size 3), 40hp, 460v - 3, 60 a cont. output current, nema 1

uni3405 unidrive (size 3), 50hp, 460v - 3, 70a cont. output current, nema 1

uni3405lft unidrive lft, 50hp, 460v - 3, 70 amps, nema 1

uni3405-n1 unidrive expresspak, 50hp, 460v - 3, 70 amps, nema 1

uni3405-n12 unidrive expresspak, 50hp, 460v - 3, 70 amps, nema 12

uni3405vtc unidrive vtc (size 3), 50hp, 460v - 3, 70 a cont. output current, nema 1

uni3we extends standard warranty to 5 years on unidrive - size 3

uni4401 unidrive (size 4), 75hp, 460v - 3, 96a cont. output current, nema 1

uni4401lft unidrive lft, 60hp, 460v - 3, 96 amps, nema 1

uni4401-n1 unidrive expresspak, 75hp, 460v - 3, 96 amps, nema 1

uni4401-n12 unidrive expresspak, 75hp, 460v - 3, 96 amps, nema 12

uni4401vtc unidrive vtc (size 4), 75hp, 460v - 3, 96a cont. output current, nema 1

uni4402 unidrive (size 4), 100hp, 460v - 3, 124a cont. output current, nema 1

uni4402lft unidrive lft, 75hp, 460v - 3, 124 amps, nema 1

uni4402-n1 unidrive expresspak, 100hp, 460v - 3, 124 amps, nema 1

uni4402-n12 unidrive expresspak, 100hp, 460v - 3, 124 amps, nema 12

uni4402vtc unidrive vtc (size 4), 100hp, 460v - 3, 124a cont. output current, nema 1

uni4403 unidrive (size 4), 125hp, 460v - 3, 156a cont. output current, nema 1

uni4403lft unidrive lft, 100hp, 460v - 3, 156 amps, nema 1

uni4403-n1 unidrive expresspak, 125hp, 460v - 3, 156 amps, nema 1

uni4403-n12 unidrive expresspak, 125hp, 460v - 3, 156 amps, nema 12

uni4403vtc unidrive vtc (size 4), 125hp, 460v - 3, 156a output current, nema 1

uni4404 unidrive (size 4), 150hp, 460v - 3, 180a cont. output current, nema 1

uni4404lft unidrive lft, 125hp, 460v - 3, 180 amps, nema 1

uni4404-n1 unidrive expresspak, 150hp, 460v - 3, 180 amps, nema 1

uni4404-n12 unidrive expresspak, 150hp, 460v - 3, 180 amps, nema 12

uni4404vtc unidrive vtc (size 4), 150hp, 460v - 3, 180a cont. output current, nema 1

uni4405 unidrive (size 4), 150hp, 460v - 3, 202a cont. output current, nema 1

uni4405lft unidrive lft, 150hp, 460v - 3, 202 amps, nema 1

uni4405vtc unidrive vtc (size 4), 150hp, 460v - 3, 202a cont. output current, nema 1

uni4we extends standard warranty to 5 years on unidrive - size 4

uni5401ct020 unidrive, 200hp, 480vac - 3, 240a cont. output current, 6 pulse, nema 1

uni5401ct025-12 unidrive, 250hp, 480vac - 3, 300a cont. output current, 12 pulse, nema 1

uni5401vt025 unidrive, 250hp, 480vac - 3, 300a cont. output current, 6 pulse, nema 1

uni5402ct025 unidrive, 250hp, 480vac - 3, 300a cont. output current, 6 pulse, nema 1

uni5402ct030 unidrive, 300hp, 480vac - 3, 360a cont. output current, 6 pulse, nema 1

uni5402ct030-12 unidrive, 300hp, 480vac - 3, 360a cont. output current, 12 pulse, nema 1

uni5402ct035 unidrive, 350hp, 480vac - 3, 420a cont. output current, 6 pulse, nema 1

uni5402ct035-12 unidrive, 350hp, 480vac - 3, 420a cont. output current, 12 pulse, nema 1

uni5402ct040 unidrive, 400hp, 480vac - 3, 480a cont. output current, 6 pulse, nema 1

uni5402ct040-12 unidrive, 400hp, 480vac - 3, 480a cont. output current, 12 pulse, nema 1

uni5402vt030 unidrive, 300hp, 480vac - 3, 360a cont. output current, 6 pulse, nema 1

uni5402vt030-12 unidrive, 300hp, 480vac - 3, 360a cont. output current, 12 pulse, nema 1

uni5402vt035 unidrive, 350hp, 480vac - 3, 420a cont. output current, 6 pulse, nema 1

uni5402vt035-12 unidrive, 350hp, 480vac - 3, 420a cont. output current, 12 pulse, nema 1

uni5402vt040 unidrive, 400hp, 480vac - 3, 480a cont. output current, 6 pulse, nema 1

uni5402vt040-12 unidrive, 400hp, 480vac - 3, 480a cont. output current, 12 pulse, nema 1

uni5402vt050 unidrive, 500hp, 480vac - 3, 600a cont. output current, 6 pulse, nema 1

uni5403ct050 unidrive, 500hp, 480vac - 3, 600a cont. output current, 6 pulse, nema 1

uni5403ct060 unidrive, 600hp, 480vac - 3, 720a cont. output current, 6 pulse, nema 1

uni5403vt060 unidrive, 600hp, 480vac - 3, 720a cont. output current, 6 pulse, nema 1

uni5403vt075 unidrive, 750hp, 480vac - 3, 900a cont. output current, 6 pulse, nema 1

uni5404ct050-12 unidrive, 500hp, 480vac - 3, 600a cont. output current, 12 pulse, nema 1

uni5404ct060-12 unidrive, 600hp, 480vac - 3, 720a cont. output current, 12 pulse, nema 1

uni5404ct080 unidrive, 800hp, 480vac - 3, 960a cont. output current, 6 pulse, nema 1

uni5404ct080-12 unidrive, 800hp, 480vac - 3, 960a cont. output current, 12 pulse, nema 1

uni5404vt050-12 unidrive, 500hp, 480vac - 3, 600a cont. output current, 12 pulse, nema 1

uni5404vt060-12 unidrive, 600hp, 480vac - 3, 720a cont. output current, 12 pulse, nema 1

uni5404vt075-12 unidrive, 750hp, 480vac - 3, 900a cont. output current, 12 pulse, nema 1

uni5404vt100 unidrive, 1000hp, 480vac - 3, 1200a cont. output current, 6 pulse, nema 1

uni5404vt100-12 unidrive, 1000hp, 480vac - 3, 1200a cont. output current, 12 pulse, nema 1

uni5404vt125-12 unidrive, 1250hp, 480vac - 3, 1500a cont. output current, 12 pulse, nema 1

uni5405ct100 unidrive, 1000hp, 480vac - 3, 1200a cont. output current, 6 pulse, nema 1

uni5405vt125 unidrive, 1250hp, 480vac - 3, 1500a cont. output current, 6 pulse, nema 1

uni5406ct100-12 unidrive, 1000hp, 480vac - 3, 1200a cont. output current, 12 pulse, nema 1

uni54cpod unidrive size 5 power module controller (control pod), 1 required per drive assembly

uni54pmf12 unidrive size 5 power module: 240 amps constant torque - 300 amps variable torque. up to 8 units can be paralalled.

uni54pmf12-if unidrive size 5 power module with input fuses: 240 amps constant torque - 300 amps variable torque.mso-spacerun: yes> up to 8 units can be paralalled.

uni5db unidrive size 5 dynamic braking transistor module (braking resistor sold separately)

uni5we extends standard warranty to 5 years on unidrive - size 5

unibaf1 required for through-panel mounting of size 1 unidrive

unibaf2 required for through-panel mounting of size 2 unidrive

unibaf3 required for through-panel mounting of size 3 unidrive

unibaf4 required for through-panel mounting of size 4 unidrive

unidemo unidrive demo includes: unidrive with control panel in demo case, unisoft and motor

unidemo sp unidemo sp includes: 460vac unidrive sp, sypt, sm-applications processor module, sm-universal encoder plus module, ctui-110, servo motor, vector motor and associated cables

unidemo sp-lite unidemo sp-lite includes one each of the following: 460vac unidrive sp, sm-applications processor module, sm-universal encoder plus module, ctui-110, sypt and programming cables

unidemo sp-retro unidemo sp-retro includes the following modifications to exisiting unidemo: 460vac unidrive sp, sm-applications processor module and sm-universal encoder plus module

unireg1203-n1 unidrive regen, 1hp, 230v - 3, 3.8 amps, nema 1

unireg1203-p0 unidrive regen, 1hp, 230v - 3, 3.8 amps, panel mount

unireg1204-n1 unidrive regen, 1.5hp, 230v - 3, 5.6 amps, nema 1

unireg1204-p0 unidrive regen, 1.5hp, 230v - 3, 5.6 amps, panel mount

unireg1205-n1 unidrive regen, 2hp, 230v - 3, 12 amps, nema 1

unireg1205-p0 unidrive regen, 2hp, 230v - 3, 12 amps, panel mount

unireg1401-n1 unidrive regen, 1hp, 480v - 3, 2.1 amps, nema 1

unireg1401-p0

unireg1402-n1

unireg1402-p0

unireg1403-n1

unireg1403-p0

unireg1404-n1

unireg1404-p0

unireg1405-n1

unireg1405-p0

unireg2201-n1

unireg2201-p0 unidrive regen, 3hp, 230v - 3, 12 amps, panel mount

unireg2202-n1 unidrive regen, 5hp, 230v - 3, 16 amps, nema 1

unireg2202-p0 unidrive regen, 5hp, 230v - 3, 16 amps, panel mount

unireg2203-n1 unidrive regen, 7.5hp, 230v - 3, 25 amps, nema 1

unireg2203-p0 unidrive regen, 7.5hp, 230v - 3, 25 amps, panel mount

unireg2401-n1 unidrive regen, 7.5hp, 480v - 3, 12 amps, nema 1

unireg2401-p0 unidrive regen, 7.5hp, 480v - 3, 12 amps, panel mount

unireg2402-n1 unidrive regen, 10hp, 480v - 3, 16 amps, nema 1

unireg2402-p0 unidrive regen, 10hp, 480v - 3, 16 amps, panel mount

unireg2403-n1 unidrive regen, 15hp, 480v - 3, 25 amps, nema 1

unireg2403-p0 unidrive regen, 15hp, 480v - 3, 25 amps, panel mount

unireg3201-n1 unidrive regen, 10hp, 230v - 3, 34 amps, nema 1

unireg3201-p0 unidrive regen, 10hp, 230v - 3, 34 amps, panel mount

unireg3202-n1 unidrive regen, 15hp, 230v - 3, 46 amps, nema 1

unireg3202-p0 unidrive regen, 15hp, 230v - 3, 46 amps, panel mount

unireg3203-n1 unidrive regen, 20hp, 230v - 3, 60 amps, nema 1

unireg3203-p0 unidrive regen, 20hp, 230v - 3, 60 amps, panel mount

unireg3204-n1 unidrive regen, 25hp, 230v - 3, 70 amps, nema 1

unireg3204-p0 unidrive regen, 25hp, 230v - 3, 70 amps, panel mount

unireg3401-n1 unidrive regen, 25hp, 480v - 3, 34 amps, nema 1

unireg3401-p0 unidrive regen, 25hp, 480v - 3, 34 amps, panel mount

unireg3402-n1 unidrive regen, 30hp, 480v - 3, 40 amps, nema 1

unireg3402-p0 unidrive regen, 30hp, 480v - 3, 40 amps, panel mount

unireg3404-n1 unidrive regen, 40hp, 480v - 3, 60 amps, nema 1

unireg3404-p0 unidrive regen, 40hp, 480v - 3, 60 amps, panel mount

unireg3405-n1 unidrive regen, 50hp, 480v - 3, 70 amps, nema 1

unireg3405-p0 unidrive regen, 50hp, 480v - 3, 70 amps, panel mount

unireg4401-n1 unidrive regen, 75hp, 480v - 3, 96 amps, nema 1

unireg4401-p0 unidrive regen, 75hp, 480v - 3, 96 amps, panel mount

unireg4402-n1 unidrive regen, 100hp, 480v - 3, 124 amps, nema 1

unireg4402-p0 unidrive regen, 100hp, 480v - 3, 124 amps, panel mount

unireg4403-n1 unidrive regen, 125hp, 480v - 3, 156 amps, nema 1

unireg4403-p0

unireg4404-n1

unireg4404-p0

unisoft windows

unisp-aug

unisp-ug

univ3-aug

univ3-ug

vtc1we

vtc2we

vtc3we

vtc4we

vtcsoft

xior-32

xpresskey