

6EP1437-3BA10/6EP1437-3BA00西门子SITOP电源模

产品名称	6EP1437-3BA10/6EP1437-3BA00西门子SITOP电源模
公司名称	上海跃韦科技集团有限公司
价格	.00/件
规格参数	西门子:西门子PLC模块.电机代理 全系列:西门子变频器通讯电缆代理 德国:西门子触摸屏DP接头代理
公司地址	上海市金山区吕巷镇溪北路59号5幢（三新经济小区）（注册地址）
联系电话	15821196730 15821196730

产品详情

6EP1437-3BA10

SITOP PSU8200 24 V/40 A 稳定电源 输入：400-500 V 三相交流 输出：24 V DC/40 A!!!停产产品！！
后续型号：6EP3437-8SB00-0AY0

注意

关于产品管理的信息

列表价（不含税）显示价格

您的单价（不含税）显示价格

PDF 格式的数据表下载

服务和支持(手册，认证，问答...)下载

更多图片

产品

商品编号(市售编号)6EP1437-3BA10

产品说明SITOP PSU8200 24 V/40 A 稳定电源 输入：400-500 V 三相交流 输出：24 V DC/40A
!!!停产产品！！ 后续型号：6EP3437-8SB00-0AY0

产品家族三相, 24 V DC

产品生命周期 (PLM)PM400:产品宣布退市 / 将逐步停止供货

PLM 有效日期产品停产时间 : 2018.10.01

注意

价格数据

价格组 / 总部价格组KD / 581

列表价 (不含税) 显示价格

您的单价 (不含税) 显示价格

金属系数无

交付信息

出口管制规定AL : N / ECCN : N

工厂生产时间1 天

净重 (Kg)3.400 Kg

产品尺寸 (W x L x H)未提供

包装尺寸18.50 x 18.50 x 15.00

包装尺寸单位的测量CM

数量单位1 件

包装数量1

其他产品信息

EAN4025515152538

UPC040892549577

商品代码85044090

LKZ_FDB/ CatalogIDKT10-PE

产品组4213

原产国罗马尼亚

SITOP PSU300S 40A - 6EP1437-2BA20

6EP1333-1LD00 PSU100D 24 V/6.2 A 调节电源

6SL3161-0EP00-0AA0 SINAMICS S120 COMBI EXTERNAL FAN UNIT(INDUSTRIAL USE NOT FOR RETAIL SALE)

6EP1434-2BA10 SITOP PSU300S 10 A 调节电源

6EP1961-3BA01 SITOP PSU201U BUFFER MODULE (PART OF CONVERTER)

6SL3161-0EP00-0AA0 SINAMICS S120 COMBI EXTERNAL FAN UNIT INPUT:DC 20,4-28,8V

SITOP PSU200M 5 A 调节电源 INPUT: 120/230-500 V AC OUTPUT: 24 V/5 ADC 6EP1333-3BA10

SITOP MODULAR 20 调节电源 INPUT: 400-500 V 3 AC OUTPUT: 24 V DC/20 A 6EP1436-3BA00

THERMOFORMED HARDENED AND TEMPERED DRAWN STRESS RELIEVED INDUCTIVELY
HARDENED 5974.093.207 EP-WE_1.1213_6, 100_L-2.300,0

SITOP PSU100S 24 V/5 A 调节电源 INPUT: 120/230 V AC OUTPUT: 24 V/5 ADC 6EP1333-2BA20

SITOP PSU8200 24 V/20 A 调节电源 INPUT: 3 400-500 V AC OUTPUT: 24V/20 A DC 6EP3436-8SB00-0AY0

6SL3161-0EP00-0AA0 SINAMICS S120 COMBI EXTERNAL FAN UNIT INPUT:DC 20.4-28.8V POWER
CONSUMPTION: 18W CURRENT

6EP1436-2BA10 SITOP PSU300S 20 A 调节电源

6EP1334-2BA20 SITOP PSU100S 24 V/10A 调节电源

R902257788 - AXIAL - PISTON PUMPA4VG145EP2DP000/40MRND6T21BC2S7DB00-S

SITOP PSU200M 10 A 调节电源 INPUT: 120/230-500 V AC OUTPUT: 24 V/10A DC 6EP1334-3BA10

6SL3161-0EP00-0AA0 SINAMICS S120 COMBI EXTERNAL FAN UNIT INPUT:DC 20,4-28,8V (FOR
INDUSTRIAL USE NOT FOR RETAIL SALE)

SITOP SMART 120W 调节电源 INPUT: 120/230 V AC OUTPUT: 24 V DC/5 APFC VERSION 6EP1333-2BA01

SITOP SMART 240W 调节电源 INPUT: 120/230 V AC OUTPUT: 24 V DC/10 A 6EP1334-2AA01

VALVE UNIT 4 STATIONS VV5Q11-04C6FUO-Q P/NO. A6EP106 (1NO @ EUR213 EACH)

6MD5500-0EP00-8AA0 SICAM SCC V 8.0 COMPUTER SOFTWARE ON CD

8101.307.412 FINE FUSE 6EP1-961-2BA00 (PARTS OF PACKAGING MACHINE FOR CAPTIVE USE)

8101.307.412 FINE FUSE 6EP1-961-2BA00 (FOR CAPTIVE USE)

6SL3161-0EP00-0AA0 SINAMICS S120 COMBI EXTERNAL FAN UNIT INPUT:DC 20,4-28,8V (INDUSTRIAL

USE NOT FOR RETAIL SALE)

6EP1333-1LB00 SITOP PSU100L 24 V/5 A 调节电源

6EP1931-2FC21 SITOP DC USV MODULE 24V/40A 不间断电源

6EP1931-2DC42 SITOP DC UPS MODULE 24V/6A 不间断电源

6EP1334-1LB00 SITOP PSU100L 24 V/10 A 调节电源

6EP1436-3BA00 SITOP MODULAR 20 调节电源

6EP1931-2DC21 SITOP DC USV MODULE 24V/6A 不间断电源

6EP1336-3BA10 西门子电源模块

6EP1935-6MF01- SITOP 电池模块 24V /12 AH WITH SERVICE-FREESEALED

6EP1935-6MF01 SITOP 电池模块 24V/12 AH WITH SERVICE-FREE SEALED

6EP1336-3BA10 SITOP PSU8200 20A 调节电源

6EP1334-2BA20 SITOP PSU100S 24 V/10 A 调节电源

6EP1334-1LD00 PSU100D 24 V/12.5 A 调节电源

6EP1334-3BA10 SITOP PSU200M 10A 调节电源.

6EP1436-2BA10 SITOP PSU300S 20A 调节电源

6EP1336-3BA00 SITOP MODULAR 20 调节电源

6EP3436-8SB00-0AY0 SITOP PSU8200 24 V/20 A STABILIZEDPOWERSUPPLY

BACARDI LIMON RUM 6X100CL GEX 32% RO EP 2015(MEANT FOR DUTY FREESHOP)

6EP1333-1LB00 SITOP PSU100L 24 V/5 调节电源

BACARDI RAZZ RUM 6X100 CL GEX 32% RO EP 2015(MEANT FOR DUTY FREESHOP)

6SL3161-0EP00-0AA0 SINAMICS S120 COMBI EXTERNAL FAN UNITINPUT:DC 20,4-28,8V (INDUSTRIAL USE NOT FOR RETAIL SALE)

PARTS FOR PLC SYSTEM : 6EP1437-3BA10,SITOP PSU8200 24 V/40 A调节电源

6EP1334-1LD00 PSU 100 24 V/12.5 A 调节电源

6EP1437-3BA10 SITOP PSU8200 24 V/40 A 调节电源

6EP1333-3BA10 SITOP PSU200M 5 调节电源

6EP4134-3AB00-0AY0 SITOP UPS1600 10A 不间断电源

6EP1336-3BA10 SITOP PSU200 20A 调节电源

6EP1334-1LB00 SITOP PSU100L 24V/10A 调节电源

6EP1437-3BA10 SITOP PSU8200 24V/40 A 调节电源

6EP1437-3BA10 SITOP PSU82000 24V/40A 调节电源

6EP1336-2BA10 SITOP PSU100S 20A 调节电源

6EP1336-3BA00 - SITOP MODULAR 20 调节电源 (1 NOS.) (OTHER CONVERTERTYPE 西门子电源模块 UNIT)

6EP1334-1LD00 PSU 100D 24V/12.5 A 调节电源

6EP1334-3BA10 SITOP PSU200M 10 A 调节电源

6EP1333-3BA10 SITOP PSU200M 5 A 调节电源

6EP1437-3BA10 SITOP PSU8200 24V/40A 调节电源

6EP1333-1LD00 PSU 100D 24 V/6.2 调节电源

6EP1437-3BA00 SITOP MODULAR 40 调节电源

6SL3161-0EP00-0AA0 SINAMICS S120 COMBI EXTERNAL FAN UNIT (FOR INDUSTRIAL USE NOT FOR RETAIL SALE)

SITOP POWER 20 调节电源 INPUT: 400-500 V 3 AC OUTPUT: 24 V DC/20 A 6EP1436-2BA00

THREAD FOR SURGICAL SUTURES PART OF CARDIOVASCULAR NEEDLES & ATRAMATIC NEEDLES & SUTURES POLYPROPYLENE CU BLUE USP6-0, EP0.7

6EP1332-2BA20 SITOP PSU100S 24V/2.5 A 调节电源

6EP1436-2BA10 SITOP PSU100S 20 A 调节电源

ISOMALT ST-M BAG 25 KG RS8 EP (IT IS POWDERED TO GRANULAR, MIXTURE OF HYDROGENATED MONO AND DISACCHARIDES 6-O ALPHA-GL

6.382-012.0 DRAIN PLUG PLASTIC BR/BD 530 EP RATIO MAKE-KARCHER (PARTS OF CLEANING MACHINE)

6EP1332-1LD10 SITOP PSU100D 24V/4.1A STABILIZED 西门子电源模块

6EP1336-2BA10 SITOP PSU100S 20 A 调节电源

6EP1436-3BA00 SITOP MODULAR 20 STABILIZED 西门子电源模块

6EP1333-2BA20 SITOP PSU100S 24V/5 A 调节电源

6EP1334-1LB00 SITOP PSU100L 24V/10 A 调节电源

SIMODRIVE 611 PULSED RESISTOR MODULE, INTER. RESISTANCE FOR 0.3/25 KW UNIVERSAL HOUSING FOR 211/288 MM DEPTH 6SN1113-1A

SIMODRIVE 611 SURGE ARRESTER FOR POWER SUPPLY 10 KW, FOR INTERNAL AND EXTERNAL COOLING 6SN1111-0AB00-0AA0

SIMODRIVE 611 电源模块, 2 AXES, 25 A, 内部冷却, MOTOR RATED CURRENT: FEED = 9 A MAIN SPINDEL = 8 A 6SN11

SIMODRIVE 611 DIGITAL CONTROL LOOP BLOCK HIGH STANDARD, 2 AXES SIN/COS 1 VPP, NC SOFTWARE 6SN1118-0DM31-0AA2

SIMODRIVE 611 电源模块, 2 AXES, 25 A, 内部冷却, MOTOR RATED CURRENTS: FEED = 9 A MAIN SPINDEL = 8 A 6SN

SIMODRIVE 611 数控风扇模块 INT./EXT. COOLING UL DESIGN, NOT FOR: 6SN1123-1AA01-0FA1 6SN1162-0BA02

SIMODRIVE 611 电源模块, 1 AXES, 内部冷却, MOTOR RATED CURRENTS: FEED = 42 A MAIN SPINDEL = 45 A 6SN1123

SIMODRIVE 611 电源模块, 2 AXES, 8 A, 内部冷却, MOTOR RATED CURRENT: FEED = 3 A MAIN SPINDEL = 3 A 6SN112

SIMODRIVE 611 INFEEED MODULE 10/25 KW, UNREGULATED; INTERNAL/EXTERNAL COOLING, MAINS CONTACTOR WITH BREAK CONTACT 6SN1

SIMODRIVE 611 电源模块, 1 AXES, 80 A, 内部冷却, MOTOR RATED CURRENT: FEED = 28 A MAIN SPINDEL = 30 A 6SN

SIMODRIVE 611 UNIVERSAL U HRS2 2-AXIS CONTROL LOOP BLOCK RESOLVER SPEED/TORQUE SETPOINT EXPANDABLE BY OPTIONS 6SN111

INTERNAL: A5E34967871 ER-MOD. INT 36 KW - G2 6SN1145-1BA02-0CA2 SIMODRIVE 611 INFEEED/REGEN. FEEDBACK MODULE 36/47 KW, CLOSED-LO

6SN1113-1AA00-0DA0 SIMODRIVE 611 PULSED RESISTOR 0.3/25 KW FOR EXTERNAL MOUNTING

6SN1123-1AB00-0CA3 SIMODRIVE 611 电源模块, 2 AXES, 50 A (PART OF CONVERTER)

6SN1145-1BA01-0BA2 SIMODRIVE 611 INFEEED/REGENERATIVE FEEDBACK MODULE 16/21 KW (PART OF CONVERTOR)

6SN1123-1AB00-0BA2 SIMODRIVE 611 电源模块 2 AXES 25 A 内部冷却 (PART OF CONVERTER)

6SN1123-1AB00-0BA2 SIMODRIVE 611 电源模块 (PARTS OF CONVERTER)

(PARTS OF CNC SYSTEM) SIMODRIVE 611 电源模块 1 AXIS 300 A 内部冷却 -6SN1123-1AA00-0JA1

SIMODRIVE 611 DIGITAL CONTROL LOOP BLOCK HIGH PERFORMANCE 2 AXESSIN/COS 1 VPP
DIRECT MEASURING SYSTEM 6SN1118-0DK23-

SIMODRIVE 611 电源模块, 2 AXES, 25 A, 内部冷却, MOTOR RATED CURRENT:FEED = 9 A MAIN
SPINDEL = 8 A 6SN112

SIMODRIVE 611 电源模块, 1 AXIS, 内部冷却, MOTOR RATED CURRENT: FEED = 18A MAIN SPINDEL =
24 A 6SN1123-1

SIMODRIVE 611 INFEEED MODULE, 10/25 KW, UNREGULATED;INTERNAL/EXTERNAL COOLING,
MAINS CONTACTOR WITH BREAK CONTACT6SN

SIMODRIVE 611 HF REACTOR 55 KW, UL 6SN1111-0AA00-0DA1

SIMODRIVE 611 DIGITAL CONTROL LOOP BLOCK HIGH PERFORMANCE 1 AXISSIN/COS 1 VPP
DIRECT MEASURING SYSTEM 6SN1118-0DJ23-

YZF7300130 6SN1123-1AB00-0CA3 SIMODRIVE 611 电源模块

6SN1118-1NH01-0AA1 SIMODRIVE 611 UNIVERSAL HR 2-AXIS CONTROL-LOOP BLOCK (PART OF
CONVERTER)

6SN1162-0BA01-0AA0 SIMODRIVE 611 HEAT CONDUCTION CANOPY POWERSUPPLY (PARTS OF
CONVERTER)

6SN1123-1AA00-0JA1 SIMODRIVE 611 电源模块 (PART OF CONVERTER)

6SN1113-1AA00-0DA0 SIMODRIVE 611 PULSED RESISTOR 0.3/25KW

6SN1145-1BB00-0EA1 SIMODRIVE 611 INFEEED/REGEN.FEEDBACK MODULE80/104 KW (PART OF
CONVERTER)

6SN1123-1AA00-0CA2 SIMODRIVE 611 电源模块 1 AXIS INTERNAL (PARTS OFCONVERTER)

6SN1111-0AA01-1AA1 SIMODRIVE 611 MAINS FILTER FOR UNREGULATEDPOWER SUPPLY 10KW
(INDUSTRIAL USE NOT FOR RETAIL SALE)

6SN1111-0AB00-0AA0 SIMODRIVE 611 SURGE ARRESTER FOR POWERSUPPLY

6SN1118-0NH11-0AA1 SIMODRIVE 611 UNIVERSAL CONTROL LOOP BLOCK(PART OF CONVERTER)

6SN1145-1AA01-0AA2 SIMODRIVE 611 INFEEED MODULE (PART OFCONVERTER)

SIMODRIVE 611 电源模块, 2 AXES, 25 A, 内部冷却; MOTOR RATED CURRENT:FEED = 9 A MAIN
SPINDEL = 8 A 6SN112

SIMODRIVE 611 DIGITAL CONTROL LOOP BLOCK HIGH STANDARD 2 AXESSIN/COS 1 VPP DIRECT
MEASURING SYSTEM 6SN1118-0DM33-0AA

SIMODRIVE 611 电源模块, 2 AXES, 15 A, 内部冷却; MOTOR RATED CURRENT:FEED = 5 A MAIN SPINDEL = 5 A 6SN112

SIMODRIVE 611 电源模块, 2 AXIS, 80 A, EXTERNAL COOLING; MOTOR RATEDCURRENT: FEED = 18 A MAIN SPINDEL = 24 A 6SN1

SIMODRIVE 611 电源模块, 1 AXIS, 80 A, EXTERNAL COOLING; MOTOR RATEDCURRENT: FEED = 28 A MAIN SPINDEL = 30 A 6SN1

SIMODRIVE 611 DIGITAL CONTROL LOOP BLOCK HIGH STANDARD 2 AXESSIN/COS 1 VPP, NC SOFTWARE 6SN1118-0DM31-0AA2

SIMODRIVE 611 电源模块, 2 AXES, 8 A, 内部冷却; MOTOR RATED CURRENT: FEED= 3 A MAIN SPINDEL = 3 A 6SN11

SIMODRIVE 611-D DRIVE BUS FOR MODULE WIDTH W = 350MM, SHIELDEDROUND CABLE 6SN1161-1CA00-0EA1

SIMODRIVE 611 INFEEED MODULE, 5/10 KW, UNREGULATED, WITHINTERNAL/EXT. COOLING 6SN1146-1AB00-0BA1

SIMODRIVE 611 电源模块, 1 AXES, 80 A, 内部冷却; MOTOR RATED CURRENT:FEED = 28 A MAIN SPINDEL = 30 A 6SN1

6SN1112-1AC01-0AA1 SIMODRIVE 611 MONITORING MODULES (PART OFCONVERTER)

6SN1118-0DM21-0AA0 SIMODRIVE 611-D CLOSED-LOOP CONTROL (PART OFCONVERTER)

6SN1162-0BA02-0AA2 SIMODRIVE 611 BUILT-ON FAN FOR 300MM MODULES(INDUSTRIAL USE NOT FOR RETAIL SALE)