

飞利浦LS170S LED裸板灯带

产品名称	飞利浦LS170S LED裸板灯带
公司名称	佛山市大翰电子有限公司
价格	.00/件
规格参数	品牌:飞利浦 型号:LS170S 类型:LED灯带
公司地址	青柯路33号乐俊材料装饰城3座1层01号
联系电话	0757-82268016 18923171533

产品详情

飞利浦LS170S LED裸板灯带

全面升级的飞利浦LS170S LED灯带包含basic、Pro及HE三个子系列，具备更多参数选择，更大限度的提高了设计的灵活性。

飞利浦LS170S LED灯带Basic系列LED颗粒为60颗每米或120颗每米

飞利浦LS170S LED灯带Pro系列颗粒为70颗每米或140颗每米

飞利浦LS170S LED灯带HE系列颗粒高达160颗每米，光效高达140lm/W

飞利浦LS170S LED灯带流明范围涵盖了400lm每米到2000lm每米，色温支持固定色温2700K、3000K、3500K、4000K，可调色温支持2200-4000K及2700-6500K，新增彩光RGBW，显指

提供80或者90供选择，可裁剪尺寸可做到5cm一剪，丰富的安装配件，满足不同应用场合的照明需求

飞利浦LS170S LED灯带广泛用于酒店、零售、商超、办公等氛围照明、装饰照明及展示照明等多种应用场景

飞利浦LS170S LED灯带订购信息：

LS170S LED20 940 IP20 L5000 HE PRO L

LS170S LED20 930 IP20 L5000 HE PRO L

LS170S LED8 RGBW IP44 L5000 PRO

LS170S LED10 TNW IP44 L5000 PRO

LS170S LED9 TNW IP44 L5000 PRO

LS170S LED20 930 IP44 L5000 PRO

LS170S LED20 927 IP44 L5000 PRO

LS170S LED20 930 IP20 L5000 PRO

LS170S LED20 927 IP20 L5000 PRO

LS170S LED16 930 IP44 L5000 PRO

LS170S LED16 927 IP44 L5000 PRO

LS170S LED16 840 IP44 L5000 PRO

LS170S LED16 830 IP44 L5000 PRO

LS170S LED16 827 IP44 L5000 PRO

LS170S LED16 930 IP20 L5000 PRO

LS170S LED16 927 IP20 L5000 PRO

LS170S LED16 840 IP20 L5000 PRO

LS170S LED16 830 IP20 L5000 PRO

LS170S LED16 827 IP20 L5000 PRO

LS170S LED12 930 IP44 L5000 PRO

LS170S LED12 927 IP44 L5000 PRO

LS170S LED12 840 IP44 L5000 PRO

LS170S LED12 830 IP44 L5000 PRO

LS170S LED12 827 IP44 L5000 PRO

LS170S LED12 930 IP20 L5000 PRO

LS170S LED12 927 IP20 L5000 PRO

LS170S LED12 840 IP20 L5000 PRO

LS170S LED12 830 IP20 L5000 PRO

LS170S LED12 827 IP20 L5000 PRO

LS170S LED8 S 930 IP44 L5000 PRO

LS170S LED8 S 927 IP44 L5000 PRO

LS170S LED8 S 840 IP44 L5000 PRO

LS170S LED8 S 830 IP44 L5000 PRO

LS170S LED8 S 827 IP44 L5000 PRO

LS170S LED8 S 930 IP20 L5000 PRO

LS170S LED8 S 927 IP20 L5000 PRO

LS170S LED8 S 840 IP20 L5000 PRO

LS170S LED8 S 830 IP20 L5000 PRO

LS170S LED8 S 827 IP20 L5000 PRO

LS170S LED8 840 IP44 L5000 PRO

LS170S LED8 830 IP44 L5000 PRO

LS170S LED8 827 IP44 L5000 PRO

LS170S LED8 840 IP20 L5000 PRO

LS170S LED8 830 IP20 L5000 PRO

LS170S LED8 827 IP20 L5000 PRO

LS170S LED16 840 IP44 L5000 G2

LS170S LED16 827 IP44 L5000 G2

LS170S LED16 840 IP20 L5000 G2

LS170S LED12 927 IP44 L5000 G2

LS170S LED12 840 IP44 L5000 G2

LS170S LED12 827 IP44 L5000 G2

LS170S LED12 940 IP20 L5000 G2

LS170S LED12 930 IP20 L5000 G2

LS170S LED12 927 IP20 L5000 G2

LS170S LED12 865 IP20 L5000 G2

LS170S LED12 840 IP20 L5000 G2

LS170S LED12 827 IP20 L5000 G2

LS170S LED8 S 927 IP44 L5000 G2

LS170S LED8 S 840 IP44 L5000 G2

LS170S LED8 S 827 IP44 L5000 G2

LS170S LED8 S 927 IP20 L5000 G2

LS170S LED8 S 840 IP20 L5000 G2

LS170S LED8 S 827 IP20 L5000 G2

LS170S LED8 840 IP44 L5000 G2

LS170S LED8 827 IP44 L5000 G2

LS170S LED8 840 IP20 L5000 G2

LS170S LED8 827 IP20 L5000 G2

LS170S LED4 840 IP44 L5000 G2

LS170S LED4 827 IP44 L5000 G2

LS170S LED4 840 IP20 L5000 G2

LS170S LED4 827 IP20 L5000 G2

AC170Z connector with leader cable IP20

AC170Z connector IP20

AC170Z connector with leader PRO

AC170Z connector PRO

AC170Z mounting clip IP20

AC170Z mounting clip IP20

AC170Z connector with leader cable IP44

AC170Z connector IP44

AC170Z End cap IP44 TNW RGBW

AC170Z End cap IP44

AC170Z mounting clip IP44 TNW RGBW

AC170Z mounting clip IP44

AC170Z surface mount triangle L1000

AC170Z surface mount High H L1000

AC170Z surface mount Low H L1000

AC170Z recessed High H L1000

AC170Z recessed Low H L1000

LED transformer 120W 24VDC OR

LED transformer 60W 24VDC