

SAMSON萨姆森气动调节阀3241-02-1.0619DN100PN40

产品名称	SAMSON萨姆森气动调节阀3241-02-1.0619DN100 PN40
公司名称	上海菱联自动化控制技术有限公司
价格	996.00/件
规格参数	
公司地址	上海市嘉定区华江路129弄6号J
联系电话	13052291157

产品详情

德国GSR电磁阀、德国萨姆森SAMSON、德国BURKERT宝德、德国EUCHNER安士能、德国Novotechnik、德国SICK西克传感器、德国HBM称重传感器、德国DI-SORIC、德国HYDAC贺德克、德国IFM易福门、德国PILZ皮尔兹、德国ZIMMER抓手、德国海德汉HEIDENHAIN、德国帝芬巴赫TIEFENBACH电磁阀、德国kubler库伯勒、德国TR electronic帝尔、德国杜拉格DURAG火焰检测

美国AI-TEK阿泰克转速表、美国SEL微机保护装置/继电器、美国GF流量计/变送器、美国UE压力开关、美国SUN、美国ASCO、美国威尔克森WILKERSON调压阀、美国Fairchild仙童调压阀、美国MAC、美国HPI高温应变片、美国纳森NASON开关、美国杜博林DEUBLIN接头、美国METRIX迈确、美国AssociatedResearch绝缘测试仪

代理：意大利意尔创ELTRA

意大利杰弗伦GEMFRAN、意大利PIZZATO皮扎托、意大利得力捷DATALOGIC色谱传感器、意大利ATOS阿托斯比例阀/放大器

丹麦GRAS麦克风、瑞士SWAN、瑞士佳乐CARLO GAVAZZI继电器

SAMSON电动定位器3725

SAMSON EN-JL1040+3372-0511/ 004.01

SAMSON 3730-21000000400000000.01

SAMSON 4708-1152010200000

SAMSON 3731-3-1

SAMSON CONTROL VALVE - DN50 3214/5825-20 7050256

SAMSON VAR ID2561010 2423 NO 1104113

SAMSON VAR ID1147897 2412 NO 1104113

SAMSON 8046220

SAMSON 3271, 700SQ CM, VAR ID- 1005075, SERIAL NO 0099, 0.2---1BAR, 30M 03-1.1BAR (3-15PSI)

SAMSON 3725 positioner

SAMSON 4763 positioner +4708 air set

SAMSON气动执行器Var-ID: 1627018 (1000000)

SAMSON阀门定位器Type 3730

SAMSON1MODEL4763-10120031110.02 SERIAL-NO:997924

SAMSON 4763 4~20mA

SAMSON Type 3731-3

SAMSON Type 3730-2

SAMSON Type 4708-11

SAMSON 3730-20000004000000.01

SAMSON 422-3.422-1000.01 800175

SAMSON 3804-100310404.05 010019

SAMSON EN-JL1040 DN400PN16

SAMSON Type: 44 – 2

SAMSON 4763-11100311000000.04 SN:607874

SAMSON 6111-01810 00

SAMSON 3372

SAMSON 3703-3

SAMSON 3374-15 , Var-ID : 3195379

SAMSON P/N:3730K140-3157 WITH MOUNT KIT

SAMSON P/N:3730K140-3157-T WITH MOUNT KIT

SAMSON 4763 IP65 / 9100-8622

SAMSON 3710 1/4 npt

SAMSON type3755,Medel:3755-12000000000000.00 Var-ID:2459351

SAMSON Lubricant,8150-0116

SAMSON 3730-1100000000000000.02

SAMSON type3248, valve repair pack, DN 2 " CL150

SAMSON type3248, Bellows, DN 2 " CL150

SAMSON type3248, valve repair pack, DN 3 " CL150

SAMSON type3277, rod connector

SAMSON 4708-4572010200000

SAMSON 4708-5352020100001

SAMSON type3248, Bellows, DN 2 " CL600

SAMSON type3248, Bellows, DN 3 " CL150

SAMSON type3277, SRN:1082, 240cm². Contains SAMSON3730-1 and Norgren magnetic valve

SAMSON type3248, valve repair pack, DN 2 " CL600

SAMSON 4763-01100121000000

SAMSON 6116-010101122200000.01 ; v-d:1008969;s-nr:012271

SAMSON 5066-701793

SAMSON 5006-101008010000.01

SAMSON 3241 DN50 PN40 WN1.0619 Me % / 3271-350-FC- 4763

SAMSON 3241 DN100 PN40 WN1.0619 Me % / 3271-700-FC- 4763

SAMSON 1" X 150LB P/N:9153-2734

SAMSON 6111-01010/90001.00 Serial-No.203790

SAMSON 6116-2, S/N:801286 Model:6116-210601110000000.01

SAMSON 3222/5824-KVS 0.63

SAMSON 3241-1 PN16

SAMSON TYP:43-6; PN25 Female connection:G3/4" Temperature Setpoint range: 25~70 centigrade
Max.perm.temperature range of valve:0~150 centigrade Accessories:5m Capillary tube Max.perm.temperature of the
sensor:50k above the adjusted set point Max.perm.ambient temperature range:-20~80 degree Bulb sensor
with thermowell screw gland Thread size:G1/2" (male)

SAMSON 5104104

SAMSON Var.ID. 2414569.03 Serial 042*019454*

SAMSON valve for Var.ID. 2414569.03 Serial 042*019454*

SAMSON TROVIS6493 MODEL NO:6493-021L01 serial no:201599 230VAC50/60HZ 6VA

SAMSON 3767-1000*2*001.06

SAMSON 3510/DN15/PN40,251460/1745581POS.001

SAMSON 2344/3374-36 230V/50Hz