

销量 超声波测距仪 CP3007测距仪 多功能电子测距仪

产品名称	销量 超声波测距仪 CP3007测距仪 多功能电子测距仪
公司名称	深圳市福田区工展中心凯普特展销部
价格	面议
规格参数	类型: 品牌:CAPITAL 型号:CP3007
公司地址	中国 广东 深圳市 福田区 华强北路经济大厦A13
联系电话	86 755 82798890 15811822058

产品详情

超声波测距仪 3007测距仪 工厂直销

超声波测距仪具有以下功能:

- 1.移动测距功能;
- 2.可自动计算面积与体积;
- 3.轻便,容易使用与携带;
- 4.准确到小数点后2位;
- 5.自动关机功能;6.低电显示功能,测试距离为20m

包装:双面吸塑

规格:电池:1个9v的电池。(不包括)测量仪的单位是英尺和米。精确度:0.005+1频率:40千赫测量范围:0.50到18.288米

cp-3007 ultrasonic distance measurer owner ' s manual

preparation

installing batteries

your measurer requires 9v battery (not supply) for power. for the best performance and life, we recommend alkaline battery.

follow these steps to install a battery.

caution: if you do not plan to use the measurer for a month or more, remove the battery, batteries can leak chemicals that can destroy electronic parts.

stabilizing the measurer

your measurer is sensitive to changes in temperature and humidity. before you use the measurer, wait about 15–30 minutes for it to stabilize to the current room ' s temperature.

operation

turning the measurer on/off

to turn on the measurer, pressmeasurer. the measurer turns itself off if no key is pressed within about 1 minute.

taking a measurement

notes:

the measurement appears for about 1 minute (or longer if you press another key)

error might appear if you try to measure a distance shorter than the range of 1.5 feet (0.45m) or longer than 60 feet (18.288meters)

measuring tips

some type of curtains and blinds can absorb sound waves.

causing measurements to be inaccurate. if you are measuring distances in a room with curtains. open the curtains before measuring the distance to a window behind them. also, be sure that the window is closed.

if there is not clear path between the points where you are measuring. you might receive a false reading from sound waves bouncing off objects such as chairs, tables and objects with uneven surfaces. if you are not sure if a measurement is correct, move slightly to one side then measure the distance again.

if the surface of a wall you are measuring is not sold and flat, or if you are measuring in a narrow corridor. you might receive a false reading .if this happens, use a sold surface to measure or move to the center of the corridor.

to measure a distance longer than 60 feet (18.288 meters) select a point in the middle of the room (for example) measure from the center of the room toward each side. then add the two measurements.

saving a measurement

note: data of area or volume can not be saved.

calculating volume

to find the volume of a room, measure the height, width and the length of the room and store each measurement in a different memory location (see “ saving a measurement ”). then press volume, the volume calculation result appear.

calculation area

follow these steps to find the area of any two stored measurements

adding/subtracting stored measurements

using laser

to have a laser pointer, press laser. the laser pointer disappears automatically after about five seconds

using backlight

you can light up the display screen with the “ light ” key for easy viewing, even in a dimly lit area.

specifications

power 1x9v

unit of measurement feet or meters

accuracy 0.5%+1 digit (8~60ft)

working frequency 40khz

working temperature 32 ° to 109.4 ° f (0 ° to 43 ° c)

range 1.5 to 60 ft (0.45 to 18.288m)

specifications are typical; individual units might vary.

specifications are subject to change and improvement without notice.

caution:

the laser emitted from the unit is visible laser of 650nm wavelength

don ' t stare into the laser beam and also don ' t shoot laser beam to any other ' s eyes.

class ii laser product output < 1 mw

notes:

the product has passed en60825-1

corresponding label is affixed on the back of the unit.

+

本产品的类型是手持式测距仪，品牌是CAPITAL，型号是CP3007，测量范围是20M，精确度是0.01（mm），工作电压是9（V），重量是157（g），尺寸是18X18（mm），适用范围是家用工业，加工定制是是