

# YT-102A第九代电脑通道真空加硫机

产品名称	YT-102A第九代电脑通道真空加硫机
公司名称	佛山市南海区誉泰精密机械厂
价格	面议
规格参数	成型类型:冷冻定型 适用对象:鞋面
公司地址	中国 广东 佛山市南海区 广州佛山市南海里水洲村工业大道
联系电话	86 0757 85621488 18924543328

## 产品详情

\*\*\*\*\*  
\*\*\*\*\*  
\*\*\*\*\*专注行业十五载自主研发 高效节能环保

研发 生产 销售 服务一条龙全国统一服务电话  
400-0824-288亚洲首家拥有自主知识产权的真空加硫机 真空冷冻定型机生产企业

温馨提示：

产品图片、属性及以上报价仅作参考，不是最终成交价，详情请旺旺或来电咨询！

yt-102a 第九代电脑通道真空加硫机

channel-type computerized vacuum vulcanizing shaping machine

主要功能function

本机是分层鞋箱式流水线型真空除皱定型设备，用于制鞋绷帮后帮面的除皱定型，采用德国技术制造，具有高效、节能、环保的特点。

this machine is a vacuum wrinkle-removing and shaping equipment with layered shoe racks, which is used to smooth shoes wrinkle and shape the vamp.

## 主要特点main features

- 1、电脑数控操作系统，设有报警装置，操作简单方便安全。
- 2、采用德国先进节能系统，性能稳定，比传统加硫机和热定型机节能60%以上。
- 3、抽真空时间为1-3分钟，温度可依材质不同而调整，适用于单鞋、靴子、凉鞋等不同鞋型不同皮料的各种鞋子。
- 4、双循环除皱系统，除皱效果更明显。
- 5、立体分层式鞋架在同一直线上平稳输送，鞋子不易歪斜掉出而导致磨损。放靴空间大，放鞋方便，快捷；与传统烤箱比，做马靴的产量可增加一半。
- 6、采用德国微波纳米双循环加硫定型系统，多个鞋架重复循环运行，周转时间快，节能省植。
- 7、定型速度快，1-3分钟即可完成一箱鞋子的定型，效率高。

1. equipped with cnc operating system and alarm device, it is convenient, safe and easy to operate.

2. it adopts the advanced german energy-saving system which is more stable and saves more than 60% of the energy compared with traditional vulcanizing machine and heat shaping machine.

3. the shaping time is about one to three minutes, and the temperature can be adjusted according to different leather materials. therefore, it is applicable to all kinds of leather shoes like boots, sandals etc.

4. it adopts the two-cycle wrinkle-removing system with obvious wrinkle-removing effect.

5. vertically layered shoe rack can transfer shoes stably on the same straight line and thus shoes will not easily fall out and cause damage. the space for shoes is large and it is easy to place shoes, compared with the traditional oven, the output can be increased by half.

6. german nanometer micro-wave two-cycle vulcanizing and setting system is used and several shoe racks can run repeatedly in cycle in short turnover time, thus saving power and usage of the last.

7. fast setting speed and high efficiency, one case of shoes can be shaped within 1-3 minutes.

## 技术参数technical parameters

型号	规格(mm) (长*宽*高)	功率 (kw)	耗电量 (kw.h)	耗电量 (kw.h)	重量 (kg)	马靴产量 (双/8小时)	单鞋产量 (双/8小时)
----	-------------------	------------	---------------	---------------	------------	--------------	--------------

			100	120			
yt-102a-10	3300*1450*2380	9	6.5	7.5-8	1200	384-480	1152-1440
yt-102a-12	3910*1450*2380	11	7.5-8	10	1500	544-640	1640-1920
yt-102a-14	4520*1450*2380	15	11	13-14	1800	640-768	1920-2304
yt-102a-16	5130*1450*2380	18	13.5	16.5	2200	960-1280	2880-3840

本产品的加工定制是是，成型类型是冷冻定型，适用对象是鞋面，适用材质是皮革，鞋类型是运动鞋，操作类型是全自动，品牌是誉泰，型号是YT-102A，功率是9（Kw），外形尺寸（长\*宽\*高）是3300\*1450\*2380（mm），装箱尺寸（长\*宽\*高）是3310\*1460\*2390（mm），净重是1200（kg），毛重是1250（kg），生产能力是200（双/小时），产品类型是全新，规格是3300\*1450\*2380mm