

广州威海重庆唐山天津热流道加热圈注塑加热圈

产品名称	广州威海重庆唐山天津热流道加热圈注塑加热圈
公司名称	昆山格润泰电子科技有限公司
价格	面议
规格参数	品牌:GRT 型号:各种
公司地址	江苏昆山市周市镇超英西路2号
联系电话	86 0512 50109099 18912678219

产品详情

格润泰供应各种尺寸、功率的电加热圈，采用优质不锈钢、镍铬合金和高绝缘材料,经过严格的工艺技术加工制成。格润泰电加热圈有圆形截面、方形截面、扁平截面及封闭式多种形式，可根据客户图纸或来样定制，外表面经过光亮和喷砂处理，可带k型、j型或e型控温热电偶。加热圈广泛应用于热流道塑胶模具、吹塑机、挤出机及热嘴（浇道套和喷嘴）上。格润泰弹簧加热圈外部采用优质crni钢，内部采用高纯氧化镁以及一流的技术制造而成。弹簧加热圈的发热线是经过火处理，具有绕性可弯曲成弧形或圆形加热。其工作温度高、升温快、加热均匀精确、使用寿命长，可自动控制面积，具有较高的热传导作用,同时内部发热材料损坏，外部仍可回用。

格润泰加热条截面：2.2x4.2 2.5x4 3x3 3.4x3.4 3.5x3.5 4x4 1.0 1.5
1.8 2.0 2.5 3.0等等

加热圈内径10mm~100mm其他

加热圈高度：10mm~500mm

电压：12v~480v

功率：100w~3000w

内置热电偶：无 j偶 k偶

导线长度：500mm 1000mm 1200mm 1500mm 2000mm等

great supplies all kinds of size, power, electric heating coil, the use of high-quality stainless steel, nickel alloy and high insulating materials, strict processing technology. great electric heating coils are circular, square cross section, flat section and closed forms, can according to customer drawings or sample custom, outer surface after bright

and sandblasted, with k type, j type or e type thermocouple. heating coil is widely used in hot runner plastic mold, blow molding machine, extrusion machine and hot mouth (sprue sleeve and the nozzle).

great spring heating ring external using high quality crni steel, the internal use of high purity magnesium oxide and first-class technology and manufacture. spring heating coil heating wire is passed through fire, with flexibility can be bent into an arc or circle heating. its high working temperature, fast heating, uniform heating precision, long service life, can automatically control area, high thermal conduction, while internal heating material damage, external can reuse.

great heating section:2.2x4.2 2.5x4 3x3 3.4x3.4 3.5x3.5 4x4
5x5 1.0and1.5and1.8and2and2.5and3 and so on;

heating coil diameter10mm~100mm other;

heating coil height: 10mm~500mm;

voltage:12v~480v;

power: 100w~3000w;

the built-in thermocouple: no j i k ;

wire length:500mm1000mm1200mm1500mm2000mm

dameter		length										
mm	inch	20	40	60	80	100	120	140	160	180	200	220
10.0			200w	300w	350w	400w	450w	500w	600w	650w	650w	700w
12.0			200w	300w	400w	500w	500w	550w	600w	650w	650w	700w
12.5	1/2'		200w	350w	450w	500w	500w	550w	700w	650w	650w	700w
14.0			250w	350w	450w	500w	500w	600w	700w	800w	800w	900w
15.2			250w	400w	500w	600w	700w	700w	700w	800w	800w	900w
16.0	5/8'		300w	400w	500w	600w	700w	700w	800w	800w	800w	900w
18.0		200w	300w	450w	550w	600w	700w	700w	800w	900w	900w	1000w
19.0	6/8'	200w	350w	500w	550w	600w	700w	800w	800w	900w	900w	1000w
20.0		200w	350w	500w	550w	600w	700w	800w	800w	900w	900w	1000w
22.0	7/8'	200w	350w	500w	550w	700w	800w	800w	800w	900w	900w	1000w
24.0		200w	400w	550w	600w	700w	800w	900w	900w	1000w	1000w	1200w
25.0	1'	200w	400w	550w	600w	700w	800w	900w	900w	1000w	1000w	1200w
28.0		250w	450w	600w	700w	800w	900w	1000w	1000w	1200w	1200w	1300w
30.0		250w	450w	600w	700w	800w	900w	1000w	1000w	1200w	1200w	1300w
32.0	1 1/4'	300w	500w	600w	700w	800w	900w	1000w	1000w	1200w	1200w	1300w

35.0		300w	550w	650w	850w	1100w	1250w	1250w	1250w	1500w	1500w	1800w
38.0	1 1/2'	350w	550w	700w	850w	1100w	1250w	1250w	1250w	1500w	1500w	1800w
40.0		350w	550w	700w	850w	1100w	1250w	1250w	1250w	1500w	1500w	1800w
42.0		350w	550w	700w	850w	1100w	1250w	1250w	1250w	1500w	1500w	1800w
45.0		350w	550w	700w	850w	1100w	1250w	1250w	1250w	1500w	1500w	1800w
48.0		400w	400w	900w	1200w	1200w	1500w	1500w	1500w	1800w	1800w	1800w
50.0	2'	400w	600w	900w	1200w	1200w	1500w	1500w	1500w	1800w	1800w	1800w
effective power(watt)at 230v of voltage												

本产品的加工定制是是，品牌是GRT，型号是各种，材质是不锈钢电热圈，功率是0-5000（W），直径是0-200（mm），长度是0-2000（mm），主要用途是模具热流道工业加热，产品认证是ISO9001