

电容器高压电力电容器高压并联电容器BAM11-300-3W

产品名称	电容器高压电力电容器高压并联电容器BAM11-300-3W
公司名称	淄博君信经贸有限公司
价格	面议
规格参数	品牌: 型号:BAM11-300-3W 介质材料:油浸
公司地址	张店区杏园东路22号院内103号
联系电话	13475621329 15898705802

产品详情

高压并联电容器 / high-voltage shunt capacitor

产品规格型号参数表

序号	电压等级	型号	额定电压 un/kv	额定 qn/k	
1	6kv	bwf b ff bf m ba m 系 列	6.6/ 3-30-1w	6.6/ 3	30
2			6.6/ 3-50-1w	6.6/ 3	50
3			6.6/ 3-100-1w	6.6/ 3	100
4			6.6/ 3-200-1w	6.6/ 3	200
5			6.6/ 3-300-1w	6.6/ 3	300
6			6.3-18-1w	6.3	18
7			6.3-30-1w	6.3	30
8			6.3-50-1w	6.3	50
9			6.3-100-1w	6.3	100
10			6.3-200-1w	6.3	200
11			6.3-300-1w	6.3	300
12	10kv	10.5-18-1w	10.5	18	
13		10.5-30-1w	10.5	30	
14		10.5-50-1w	10.5	50	

15			10.5-100-1w	10.5	100
16			10.5-200-1w	10.5	200
17			10.5-300-1w	10.5	300
18			11/ 3-16-1w	11/ 3	16
19			11/ 3-25-1w	11/ 3	25
20			11/ 3-30-1w	11/ 3	30
21			11/ 3-50-1w	11/ 3	50
22			11/ 3-100-1w	11/ 3	100
23			11/ 3-150-1w	11/ 3	150
24			11/ 3-200-1w	11/ 3	200
25			11/ 3-300-1w	11/ 3	300
26			11/ 3-334-1w	11/ 3	334
27			12/ 3-100-1w	12/ 3	100
28			12/ 3-200-1w	12/ 3	200
29			12/ 3-300-1w	12/ 3	300
30			12/ 3-334-1w	12/ 3	334
31	10kv/35kv		11-30-1w	11	30
32			11-50-1w	11	50
33			11-100-1w	11	100
34			11-150-1w	11	150
35			11-200-1w	11	200
36			11-300-1w	11	300
37			11-334-1w	11	334
38			12-30-1w	12	30
39			12-50-1w	12	50
40			12-100-1w	12	100
41			12-150-1w	12	150
42			12-200-1w	12	200
43			12-300-1w	12	300
44			12-334-1w	12	334
序号	电压等级	型号	额定电压 un/kv	额定 qn/	
1	6kv	bwf bff	6.3-20-3w	6.3	20
2		bfm	6.3-30-3w	6.3	30
3		bam	6.3-50-3w	6.3	50
4		系列	6.3-100-3w	6.3	100
5			6.3-150-3w	6.3	150
6			6.3-200-3w	6.3	200
7			6.3-300-3w	6.3	300
8			6.6-20-3w	6.6	20
9			6.6-30-3w	6.6	30
10			6.6-50-3w	6.6	50
11			6.6-100-3w	6.6	100
12	10kv		6.6-150-3w	6.6	150
13			6.6-200-3w	6.6	200
14			6.6-300-3w	6.6	300
15			11-20-3w	11	20
16			11-30-3w	11	30
17			11-50-3w	11	50
18			11-100-3w	11	100
19			11-150-3w	11	150

	20		11-200-3w	11	200
	21		11-300-3w	11	300
	22		12-20-3w	12	20
	23		12-30-3w	12	30
	24		12-50-3w	12	50
	25		12-100-3w	12	100
	26		12-150-3w	12	150
	27		12-200-3w	12	200
	28		12-300-3w	12	300
	29	帶中心 点出线10k V	11-4-3dw	11	4
	30		11-14-3dw	11	14
	31		11-20-3dw	11	20
	32		11-30-3dw	11	30
	33		11-50-3dw	11	50
	34		11-100-3dw	11	100
	35		11-120-3dw	11	120
	36		11-150-3dw	11	150
	37		11-200-3dw	11	200
	38		11-250-3dw	11	250
	39		11-300-3dw	11	300
	40		12-50-3dw	12	50
	41		12-100-3dw	12	100
	42		12-150-3dw	12	150
	43		12-200-3dw	12	200
	44		12-300-3dw	12	300

本产品的品牌是鲁钢电容器，型号是BAM11-300-3W，介质材料是油浸，应用范围是高压，外形是长方形，功率特性是大功率，频率特性是超高频，调节方式是固定，引线类型是轴向引出线，允许偏差是-5%~+10%（%），耐压值是3000（V），等效串联电阻(ESR)是15（m Ω ），标称容量是7.896（ μ F），损耗是0.0005，额定电压是11000（V），绝缘电阻是15（m Ω ），温度系数是-40 ~+40，属性是1