

????????(?????????)????????????????????????????????

??

??

?? ???? ??????3????????????????????

??,????????????????

????????(h?)???(l?)???(p?)????????????????????????????????

?? ?????????????????????

?? ?????????????????????

??	????(??)	????????(??)	??(??)	????(??)	????(??)	????(??)	??(??)	????(??x??x?)
cbw 100-6	1000	6000	0.01?0.1	?500	80?160	11	15000	86200x4960x1600
cbw 100-12	1000	12000	0.05?0.1	?500	60?130	15	23500	13500x4215x1675
cbw 120-4	1200	4000	0.014?0.08	?500	45?150	11	12600	5810x5160x1480
cbwz 120-4.5	1200	4500	0.054	?500	150	15	30500	7183x3616x2071
cbw 120-6	1200	6000	0.01?0.1	?500	80?160	11	16000	8620x5160x1600
cbw 120-11	1200	11000	0.01?0.1	?600	50?100	15	23500	11463x5029x2860
cbw 120-19	1200	19000	0.014?0.09	?600	45?150	22	41000	21620x5460x2000
cbw 125-6	1250	6000	0.014?0.08	?600	45?150	11	18900	8620x5240x1950
cbw 125-12	1250	12000	0.014?0.08	?600	45?150	18.5	31800	14620x5460x2000
cbw 140-8	1400	8000	0.017?0.17	?700	100?200	22	29200	10350x5948x1840

cbw 140-16	1400	16000	0.006?0.0 6	?700	20?200	22	45900	18310×6 447×203 0
cbw 140-18.0 3	1400	18030	0.006?0.0 6	?700	20?200	22	50900	20380×6 440×203 0
cbw 150-5	1500	5000	0.014?0.0 8	?700	85?288	15	18700	7620×54 40×1950
cbw 150-10.5	1500	10500	0.006?0.0 6	?700	20?200	22	49400	12850×5 595×170 5
cbw 150-15	1500	15000	0.006?0.0 6	?700	20?200	22	58800	17350×5 595×170 5
cbw 160-6	1600	6000	0.017?0.1 7	?800	61?610	22	25000	8354×60 99×2100
cbw 160-9	1600	9000	0.076	?800	180	22	34700	11250×5 716×224 0
cbw 180-8	1800	8000	0.022?0.0 46	?1000	30?320	37	53000	10300×4 295×365 0
cbw 220-10	2200	10000	0.018?0.0 55	?1500	220?680	45	80400	12650×4 495×335 0
cbw 240-10	2400	10000	0.018?0.0 55	?1500	220?680	45	83400	12650×4 695×335 0
cbz 160-9	1600	9000	0.01?0.07	?800	27?270	30	50000	11250×4 153×289 0
cbz 180-8	1800	8000	0.01?0.07	?1000	?500	37	59000	10250×4 353×289 0
cbz 180-8.75	1800	8750	0.01?0.07	?1000	?500	37	61000	11050×4 353×289 0
cbz 180-9	1800	9000	0.01?0.07	?1000	?500	37	63000	11250×4 353×289 0
cbz 180-9.8	1800	9800	0.01?0.07	?1000	?500	37	63000	12000×4 353×289 0
cbz	1800	10000	0.01?0.07	?1000	?500	37	66000	12200×4

180-10								353×289 0
cbz 180-12	1800	12000	0.05	?1000	360	45	67800	14723×6 697×208 0
cbz 200-9.8	2000	9800	0.01?0.07	?1000	?700	45	82000	12000×4 553×289 0
cbz 220-10	2200	10000	0.01?0.07	?1200	?800	45	85000	12000×4 753×289 0
cbz 230-10	2300	10000	0.01?0.07	?1500	?850	55	86000	12000×4 853×289 0
cbz 240-10	2400	10000	0.02?0.06	?1600	550?900	2×37	95000	12000×4 953×289 0
cbz 250-11.4 6	2500	11460	0.01?0.07	?1800	100?1000	2×45	105000	12000×5 053×289 0

????	?		
??	?????		
??	??		
??	czw4419		
???????	350		
??	18.5		
????	?? ?? ?? ??		

????	???
?????:	021-53011861
?????	18818093285

?????	021-53011873
qq???	2717740719
?????	crusher@trustoncrusher.com
?????	??????????????8?
?????	201408
?????	http://www.shchuangshen.cn/

e助手产品详细信息模板

本产品的加工定制是是，类型是振动给料机，品牌是创申，型号是CZW4419，额定输送能力是350（kg/h），功率是18.5（kw），适用领域是冶金煤矿选矿建材