

# 立式线轨加工中心TJ - 857L

产品名称	立式线轨加工中心TJ - 857L
公司名称	厦门台匠精密机械有限公司
价格	1.00/个
规格参数	工作台面尺寸:520 × 1000mm 品牌:台匠精密机械
公司地址	同安区工业集中区同集北路300号兴荣物流园2幢6号
联系电话	0592-7208958 15105959088

## 产品详情

—— 产品图片 ——

—— ???? ——

1? ????10000rpm?12000rpm?15000rpm

2? ????????????????

3? ????????????

4? tj-1060b?tj-1060?????????????????

?????????????????????

??/ model	tj-l857
????????x??/working table size(width×length)(mm)	520×1000
????(x)/longitudinal travel (x)(mm)	860
????(y)/cross travel(y)(mm)	550
????(z)vertical stroke (z)(mm)	700
????????????/spindle center to column guide(mm)	600
????????????/distance from spindle nose to table(mm)	110-810
????t????-??x??/table t-slot (number-size×spacing)	5-18×100
??????/????/spindle taper(model/size)	bt40/ø150
????(rpm)/spindle speed(rpm)	8000rpm
x?y?z????????x?y?z axis ball screw specifications	4010
x?y?z????????/x?y?z rapid traverse rate(m/min)	24?24?24

x?y?z?????/x?y?z fastest cutting speed (m/min) 10?10?10

x????/x-axis guide specifications mxa35la

y????/y-axis guide specifications mxa45la

z???/z-axis guide ????

????????kw?/recommended use of main motor parameters 7.5

????x?y?z????????nm?/recommended use x?y?z 10?12?12 axis motor parameters

????/positioning accuracy(mm) ±0.005mm/300mm

?????/?repeat positioning accuracy(mm) ±0.005mm/300mm

????/the required pressure(kgf/cm<sup>2</sup>) 6-8

????/power requirement(kw) 18kw

?????/?table load(kg) 500kg

????/machine weight(t) 6t

??/remark “?”????

????????????????????????????????????