

# 高速钻铣攻牙中心TJ - Z540C

产品名称	高速钻铣攻牙中心TJ - Z540C
公司名称	厦门台匠精密机械有限公司
价格	1.00/个
规格参数	工作台面尺寸:400 × 600mm 品牌:台匠精密机械
公司地址	同安区工业集中区同集北路300号兴荣物流园2幢6号
联系电话	0592-7208958 15105959088

## 产品详情

—— 产品图片 ——

—— ???? ——

????? ?????

???? ?????

???? ?????

???? ?????

?????

?????

??????

??????

???????

???????

?????????

??????????

??/model

tj-z540c

????????x?/working table size(widthxlength)(mm)

400x600

????(x)/longitudinal travel (x)(mm)	500
????(y)/cross travel(y)(mm)	400
????(z)vertical stroke (z)(mm)	300
????????????/spindle center to column guide(mm)	450*?
????????????/distance from spindle nose to table(mm)	155-455
????t????-??*??/table t-slot (number-size*pitch)	3-14×100
????/spindle taper (??/????)	bt30/ø100
????/spindle speed	12000rpm(??)
x?y?z????????x?y?z axis ball screw specifications	2516(xy)3616(z)
x?y?????/x?y-axis guide specifications	hgh25ca
z?????/z-axis guide specifications	hgh30ca
?????/?axis rapid traverse(m/min)	48?48?48
x?y?z????????/x?y?z fastest cutting speed (m/min)	10?10?10
?????????/? recommended use of main motor parameters(??kw)	5.5

????x?y?z?????/recommended use x?y?z axis motor parameters(??nm)	8?10?10
????/positioning accuracy(mm)	±0.005mm/300mm
??????/repeat positioning accuracy(mm)	±0.003mm/300mm
????/the required pressure(kgf/cm <sup>2</sup> )	6-8
????/power requirement(kw)	10kw
?????/table load(kg)	250kg
????/machine weight(t)	3.2t
??/remark	???bt30-16t?????