# 高速雕铣机 TJ-DX650B

| | |
|---|---|
| 产品名称 | 高速雕铣机 TJ-DX650B |
| 公司名称 | 厦门台匠精密机械有限公司 |
| 价格 | 1.00/个 |
| 规格参数 | 工作台面尺寸:500×600mm<br>品牌:台匠精密机械 |
| 公司地址 | 同安区工业集中区同集北路300号兴荣物流园2幢6号 |
| 联系电话 | 0592-7208958 15105959088 |

# 产品详情

—— ???? ——

—— ???? ——

?????

????

????

????

?????

??????

??????

???????

???????

?????????

??????????

?????

????

?????

?????

| | |
|---|---|
| ??/model | tj-dx650b |
| ????????×??/ working table size (width×length) (mm) | 500×600 |
| ????(x)/ longitudinal travel (x) (mm) | 500 |
| ????(y) /cross travel (y) (mm) | 600 |
| ????(z)/ vertical stroke (z) (mm) | 270 |

| | |
|---|---|
| ?????????kw/????-??? | 5.5/ø125-24000 |
| /recommended spindle specifications | |
| ????gantry width | 560 |
| ????????????? | 10-350 |
| /spindle nose to table distance skateboarding | |
| ???t???????-??*???/table t-slot size (number-size*pitch) | 5-14×100 |
| x?y?z???????/x?y?z axis ball screw specifications | 3205 |
| x?y?z??????/x?y?z fastest speed (m/min) | 12?12?12 |
| x?y?z??????/x?y?z fastest cutting speed (m/min) | 10?10?10 |
| x?y?z?????/x?y?z axis rails specific ctions | hgh30ha |
| ????x?y?z????????nm? | 6?8?6 |
| /recommended use x?y?z axis motor parameters(torque nm) | |
| ????/positioning accuracy (mm) | ±0.005mm/300mm |
| ??????/repeat positioning accuracy (mm) | ±0.003mm/300mm |
| ????/the required pressure (kgf/cm2) | 6-8 |

| | |
|---|---|
| ????/power requirement(kw) | 8kw |
| ?????/table load(kg) | 400kg |
| ????/machine weight(t) | 3t |
| ??/remark | ??? |

????????????????????????????????????