

耐高温加热棒发热棒保固期壹年

产品名称	耐高温加热棒发热棒保固期壹年
公司名称	苏州市吴中区甪直誉塑机械设备经营部
价格	面议
规格参数	品牌:誉塑机械 型号:0-800mm
公司地址	苏州市吴中区甪直镇澄湖花园E22 (经营场所)
联系电话	86-0512-87887269 18015482621 13771932836

产品详情

下面是注塑机发热管的库存(电压230v)：左边的是直径6.6的圆管，中间的是6*6的方管，右边的是直径8.0的圆管									
序号	规格 (冷端35mm)	功率	序号	规格 (冷端35mm)	功率	序号	规格 (冷端35mm)	功率	
尊敬的	1 ∅ 6.6mm	650w		1方形6*6	500w		1 ∅ 8.0mm	650w	
客户们	*l300mm			mm*l300mm			*l300mm		
:	2 ∅ 6.6mm	700w		2方形6*6	500w		2 ∅ 8.0mm	650w	
	*l320mm			mm*l325mm			*l320mm		
大家好	3 ∅ 6.6mm	750w		3方形6*6	600w		3 ∅ 8.0mm	650w	
	*l340mm			mm*l350mm			*l340mm		
近年来	4 ∅ 6.6mm	750w		4方形6*6	600w		4 ∅ 8.0mm	750w	
	*l350mm			mm*l375mm			*l350mm		
我司与	5 ∅ 6.6mm	800w		5方形6*6	650w		5 ∅ 8.0mm	750w	
	*l360mm			mm*l400mm			*l360mm		
大家一	6 ∅ 6.6mm	850w		6方形6*6	650w		6 ∅ 8.0mm	750w	
	*l380mm			mm*l425mm			*l380mm		
起成长	7 ∅ 6.6mm	900w		7方形6*6	700w		7 ∅ 8.0mm	800w	
	*l400mm			mm*l450mm			*l400mm		
急客户	8 ∅ 6.6mm	950w		8方形6*6	700w		8 ∅ 8.0mm	800w	
	*l420mm			mm*l475mm			*l420mm		

			mm			
之所急	9 \varnothing 6.6mm *I440mm	1000w	9方形6*6 mm*I500	800w	9 \varnothing 8.0mm *I440mm	800w
想客户	10 \varnothing 6.6mm *I450mm	1000w	10方形6*6 mm*I525	800w	10 \varnothing 8.0mm *I450mm	850w
之所想	11 \varnothing 6.6mm *I460mm	1100w	11方形6*6 mm*I550	900w	11 \varnothing 8.0mm *I460mm	850w
为解决	12 \varnothing 6.6mm *I480mm	1100w	12方形6*6 mm*I575	900w	12 \varnothing 8.0mm *I480mm	850w
分流板	13 \varnothing 6.6mm *I500mm	1200w	13方形6*6 mm*I600	1000w	13 \varnothing 8.0mm *I500mm	900w
的急单	14 \varnothing 6.6mm *I520mm	1200w	14方形6*6 mm*I625	1000w	14 \varnothing 8.0mm *I520mm	900w
而来不	15 \varnothing 6.6mm *I540mm	1200w	15方形6*6 mm*I650	1100w	15 \varnothing 8.0mm *I540mm	900w
及做发	16 \varnothing 6.6mm *I550mm	1200w	16方形6*6 mm*I675	1100w	16 \varnothing 8.0mm *I550mm	950w
热管的	17 \varnothing 6.6mm *I560mm	1300w	17方形6*6 mm*I700	1200w	17 \varnothing 8.0mm *I560mm	950w
难题，	18 \varnothing 6.6mm *I580mm	1300w	18方形6*6 mm*I725	1200w	18 \varnothing 8.0mm *I580mm	950w
我司象	19 \varnothing 6.6mm *I600mm	1400w	19方形6*6 mm*I750	1250w	19 \varnothing 8.0mm *I600mm	1000
征性的	20 \varnothing 6.6mm *I620mm	1400w	20方形6*6 mm*I775	1250w	20 \varnothing 8.0mm *I620mm	1000
做了一	21 \varnothing 6.6mm *I640mm	1400w	21方形6*6 mm*I800	1350w	21 \varnothing 8.0mm *I640mm	1000
些库存	22 \varnothing 6.6mm *I650mm	1400w	22方形6*6 mm*I825	1350w	22 \varnothing 8.0mm *I650mm	1100
，如右	23 \varnothing 6.6mm *I660mm	1450w	23方形6*6 mm*I850	1450w	23 \varnothing 8.0mm *I660mm	1100
表：	24 \varnothing 6.6mm *I680mm	1450w	24方形6*6 mm*I875	1450w	24 \varnothing 8.0mm *I680mm	1100
	25 \varnothing 6.6mm *I700mm	1450w	25方形6*6 mm*I900	1500w	25 \varnothing 8.0mm *I700mm	1200

			mm			
该发	26 ¢ 6.6mm	1450w	26方形6*6	1500w	26 ¢ 8.0mm	1200
热	*I720mm		mm*I925		*I720mm	
			mm			
管柔	27 ¢ 6.6mm	1450w	27方形6*6	1600w	27 ¢ 8.0mm	1200
性	*I740mm		mm*I950		*I740mm	
			mm			
好，	28 ¢ 6.6mm	1450w	28方形6*6	1600w	28 ¢ 8.0mm	1300
易	*I750mm		mm*I975		*I750mm	
			mm			
弯曲	29 ¢ 6.6mm	1500w	29方形6*6	1700w	29 ¢ 8.0mm	1300
成	*I760mm		mm*I100		*I760mm	
			0mm			
型，	30 ¢ 6.6mm	1500w	30方形6*6	1700w	30 ¢ 8.0mm	1300
高	*I780mm		mm*I102		*I780mm	
			5mm			
功率	31 ¢ 6.6mm	1500w	31方形6*6	1800w	31 ¢ 8.0mm	1450
，	*I800mm		mm*I105		*I800mm	
			0mm			
质量	32 ¢ 6.6mm	1500w	32方形6*6	1800w	32 ¢ 8.0mm	1450
保	*I820mm		mm*I107		*I820mm	
			5mm			
证，	33 ¢ 6.6mm	1500w	33方形6*6	1900w	33 ¢ 8.0mm	1450
也	*I840mm		mm*I110		*I840mm	
			0mm			
可以	34 ¢ 6.6mm	1500w	34方形6*6	1900w	34 ¢ 8.0mm	1500
按	*I850mm		mm*I112		*I850mm	
			5mm			
要求	35 ¢ 6.6mm	1500w	35方形6*6	2000w	35 ¢ 8.0mm	1500
订	*I860mm		mm*I115		*I860mm	
			0mm			
做生	36 ¢ 6.6mm	1500w	36方形6*6	2000w	36 ¢ 8.0mm	1500
产	*I880mm		mm*I117		*I880mm	
			5mm			
	37 ¢ 6.6mm	1500w	37方形6*6	2100w	37 ¢ 8.0mm	1550
	*I900mm		mm*I120		*I900mm	
			0mm			
	38 ¢ 6.6mm	1500w	38方形6*6	2100w	38 ¢ 8.0mm	1550
	*I920mm		mm*I122		*I920mm	
			5mm			
	39 ¢ 6.6mm	1500w	39方形6*6	2150w	39 ¢ 8.0mm	1550
	*I940mm		mm*I125		*I940mm	
			0mm			
	40 ¢ 6.6mm	1500w	40方形6*6	2150w	40 ¢ 8.0mm	1600
	*I950mm		mm*I127		*I950mm	
			5mm			
	41 ¢ 6.6mm	1500w	41方形6*6	2200w	41 ¢ 8.0mm	1600
	*I960mm		mm*I130		*I960mm	
			0mm			
	42 ¢ 6.6mm	1500w	42方形6*6	2200w	42 ¢ 8.0mm	1600
	*I980mm		mm*I132		*I980mm	

			5mm		
	43 ¢ 6.6mm *l1000m m	1500w	43方形6*6 mm*l135 0mm	2300w	43 ¢ 8.0mm *l1000m m
	44 ¢ 6.6mm *l1025m m	1600w	44方形6*6 mm*l137 5mm	2300w	44 ¢ 8.0mm *l1050m m
	45 ¢ 6.6mm *l1050m m	1600w	45方形6*6 mm*l140 0mm	2400w	45 ¢ 8.0mm *l1100m m
	46 ¢ 6.6mm *l1075m m	1600w	46方形6*6 mm*l142 5mm	2400w	46 ¢ 8.0mm *l1200m m
	47 ¢ 6.6mm *l1100m m	1600w	47方形6*6 mm*l145 0mm	2500w	47 ¢ 8.0mm *l1300m m
	48 ¢ 6.6mm *l1125m m	1600w	48方形6*6 mm*l147 5mm	2500w	48 ¢ 8.0mm *l1340m m
	49 ¢ 6.6mm *l1150m m	1600w	49方形6*6 mm*l150 0mm	2600w	49 ¢ 8.0mm *l1400m m
	50 ¢ 6.6mm *l1175m m	1600w	53 ¢ 6.6mm *l1250m m	1600w	50 ¢ 8.0mm *l1500m m
	51 ¢ 6.6mm *l1200m m	1600w	54 ¢ 6.6mm *l1275m m	1600w	51 ¢ 8.0mm *l1600m m
	52 ¢ 6.6mm *l1225m m	1600w	55 ¢ 6.6mm *l1300m m	1600w	

本产品的加工定制是是，品牌是誉塑机械，型号是0-800mm，品种是等直径硅碳棒，直径是10-8500（mm），长度是0-8500（mm），功率是7500（W），额定温度是0-600（ ），主要用途是注塑机模具加热，产品认证是CCC，材质是加热棒