

DN-843I-CT-10 3通道电流输入传感器(10A),3000伏隔离输出 $\pm 10V$

产品名称	DN-843I-CT-10 3通道电流输入传感器(10A),3000伏隔离输出 $\pm 10V$
公司名称	上海洲大测控技术有限公司
价格	面议
规格参数	品牌:泓格科技ICP-DAS 型号:DN-843I-CT-10
公司地址	上海市闵行区光华路598号2幢A2073室
联系电话	86-021-60438808 18516008375 18621657802

产品详情

价格说明

此价格为含税价格。其他综合需求，请与我们联系。021-6043 8808、6998 8637

公司实力

我公司(上海洲大测控技术有限公司)是泓格科技授权的金牌代理商,同时也是泓格科技(测试测量与自动化控制方向)系统集成的合作伙伴。只卖原装正品,绝无二手及翻新产品,假一罚十!!!

台湾泓格科技股份公司成立于1993年,以pc based i/o卡为最初的研发产品线,1998年研发重心移到了各种嵌入式控制器,远程i/o模块等产品线。经过多年的努力经营,目前在中国市场,已经站稳pac产品领跑者的地位。目前总公司位于台湾新竹工业区,在中国大陆以上海为总部,研发工程师总数已达110人。

意见直通车/投诉热线

如果您有任何意见或建议,请拨打021-60438808告诉我们,谢谢。

如果您对本公司的产品或服务有任何建议或意见,请发e-mail至如下信箱:

投诉信箱: shanghaizhouda@163.com;

产品概述

~ new ~

~ new ~

ac/dc source input
linear a
measurement inp
isolation inp
protection
rohs complianc
wire connection

model: dn-843i-ct-1

dn-843i-ct-10

~ new ~

~ new ~

dn-843i-ct-20

model: dn-843i-ct-50

the maximum input range is from ± 1 a to ± 50 a and can be attenuated to from ± 1.6 v to ± 10 v. the "i" version provide 3
isolation to avoid the noise interference from inputs to outputs or channel to channel. it can be used with the analog input mo

models	dn-843i-ct-1	dn-843i-ct-10	dn-843i-ct-20
channel		general	3
input type			ac/dc cur
input range	± 1 a	± 10 a	
output type			ac/dc vol
output range	± 1.6 vpp	± 10 vpp	
ct type			solid core (c
accuracy	zero 100mv, 3% of fsr		
channel to channel isolation			yes, 3000
intra-module isolation, input to output			3000 v
bandwidth			50 kh
input impedance			> 1 m

	ems protection	
esd (iec 61000-4-2)	+/- 4 kv contact for power line, input and output	
	power input	
input range		+10 ~ +20 v
power consumption		1.2 w
	mechanical	
dimensions (w x l x h)		148 mm x 83 mm x 25 mm
installation		din-rail mount
	environment	
operating temperature		-25 ~ +75 °c
storage temperature		-30 ~ +75 °c
humidity		10 ~ 90% rh, non-condensing

dn-843i-ct-1 cr	3-channel 50 a current transformer
dn-843i-ct-10 cr	3通道电流输入传感器 (1a)
dn-843i-ct-20 cr	3通道电流输入传感器 (10a)
dn-843i-ct-50 cr	3通道电流输入传感器 (20a)
dn-848vi-10v	3通道电流输入传感器 (50a)
dn-848vi-80v	8口通道间隔离10v电压衰减器
dn-848vi-150v	8口通道间隔离80v电压衰减器
	8口通道间隔离150v电压衰减器
mdr-20-24 cr	24 v/1 a, 24 w power supply with din-rail
i-7017-g cr	8-channel analog input module
i-87017-g cr	8-channel analog input module

6年保固服务条款

泓格科技 (icp-das) 自产品出货日起提供六年保固，以保证产品在正常安装与使用下，没有任何材料及制造上的瑕疵。但经由天灾 (如洪水、火灾、地震等)，环境与气候干扰，其他外来因素如电源不稳、计算机主机故障、火线插拔或者接线错误，以及误用、滥用和未经授权所进行的零件更换或维修行为，而导致产品发生瑕疵、故障或受损，则不在保固范围内。

开票详情

本公司全部在售的产品，都可开具17%的普通发票和增值税专用发票！！！！

用户在订单中备注清楚公司的开票信息，或传真或邮件至我公司。

传真：021-6043 0309，邮箱：shanghaizhouda@163.com

洲大服务

技术支持：021-6043 8808转801

售后服务：021-6043 8808转808、021-6998 8637

发货查询：021-6043 8808转806

在线qq：2293125802，2022650764

官网www.zhoudacity.com email:shanghaizhouda@163.com

本产品的加工定制是否，品牌是泓格科技ICP-DAS，型号是DN-843I-CT-10，测量范围是0-10A，测量精度是0.01，频率是50000（Hz），尺寸是148x83x39（mm）