

# 不崩边 锋利又耐用的精密裁板锯用的合金锯片

产品名称	不崩边 锋利又耐用的精密裁板锯用的合金锯片
公司名称	中山市刃利木工刀具有限公司
价格	面议
规格参数	品牌:HEER, 鹰牌, 月亮, 金丰利, 日本合意, 德 型号:180*3.3/4.3*36T*30/25.4 是否标准件:标准件
公司地址	中国 广东 中山市 沙溪
联系电话	86 0760 87591313 13560685353

## 产品详情

质量：打三聚氢胺板不崩边，不爆边，不起毛

规格：355\*96t\*3.5\*30/25.4梯平齿配180\*36t\*3.3/4.3\*30\*25.4倒梯齿

300\*96t\*3.2\*30/25.4梯平齿配120\*(12+12)\*2.8/3.6/30/25.4倒梯齿

380 × 4.8 × 3.8 × 60-72t梯平齿配180\*36t\*3.3/4.3\*30\*25.4倒梯齿(此规格尤其合适德国豪迈机)

锯片有以下规格

规格:

100 × 2.8/3.6 × 20-12t
100 × 2.8/3.6 × 22-12t
110 × 1.0 × 0.8 × 25.4-20t
110 × 1.2 × 0.8 × 25.4-20t
110 × 1.4 × 1.0 × 25.4-20t
110 × 1.6 × 1.1 × 25.4-20t
110 × 1.8 × 1.2 × 25.4-20t
110 × 2.0 × 1.4 × 25.4-20t
110 × 3.0 × 2.2 × 25.4-20t

120 × 2.8/3.6 × 20-12t
120 × 2.8/3.6 × 22-12t
120 × 2.8/3.6 × 22-20t
120 × 2.8/3.6 × 20-24t
120 × 2.8/3.6 × 22-24t
120 × 2.9/4.0 × 20-24t
120 × 2.9/4.0 × 22-24t
120 × 3.0/4.3 × 22-24t
125 × 1.6 × 1.2 × 40-20t
125 × 3.2/4.4 × 30 × 24t
150 × 1.0 × 0.6 × 25.4-30t
150 × 3.0 × 2.2 × 25.4-36t
150 × 3.0 × 2.2 × 25.4-50t
150 × 3.0 × 2.2 × 25.4-50t
160 × 1.2 × 0.8 × 25.4-40t
160 × 1.4 × 1.0 × 25-40t
160 × 1.6 × 1.2 × 25-40t
160 × 3.0 × 2.2 × 25.4 × 40t
160 × 2.9/4.0 × 25.4-40t
160 × 2.9/4.0 × 30-40t
160 × 2.9/4.0 × 55-40t
160 × 3.3/4.3 × 25.4-40t
160 × 4.3/5.0 × 45-28t
160 × 4.3/5.0 × 45-36t
160 × 4.4/5.2 × 55-36t
180 × 1.2 × 0.8 × 25-40t
180 × 1.2 × 0.8 × 25-80t
180 × 1.4 × 1.0 × 25-40t
180 × 1.4 × 1.0 × 25-80t
180 × 1.6 × 1.2 × 25-60t
180 × 3.0 × 2.2 × 25.4 × 40t
180 × 3.0 × 2.2 × 25.4 × 60t
180 × 2.9/4.0 × 25.4-40t
180 × 3.3/4.3 × 25.4-40t
180 × 4.0 × 3.0 × 65-54t

180 × 4.8/5.6 × 45-36t
182 × 1.3 × 1.0 × 25.4-30t
182 × 1.3 × 1.0 × 40-30t
182 × 1.3 × 1.0 × 50-30t
182 × 1.4 × 1.0 × 50-30t
182 × 1.6 × 1.2 × 40-30t (双10*7)
182 × 1.7 × 1.3 × 25.4-40t
182 × 2.3 × 1.7 × 25.4-30t
182 × 3.6 × 3.0 × 40-30t
185 × 1.4 × 1.0 × 40-36t
190 × 1.2 × 0.8 × 40-36t
190 × 1.2 × 0.8 × 50-36t
195 × 1.7 × 1.2 × 86-40t
200 × 2.2 × 1.5 × 60-40t (单12*6)
200 × 4.2/5.2 × 50-42t
203 × 1.4 × 1.0 × 25-60t
203 × 1.4 × 1.0 × 25-80t
203 × 1.4 × 1.0 × 25-100t
203 × 1.6 × 1.2 × 25-60t
203 × 1.6 × 1.2 × 25-80t
203 × 1.6 × 1.2 × 25-100t
203 × 1.8 × 1.3 × 25-60t
203 × 1.8 × 1.3 × 25-80t
203 × 1.8 × 1.3 × 25-100t
203 × 2.0 × 1.5 × 25-60t
203 × 2.0 × 1.5 × 25-80t
203 × 2.0 × 1.5 × 25-100t
203 × 2.8 × 2.0 × 25.4-60t
205 × 0.8 × 0.5 × 2.2 × 80-30t
205 × 1.4 × 1.0 × 50-30t (单12*6)
205 × 1.6 × 1.0 × 25.4-36t
205 × 1.6 × 1.0 × 40-36t
205 × 1.6 × 1.1 × 25.4-100t
205 × 1.8 × 1.0 × 50-40t
205 × 2.0 × 1.4 × 25.4-30t

205 × 2.0 × 1.4 × 25.4-40t
205 × 2.2 × 1.4 × 25.4-40t
205 × 2.4 × 1.6 × 25.4-30t
205 × 2.6 × 1.6 × 25.4-30t
205 × 2.6 × 1.8 × 25.4-40t
205 × 3.0 × 2.0 × 25.4-40t
205 × 3.0 × 2.0 × 25.4-60t
205 × 3.0 × 2.0 × 25.4-80t
205 × 3.2 × 2.2 × 25.4-40t
205 × 3.2 × 2.2 × 30-60t
205 × 3.5 × 2.4 × 25.4-40t
205 × 4.0 × 3.0 × 25.4-40t
205 × 4.0 × 3.0 × 50-60t
205 × 4.5 × 3.0 × 25.4-40t
205 × 5.0 × 3.0 × 25.4-40t
205 × 6.0 × 3.0 × 25.4-40t
216 × 1.3 × 0.9 × 80-40t (双10.5*5.5)
220 × 2.0 × 1.4 × 59-46t
225 × 2.2 × 1.3 × 40-30t
220 × 2.2 × 1.6 × 86-60t
230 × 1.4 × 1.0 × 1.5 × 25.4-30t
230 × 1.4 × 1.0 × 1.5 × 50-30t
230 × 1.4 × 1.0 × 25-60t
230 × 1.4 × 1.0 × 25-80t
230 × 1.4 × 1.0 × 25-100t
230 × 1.55 × 1.1 × 50-30t
230 × 1.6 × 1.1 × 40-30t
230 × 1.6 × 1.1 × 50-36t
230 × 1.6 × 1.1 × 1.6 × 50.88-36t
230 × 1.6 × 1.2 × 25-60t
230 × 1.6 × 1.2 × 25-80t
230 × 1.6 × 1.2 × 25-100t
230 × 1.8 × 1.3 × 40-30t
230 × 1.8 × 1.3 × 50-36t (双10*6)
230 × 1.8 × 1.3 × 25-60t

230 × 1.8 × 1.3 × 25-80t
230 × 1.8 × 1.3 × 25-100t
230 × 1.9 × 1.4 × 25.4-30t
230 × 2.0 × 1.5 × 65-36t (双12*5)
230 × 2.0 × 1.5 × 65-36t (双12*5)
230 × 2.0 × 1.5 × 25-60t
230 × 2.0 × 1.5 × 25-80t
230 × 2.0 × 1.5 × 25-100t
230 × 2.2 × 1.6 × 60-30t
230 × 2.8 × 2.0 × 60-30t
230 × 3.2 × 2.2 × 80-36t
230 × 3.0 × 2.2 × 25.4-80t
230 × 3.2 × 2.2 × 25.4-60t
235 × 1.58 × 1.1 × 70-40t
250 × 1.7 × 1.2 × 60-30t
250 × 2.0 × 1.6 × 65-24t
250 × 2.0 × 1.6 × 80-24t (双20*6)
250 × 3.0 × 2.2 × 25.4-80t
250 × 3.2 × 2.2 × 30-80td
250 × 3.2 × 2.2 × 30-100td
250 × 4.0 × 3.0 × 80-60t
250 × 4.0 × 3.0 × 100-60t
255 × 0.8 × 0.5 × 2.2 × 25.4-60t
255 × 1.4 × 1.0 × 1.5 × 25.4-30t
255 × 1.4 × 1.0 × 25-60t
255 × 1.4 × 1.0 × 25-80t
255 × 1.4 × 1.0 × 25-100t
255 × 1.5 × 1.0 × 75-60t
255 × 1.6 × 1.1 × 25.4-30t
255 × 1.6 × 1.0 × 60-36t
255 × 1.6 × 1.1 × 60-40t
255 × 1.6 × 1.2 × 25-60t
255 × 1.6 × 1.2 × 25-80t
255 × 1.6 × 1.2 × 25-100t
255 × 1.7 × 1.3 × 50-36t

255 × 1.7 × 1.2 × 60-36t
255 × 1.75 × 1.3 × 50-36t
255 × 1.8 × 1.3 × 25.4-30t
255 × 1.8 × 1.3 × 70-30t
255 × 1.8 × 1.3 × 25-60t
255 × 1.8 × 1.3 × 25-80t
255 × 1.8 × 1.3 × 25-100t
255 × 1.8 × 1.3 × 25.4-100t
255 × 1.8 × 1.3 × 25-120t
255 × 2.0 × 1.5 × 25.4-30t
255 × 2.0 × 1.5 × 70-30t
255 × 2.0 × 1.5 × 25-60t
255 × 2.0 × 1.5 × 25-80t
255 × 2.0 × 1.5 × 25.4-80t
255 × 2.0 × 1.5 × 25.4-100t
255 × 2.0 × 1.5 × 25.4-120t
255 × 2.2 × 1.5 × 25.4-30t
255 × 2.2 × 1.5 × 40-30t
255 × 2.2 × 1.6 × 30-60t
255 × 2.2 × 1.5 × 25.4-100t
255 × 2.4 × 1.7 × 25.4-30t (3个刮刀)
255 × 2.4 × 1.7 × 25.4-30t
255 × 2.4 × 1.8 × 50-30t (双16*6)
255 × 2.4 × 1.8 × 25.4-60t
255 × 2.4 × 1.8 × 25.4-80t
255 × 2.4 × 1.8 × 25.4-100t
255 × 2.4 × 1.8 × 25.4-120t
255 × 2.6 × 1.8 × 50-24t (双16*8)
255 × 2.6 × 1.8 × 25.4-30t
255 × 2.6 × 1.8 × 50-30t (双16*8)
255 × 2.6 × 1.8 × 25.4-40t
255 × 2.6 × 2.0 × 25.4-100t
255 × 2.8 × 2.0 × 25.4-30t
255 × 3.0 × 2.2 × 25.4-30t
255 × 3.0 × 2.2 × 25.4-40t

255 × 3.0 × 2.2 × 25.4-60t
255 × 3.0 × 2.2 × 30-60t
255 × 3.0 × 2.2 × 25.4-80t
255 × 3.0 × 2.2 × 30-80t
255 × 3.0 × 2.2 × 25.4-90t
255 × 3.0 × 2.2 × 25.4-100t
255 × 3.0 × 2.2 × 30-100t
255 × 3.0 × 2.2 × 25.4-120t
255 × 3.0 × 2.2 × 25.4-120t
255 × 3.0 × 2.2 × 30-120t
255 × 3.2 × 2.2 × 25.4-100t
255 × 3.2 × 2.2 × 25.4-100t
255 × 3.5 × 2.4 × 25.4-60t
255 × 4.0 × 3.0 × 25.4-36t
255 × 4.0 × 3.0 × 50-36t (双10.6 × 5.5)
255 × 4.0 × 3.0 × 25.4-60t
255 × 4.0 × 3.0 × 25.4-80t
255 × 4.0 × 3.0 × 50-80t
255 × 4.0 × 2.6 × 25.4-100t
255 × 4.5 × 3.0 × 25.4-60t
255 × 5.0 × 3.6 × 25.4-60t
255 × 5.0 × 3.6 × 25.4-80t
255 × 6.0 × 3.6 × 25.4-60t
270 × 2.4 × 1.8 × 50-36t (双12 × 6)
270 × 2.4 × 1.8 × 50-36t (双10.6 × 5.5)
270 × 3.0 × 2.2 × 50-36t (双10.6 × 5.5)
270 × 4.0 × 3.0 × 50-36t (双10.6 × 5.5)
275 × 1.8 × 1.3 × 25.4-36t
280 × 3.0 × 2.2 × 25.4-90t
280 × 3.5 × 2.5 × 25.4-100t
290 × 1.8 × 3.0 × 50.8-24t (凸板直径228mm)
290 × 1.8 × 3.0 × 50.8-24t (凸板直径178mm)
290 × 2.0 × 1.3 × 70-30t (3个刮刀,双20 × 5)

300 × 3.2 × 2.2 × 30-28t
300 × 3.2 × 2.2 × 30-60t
300 × 3.2 × 2.2 × 30-72t
300 × 3.2 × 2.2 × 30-72td
300 × 3.2 × 2.2 × 30-96t
300 × 3.2 × 2.2 × 30-96td
300 × 3.2 × 2.2 × 80-96td
300 × 4.4/5.2 × 50-48t
305 × 1.8 × 1.3 × 25.4-40t
305 × 1.8 × 1.3 × 70-40t
305 × 1.8 × 1.3 × 25.4-100t
305 × 2.0 × 1.5 × 25.4-36t
305 × 2.0 × 1.5 × 70-36t (3个刮刀,双21*6)
305 × 2.0 × 1.5 × 25.4-40t
305 × 2.0 × 1.5 × 25-80t
305 × 2.0 × 1.5 × 25.4-80t
305 × 2.0 × 1.5 × 25-100t
305 × 2.0 × 1.5 × 25.4-100t
305 × 2.0 × 1.5 × 25.4-120t
305 × 2.2 × 1.6 × 25.4-40t
305 × 2.2 × 1.6 × 70-40t
305 × 2.2 × 1.6 × 25.4-100t
305 × 2.5 × 1.8 × 25.4-36t
305 × 2.6 × 1.8 × 25.4-36t
305 × 2.6 × 1.8 × 70-36t
305 × 2.6 × 1.8 × 70-36t (双21 × 8)
305 × 2.6 × 2.0 × 25.4-60t
305 × 2.6 × 2.0 × 25.4-100t
305 × 2.6 × 2.0 × 25.4-120t
305 × 2.8 × 2.0 × 70-30t
305 × 3.0 × 2.2 × 25.4-36t
305 × 3.0 × 2.2 × 25.4-36t (3个刮刀)
305 × 3.0 × 2.2 × 70-36t
305 × 3.0 × 2.2 × 70-36t (双21 × 8)



305 × 3.0 × 2.2 × 70-36t (3个刮刀)
305 × 3.0 × 2.2 × 25.4(70)-40t
305 × 3.0 × 2.2 × 25.4-50t
305 × 3.0 × 2.2 × 25.4-48t
305 × 3.0 × 2.2 × 25.4-60t5
305 × 3.0 × 2.2 × 25.4-60t2
305 × 3.0 × 2.2 × 25.4-80t
305 × 3.0 × 2.2 × 25.4-90t
305 × 3.0 × 2.2 × 25.4-100t
305 × 3.0 × 2.2 × 30-100t
305 × 3.0 × 2.2 × 25.4-120t
305 × 3.0 × 2.2 × 30-120t
305 × 3.2 × 2.2 × 25.4-100t
305 × 3.2 × 2.2 × 25.4-120t
305 × 3.5 × 2.5 × 25.4-100t
305 × 3.5 × 2.5 × 65-100t
305 × 4.0 × 3.0 × 70-36t
305 × 4.0 × 3.0 × 25.4-40t
305 × 4.0 × 3.0 × 25.4-48t
305 × 4.0 × 3.0 × 25.4-60t
305 × 4.0 × 3.0 × 25.4-80t
305 × 4.0 × 3.0 × 25.4-100t
305 × 5.0 × 3.6 × 50.8-70t
305 × 5.0 × 3.6 × 50.8-70t-14p
305 × 5.0 × 3.6 × 25.4-100t
315 × 4.0 × 3.0 × 65-96td (3个刮刀)
330 × 3.6 × 2.8 × 230-60t0
350 × 3.2 × 2.2 × 70-40t
350 × 3.5 × 2.5 × 30-84td
350 × 3.5 × 2.5 × 30-108td
350 × 4.2 × 3.0 × 155-84t0
350 × 4.4 × 3.2 × 30-72td
350 × 4.4 × 3.2 × 80-72td
355 × 1.8 × 3.0 × 50.8-30t

355 × 2.0 × 1.5 × 50.8-30t
355 × 2.0 × 1.5 × 50.8-36t
355 × 2.0 × 1.5 × 25.4-60t
355 × 2.2 × 1.6 × 25.4-40t
355 × 2.6 × 2.0 × 50.8-36t
355 × 2.6 × 2.0 × 25.4-60t
355 × 3.0 × 2.2 × 25.4 × 30t
355 × 3.0 × 2.2 × 25.4 × 36t
355 × 3.0 × 2.2 × 25.4-60t
355 × 3.0 × 2.2 × 25.4-100t
355 × 3.0 × 2.2 × 25.4-120t
355 × 3.2 × 2.4 × 70-20t (4个刮刀,双22 × 11)
355 × 3.2 × 2.4 × 25.4-30t
355 × 3.2 × 2.4 × 70-36t
355 × 3.2 × 2.4 × 70-36t (4个刮刀,双12*7)
355 × 3.2 × 2.2 × 25.4-50t
355 × 3.2 × 2.2 × 25.4-60t
355 × 3.2 × 2.2 × 25.4-60td
355 × 3.2 × 2.2 × 25.4-72t
355 × 3.2 × 2.2 × 25.4-72td
355 × 3.2 × 2.2 × 25.4-80t
355 × 3.2 × 2.2 × 25.4-100t
355 × 3.2 × 2.2 × 30-100t
355 × 3.2 × 2.2 × 25.4-120t
355 × 3.2 × 2.2 × 30-120t
355 × 3.5 × 2.5 × 25.4-60t
355 × 3.5 × 2.5 × 25.4-60td
355 × 3.5 × 2.5 × 25.4-72t
355 × 3.5 × 2.5 × 30-72t
355 × 3.5 × 2.5 × 25.4-72td
355 × 3.5 × 2.5 × 30-72td
355 × 3.5 × 2.5 × 25.4-80t
355 × 3.5 × 2.5 × 25.4-100t
355 × 3.5 × 2.5 × 80-100t
355 × 3.5 × 2.5 × 25.4-100td

355 × 3.5 × 2.5 × 25.4-120t
355 × 3.6 × 2.8 × 230-60t
355 × 4.0 × 3.0 × 25.4-60t
355 × 4.0 × 3.0 × 25.4-70td
355 × 4.0 × 3.0 × 50.8-70t
355 × 4.0 × 3.0 × 50.8-70t-14p
355 × 4.0 × 3.0 × 25.4-80t
355 × 4.0 × 3.0 × 25.4-100t
355 × 5.0 × 3.6 × 50.8-66td
355 × 5.0 × 3.6 × 25.4-72t
355 × 5.0 × 3.6 × 50.8-72t
355 × 5.0 × 3.6 × 50.8-72t-14p
380 × 4.8 × 3.8 × 60-72t
400 × 4.4 × 3.2 × 75-72t
400 × 4.4 × 3.2 × 75-72td
400 × 4.4 × 3.2 × 80-72td
405 × 2.6 × 1.8 × 25.4-40t
405 × 3.2 × 2.4 × 25.4-60t
405 × 3.2 × 2.6 × 25.4-80t
405 × 3.2 × 2.4 × 25.4-100t
405 × 3.2 × 2.4 × 25.4-120t
405 × 4.0 × 3.2 × 50.8-80td
405 × 4.2 × 3.2 × 70-30t (6个刮刀,双12 × 7)
405 × 5.0 × 3.6 × 25.4-66td
405 × 5.0 × 3.6 × 50.8-66td
405 × 5.0 × 3.6 × 50.8-72t
405 × 5.0 × 3.6 × 50.8-72td
430 × 4.4 × 3.2 × 75-96td
450 × 4.8 × 3.5 × 60-72td
455 × 3.4 × 2.5 × 25.4-60t
455 × 3.4 × 2.5 × 25.4-100t
455 × 3.4 × 2.5 × 25.4-120t
455 × 3.8 × 3.0 × 80-30t (6个刮刀,21*7)
455 × 4.0 × 3.0 × 50.8-72t
455 × 4.0 × 3.2 × 50.8-80td

455 × 4.0 × 3.0 × 25.4-100t
455 × 4.2 × 3.2 × 90-30t (6个刮刀)
455 × 5.0 × 3.6 × 50.8-66td
455 × 5.0 × 3.6 × 50.8-70t
455 × 5.0 × 3.6 × 50.8-72t
455 × 5.0 × 3.6 × 25.4-120t
505 × 4.0 × 3.2 × 25.4-100t
505 × 4.5 × 3.5 × 70-36t (6个刮刀,双12 × 7)
505 × 5.0 × 3.6 × 50.8-100t
510 × 3.6 × 2.8 × 25.4-120t
510 × 4.0 × 3.0 × 25.4-120t
560 × 4.0 × 3.0 × 25.4-120t
610 × 4.0 × 3.2 × 25.4-90t

本产品的品牌是HEER，鹰牌，月亮，金丰利，日本合意，德，型号是180\*3.3/4.3\*36T\*30/25.4，是否标准件是标准件，标准编号是350\*96T\*3.5\*30/25.4，材质是硬质合金，用途是木工锯片，是否涂层是非涂层，适用机床是电脑锯，电子锯，精密电脑锯，规格是350\*96T\*3.5\*30/25.4；180\*3.3/4.3\*36T\*30/25.4，样品或现货是现货，是否进口是是，加工定制是否