

# 开关硬件921X唱机线路输出开关

产品名称	开关硬件921X唱机线路输出开关
公司名称	深圳市时代宏成科技有限公司
价格	面议
规格参数	加工定制:否 品牌:SWITCHCRAFT 型号:921X
公司地址	中国 北京市海淀区 北京海淀区中关村西善缘街1号 立方庭/南山区南光路鹏都大厦A2504/
联系电话	86 010 62416534/62416564 15201681308

## 产品详情

现货热销switchcraft开关硬件921x唱机线路输出开关 电话绳开关pendant nurse call cord switches

深圳市时代宏成科技有限公司现货热销switchcraft全系列开关产品 欢迎新老客户来电详谈

partno	qty	mfg	dcode	package
112bx	500	switchcraft	11+	bulk
921x	300	switchcraft	11+	bulk
aaa3mpbz	300	switchcraft	11+	bulk
b3fbx	250	switchcraft	11+	bulk
b4f	345	switchcraft	11+	bulk

switchcraft开关供应商联系方式：

## pendant nurse call cord switches

momentary cord (pendant) switches can be specified with red or black pushbuttons, 1-c switching, solder terminals and metal handle (series e900), plastic handle (series ep900), or metal handle with clamp and strain relief (series ed900).

specifications921 and 921k - molded gray plastic with contrasting trim and black pushbutton.

switch contacts:integral copper alloy, plated, form 1-a, 0.5 a, 50 w maximum, ac, non-inductive load. not recommended for high voltage circuits.

insulation:thermoplastic ul 94v-0.

phono jack terminations:(921): standard phono jack, similar to 3501fp (see jacks and plugs section).

part numbers

part number	description
921	cordette switch, phono jack termination.
921k	same as 921, except with 6 foot (1.8 meter), 2-conductor cable with stripped and tinned leads.

specificationsseries e900, ep900:

housing:series e900 - copper alloy, plated. series ep900 - molded black plastic.

switch bushing:copper alloy, plated.

insulation:rigid plastic.

series ed900:

housing:die-cast zinc, plated.

switch body and insert bushing:copper alloy, plated.

insulation:rigid plastic.

cable relief bushing:black thermoplastic rubber.

pressure plates:stainless steel.

cable relief screws:steel, plated.

part numbers(examples)

pushbutton color/part number			maximum cable outside diameter	circuit
red	black			
e903	e913	.375" [9.5 mm]	1-c	
ed903	ed913	.375" [9.5 mm]		
ep903	ep913	.250" [6.4 mm]		

本产品的加工定制是否，品牌是SWITCHCRAFT，型号是921X，种类是配件组件，额定电压是94（V），额定电流是1（A），接触电阻是20（），绝缘电阻是5（M），产品性质是热销，营销方式是现货，营销价格是特价，属性是属性值