

# 杭州智玲金秋供应1860卷筒纸巾机，卷纸机

产品名称	杭州智玲金秋供应1860卷筒纸巾机，卷纸机
公司名称	杭州智玲无纺布机械设备厂
价格	面议
规格参数	
公司地址	杭州市西湖区三墩镇山联村下确桥百邦科技园
联系电话	0571-81902648 13735585907

## 产品详情

中文版：

### 一、设备性能及特点:

- 1.设备的工作原理:两卷料自动上料 同步输送 压花 打孔 自动收卷 裁切.
- 2.设备配气动自动上料装置，最大承受重量约500kg，方便操作.
- 3.设备配宽皮带同步输送装置及二处控制涨力装置，调节纸张张力.根据需求可增配尾部自动纠偏装置.
- 4.设备配二根输送长辊全部滚花处理并电镀，压花辊电镀处理(另一根是具有耐腐蚀性的耐磨橡胶辊或羊毛辊)，产品花纹可根据客户要求定做.
- 5.设备配螺旋打孔装置，齿轮式无极变速器从10cm-60cm，不用换齿轮自动调整线距长短.
- 6.设备配2根气涨轴收卷，收卷整齐不跑偏.本机可生产有芯或无芯复卷的产品.
- 7.设备配收卷气动压紧功能，使生产的产品更美观.配有4根高精度氧化铝合金去皱辊.
- 8.设备配有红外线自动计数装置及自动停机功能，计数到数停机，计数精确.
- 9.设备副机为一台切割机，根据要求定长切割产品，并配有自动磨刀装置.

### 二、设备计数参数:

设备型号 ZI-f1860

生产速度 200米/分钟(具体速度要根据各种材料的特点而定)

设备有效门幅 1860mm

收卷产品直径 400mm(特殊产品可根据要求定做)

额定电压 380v

额定频率 50hz

总功率 4.5kw

外形尺寸 长4000mm x宽2800mm x高1600mm

设备重量 3500kg

英文版：

main characteristics:

1.working principle: two volumes of material automatic feeding, synchronous transmission, embossing, punching, cutting automatic winding.

2.equipment with pneumatic automatic feeding device, the maximum withstand the weight of about 500kg, easy to operate.

3.equipment with wide synchronous belt conveyor installations and two control tension device, adjust the paper tension according to the demand for additional tail of automatic correcti

on device.

4. equipment with two conveyor long roll all knurled handle and plating, embossing roll (another root of the plating is corrosion resistance, wear rubber roller or wool roller), the product pattern can be tailored to customer requirements.

5. equipment with the spiral punch device, gear cvt from 10cm-60cm, do not change gears automatically adjust the length of linear distance.

6. device equipped with two air shaft winding, winding and tidy deviation. this machine can produce products of the core or coreless rewinding.

7. equipment with winding pneumatic compression function to make the products more beautiful. with four high-precision aluminum alloy wrinkle roller, and 11 cylinders.

8. device equipped with infrared counting device and automatic shutdown feature automatically counts to stop the count accurate.

9. slave device for a cutting machine, cut to length upon request products, and is equipped with automatic knife grinding device.

10. equipment imported variable frequency speed control, electrical parts of the wiring norms reasonable, beautiful, generous, easy to operate.

11. international molding a whole rack of steel surface rust treatment, precision welded frame size, standard parts screw the main components of domestic high-quality 45 # steel socket head cap screws, countertops, and could easily lead to parts of the health impact of a II adopted 304 stainless steel production.

device technical parameter :

type	zl-f1860
producing speed	200meters/min(according to raw material)
effective width of product	1860mm
winding product diameter	400mm(according to your requirements)

rated voltage	380v
rated frequency	50hz
total power	4.5kw
size	l4000mm × w2800mm × h1600mm
weight	3500kg