

# 模具温度控制机

产品名称	模具温度控制机
公司名称	奥德精机模温机有限公司
价格	.00/台
规格参数	品牌:奥德精机 型号:AOS
公司地址	江苏省苏州市强安路
联系电话	18662415152 18872231402

## 产品详情

高温水温机 模具温度控制机

??

features

???????

explosion-proof equipment for pipelines

???????

air blowing and return water function

?????????

thermometer for return water

??????????

automatic air-exhausting function after startup

??????????

switchover of heating power

??????????(??)

instant cooling return oil shut-down function (optional)

?????????. ?????????

isolated electric box for longer services lives of electric appliances

rs485????, ?????????.(??)

rs485 communication function for automated management (optional)

??by-pass????

by-pass pressure release loop for hot water

??????????????

customizable multi-point temperature control unit

????????????????

customizable horsepower and heating power of oil pump

????omron. fuji. te. lg

brands omron, fuji, te and lg for electric appliances

??????? : ???+15??180?

range of temperature control: +15??180? for incoming water

304????????,????????

304 stainless steel integrated pipelines for less pipe resistance and rust

????: ?????????(??)plc??

control mode: imported microcomputer or plc (optional)

??????,????, ?? ??????????

perfect safety protection, fault display, easy repair and maintenance even without professionals

????

??	??	awm-05(a )	awm-10(a )	awm-20	awp-10	awmd-10
----	----	---------------	---------------	--------	--------	---------

????	?	150?				
????	?	±1?		±0.1?		±1?
??		ac3?380v 50hz3p+e(5m)				
????		?				
????		????				
????	kw	6	9	9	9	9+9
????	hp	0.5	1	2	1	1+1
??????	l/min	35	100	180	100	100+100
??????	kg/cm2	2	2.2	2.4	2.2	2.2
??????	kw	7	10	11	10	20
????		??/??/??/??/??				
?????	inch	1/2	1/2	1/2	1/2	1/2
?????	inch	3/8x2	3/8x2	3/8x4	3/8x4	(3/8x4)x2
????	mm	620x325x 645	620x325x 645	620x325x 645	800x325x 640	620x550x 645
??	kg	62	72	75	62	110

?????????,??????,??????????????.

????? ??????? ??????

????????

features

??????

explosion-proof equipment for pipelines

??????

air blowing and return oil return function

???????

thermometer for return oil

???????

automatic air-exhausting function after startup

???????

switchover of heating power

??????(??)

negative-pressure system (optional)

rs485????????????(??)

rs485 communication function for automated management (optional)

????????(??)

instant cooling return oil shut-down function

????????????????

isolated electric box for longer services lives of electric appliances

??by-pass????

by-pass pressure release loop for hot oil

????????????

customizable multi-point temperature control unit

????????????

customizable horsepower and heating power of oil pump

????omron. fuji. te. lg.

brands omron, fuji, te and lg for electric appliances

?????: ???+25??300?

range of temperature control: +25??300? for incoming water

304???????,???????

304 stainless steel integrated pipelines for less pipe resistance and rust

????: ????????(??)plc??

control mode: imported microcomputer or plc (optional)

??????,????, ?? ????????

perfect safety protection, fault display, easy repair and maintenance even free of professionals