

KCS型PCS型PGRO型日本阪上密封圈

产品名称	KCS型PCS型PGRO型日本阪上密封圈
公司名称	上海鸿封机械设备有限公司
价格	面议
规格参数	品牌:SAKAGAMI 型号:KCS型PCS型PGRO型
公司地址	上海市闵行区虹梅南路1755号一幢一层CA1067室
联系电话	021-59275298 13524559223

产品详情

kcsクッションシール寸法表

クッションシールおよびみぞ寸法 (単位: mm)							カラー寸法 (単位: mm)						指示コード
d	d	h	d1	g	b	c	d	l	e	a		0	pn 104)
22	32	3	23	4	2	1	22	24	20.4	0.5	3	9.5	kcs-22
24	35	3.5	25	4.5	2	1	24	26	22.4	0.7	3	13.4	kcs-24
28	40	4	29	5	2.5	1.5	28	28	26.4	0.9	4	12.9	kcs-28
35	49	4.7	36.2	5.7	3	2	35	30	33.4	1.1	4	15.7	kcs-35
45	60	5	46.2	6	3	2	45	32	43.4	1.2	4	17.2	kcs-45
55	71	5.5	56.5	6.5	3	2	55	34	53.4	1.8	6	17.1	kcs-55

pcsクッションシール寸法表

クッションシールおよびみぞ寸法（単位：mm）							指示コード	
d	d	h	g	e	a	l	標準（rn 803）	耐熱用（rf 903）
10	18	4.7	5	12.5	8	15～20	pcs-10	
11.2	19.2	4.7	5	13.7	9.2	15～20	pcs-11.2	
14	22	4.7	5	16.5	12	15～20	pcs-14	
15	23	4.7	5	17.5	13	15～20	pcs-15	
16	24	4.7	5	18.5	14	15～20	pcs-16	pcs-16f
18	26	4.7	5	20.5	16	15～20	pcs-18	pcs-18f
20	28	4.7	5	22.5	18	15～20	pcs-20	pcs-20f
22	30	4.7	5	24.5	20	15～20	pcs-22	
22.4	30.4	4.7	5	24.9	20.4	15～20	pcs-22.4	
24	32	4.7	5	26.5	22	15～20	pcs-24	pcs-24f
25	33	4.7	5	27.5	23	15～30	pcs-25	pcs-25f
28	36	4.7	5	30.5	26	15～30	pcs-28	pcs-28f
30	40	5.6	6	33	28	20～30	pcs-30	pcs-30f
31.5	41.5	5.6	6	34.5	29.5	20～30	pcs-31.5	
35	45	5.6	6	38	33	20～30	pcs-35	pcs-35f
35.5	45.5	5.6	6	38.5	33.5	20～30	pcs-35.5	
38	48	5.6	6	41	36	20～30	pcs-38	pcs-38f
40	50	5.6	6	43	38	20～40	pcs-40	pcs-40f
45	55	5.6	6	48	43	20～40	pcs-45	
50	62	6.6	7	53	48	25～40	pcs-50	pcs-50f
55	67	6.6	7	58	53	25～40	pcs-55	

56	68	6.6	7	59	54	25 ~ 40	pcs-56	
60	72	6.6	7	63	58	25 ~ 40	pcs-60	pcs-60f
65	77	6.6	7	68	63	25 ~ 40	pcs-65	
75	87	6.6	7	78	73		pcs-0075002 n803	pcs-0075001 f903
85	97	6.6	7	88	83		pcs-0085002 n803	pcs-0085001 f903
120	132	6.6	7	123	118		pcs-0120002 n803	pcs-0120001 f903
130	142	6.6	7	133	128		pcs-0130001 n803	

pgリング (pgr) 寸法表

pgリングおよびみぞ寸法 (単位 : mm)								指示コード
d	d	h	g	d1	d2	a	b	標準 (pt 111)
30	24	3	3.5	29	29.5	3	3.5	pgro-30
31.5	25.5	3	3.5	30.5	31	3	3.5	pgro-31.5
35	29	3	3.5	34	34.5	3	3.5	pgro-35
35.5	29.5	3	3.5	34.5	35	3	3.5	pgro-35.5
40	33	3.4	4	39	39.5	3	3.5	pgro-40
45	38	3.4	4	44	44.5	3	3.5	pgro-45
50	43	3.4	4	49	49.5	3	3.5	pgro-50
55	48	3.4	4	54	54.4	3	3.5	pgro-55
56	49	3.4	4	55	55.4	3	3.5	pgro-56

60	53	3.4	4	59	59.4	3	3.5	pgro-60
63	56	3.4	4	62	62.4	3	3.5	pgro-63
65	58	3.4	4	64	64.4	3	3.5	pgro-65
70	62	3.8	4.5	69	69.4	4	4	pgro-70
71	63	3.8	4.5	70	70.4	4	4	pgro-71
75	67	3.8	4.5	74	74.4	4	4	pgro-75
80	72	3.8	4.5	79	79.4	4	4	pgro-80
90	82	3.8	4.5	89	89.4	4	4	pgro-90
100	90	4.5	5.5	98	99.4	4	5	pgro-100
110	100	4.5	5.5	108	109.4	4	5	pgro-110
112	102	4.5	5.5	110	111.4	4	5	pgro-112
120	110	4.5	5.5	118	119.4	4	5	pgro-120
125	115	4.5	5.5	123	124.3	4	5	pgro-125
140	130	4.5	5.5	138	139.3	4	5	pgro-140
150	138	5.5	6.5	148	149.3	5	6	pgro-150
160	148	5.5	6.5	158	159.3	5	6	pgro-160
170	158	5.5	6.5	168	169.3	5	6	pgro-170
180	168	5.5	6.5	178	179.3	5	6	pgro-180
200	188	5.5	6.5	198	199.3	5	6	pgro-200
224	212	5.5	6.5	222	223.2	5	6	pgro-224
250	238	5.5	6.5	248	249.2	5	6	pgro-250