

BLM18EG601SN1D MURATA贴片磁珠

产品名称	BLM18EG601SN1D MURATA贴片磁珠
公司名称	东莞市骏源电子科技有限公司
价格	面议
规格参数	应用范围:滤波 种类:电感磁珠 品牌:MURATA/村田
公司地址	中国 广东 东莞市 长安镇锦厦工业区
联系电话	86-76982283359 13925531070

产品详情

东莞市骏源电子科技有限公司主营生产：电容类：电解电容,瓷片电容,高压电容,超级电容,独石电容,贴片电容,集成电路ic,钽电容,铝电解电容,固态电容,可调电容,薄膜电容,cbb电容,安规电容；

电阻类：热敏电阻 压敏电阻 可调电阻 碳膜电阻 金属膜电阻 线绕电阻 保险丝电阻led发光二极管 磁珠（大电流）叠层电感 绕线电感 功率电感 工字电感自恢复保险丝 ptc保险丝 一次性保险丝 熔断保险丝开关二极管 变容二极管 稳压二极管 肖特基二极管整流桥 桥堆三极管 mos场效应 光耦 电源管理ic及半导体 集成电路等电子元件产品

global part number	blm18eg601sn1d
previous part number	
length	1.6mm
width	0.8mm
thickness	0.8mm
size code (in mm)	1608
size code (in inch)	0603
mass (typ.)	0.005g
rated current	500ma
number of circuits	1
dc resistance	0.35ohm max
impedance (at 100mhz/20 degree c)	600ohm ± 25%
impedance (at 1ghz/20 degree c)	700ohm (typ.)
operating temperature range	-55 to +125

minimum quantity

180mm paper tape	4000
180mm embossed tape	
330mm paper tape	
330mm embossed tape	
bulk case	
bulk(bag)	
ammo pack	
320reel	
magazine	
box	

东莞市骏源电子科技有限公司是一家生产和出售电子元件的大企业。为了满足客户的需要本公司代理了进口品牌：三星、村田、东芝、基美、飞利浦等产品。

东莞骏源电子科技有限公司代理村田/murata的如下系列电子元件产品。

共模扼流线圈常用料如下：dlp11sn900hl2l、dlw21sn900sq2l、dlw21sn670sq2l、dlw5btn102sq2l、dlp31sn221sl2、dlw5btn142sq2l、dlw5bsn152sq2l、dlw5bsn191sq2l、dlw5btn101sq2l、dlw5bsn302sq2l、dlp31sn121ml2l、dlp11sn121sl2、dxw21bn7511t、

贴片陶瓷电容常用料如下：grm155r61c104ka88d、grm155r61a105ke15d、grm155r60j225me15d、grm185r61c105ke44dgrm188r61c105ka93d、grm188r60j225ke19d、grm188r61a225ke34d、grm188r60j475ke19dgrm188r71a225ke15d、grm188r60j106me47d、grm21br71c105ka01l、grm219r60j106ke19dgrm21br60j106ke19l、grm219r60j226me47d、grm21br60j226me39l、grm31cr61e106ka12lgrm32er61c476ke15l、grm32er60j107me20l、gnm214r61a105me17d、gnm1m2r61c105me18d、gnm1m2r61a105jne17d、tzc3z060a110r00 tzc3r100a110r00tzv2r200a110、tzv2r030a110、tzv2r060a110、tzy2z060a001、tzy2z100a001、tzy2z200a001电感常用料如下；lqg15hs1n5s02、lqg15hn15nj02、lqg15hn18nj02、lqg15hn3n9s02、lqg15hs5n6s02、lqg15hs6n8j02、lqp15mn3n9b02、lqp15mn8n2b02、lqp15mn4n7b02d、lqp15mn5n6b02d、lqp15mn27nj02d、lqp18mn15ng02d、lqp18mn2n7c02d、lqp18mn3n3c02d、lqp18mn1n8c02、lqp18mn4n7c02d、lqp18mn27ng02d、lqh31mn100k03l、lqw15an39ng00d、lqw15an47ng00d、lqh43mn102k03l、lqw15an5n6c10d、lqw15an2n2c10d、磁珠常用料如下：blm18hd102sn1d、blm15bb750sn1d、blm18bd252sn1d、blm15bd182sn1d、blm18pg221sn1d、blm18hg601sn1d、blm21ag121sn1d、blm21pg221sn1d、blm31pg330sn1d、blm15hg601sn1d、blm15ag121sn1d、blm21bb331sn1d、blm31pg601sn1l、blm41pg600sn1l、blm15bd102sn1d、blm18hd102sn1d、热敏电阻常用料如下：ncp21wb473j03ra、ncp21xm472j03ra、ncp21xw223j03ra、ncp15xc220j03rc、ncp15xw682j03rcncp15xq102j03rc、ncp21xv103j03ra、ncp15wb333j03ra、ncp18xq102j03rb、ncp18xq102j03rbncp18xq102j03rb、ncp15xh103f03rc ncp18xh103f03rb、ncp15wf104f03rc陶瓷振荡子常用料如下：cstce16m0v53-r0、cstcr4m00g53-r0、cstcr6m00g53-r0、cstls20m0x53-b0、cstce18m4v53-r0、cstce8m00g52-r0、cstls4m00g53-b0、蓝牙滤波器常用料如下：lfb182g45sg9a293、lfb212g45ba1a220、lfb212g45sg8a192、声表滤波常用料如下：sawep942mcm0f00r12、safea1g96fa0f00r12、safea942mfa0f00、safea881maa0f00、safea1g96ab0f00、safea942mfl0f00r14、safea1g84fa0f00r14、safea881mfl0f00r14、sawen942mcm0f00r14、safeb1g57fm0f00、safel1g96fa0f00r14、safel1g84fa0f00r14、safel942mfl0f00r14、safel881mfl0f00r14滤波电容常用料号如下：nfm21pc105b1a3、nfm3dpc223r1h3l、nfe31pt221d1e9l、nfm18cc223r1c3d、nfm18pc105r0j3、nfm21pc474r1c3d、nfm3dcc101u1h3l、nfm41pc204f1h3l、nfm21pc104r1e3d、nfm21cc223r1h3d、nfm21pc224r1c3d、nfm3dcc471r1h3、nfm21cc222r1h3b、nfe31pt222z1e9、nfe61pt101z1h9l、nfe61pt472c1h9l、nfw31sp506x1e4、nfm41pc204f1h3、nfm41cc223r2a3l、nfm18pc104r1c3b、nfm18pc105r03j、bnx002-01

本产品的应用范围是滤波，种类是电感磁珠，品牌是MURATA/村田，型号是BLM18EG601SN1D，封装形式是贴片电感，绕线形式是单层间绕式，导磁体性质是铁氧体磁芯，磁芯形状是方形，工作频率是低

频，安装方式是卧式密封，骨架材料是陶瓷，电感量是600R，允许误差是+-25%，感抗XL是0.35（ ），
额定电流是500（ mA）