

Orange header bar				
White cell		Orange header bar		
White cell		White cell		
Orange header bar				
Yellow cell	Yellow cell	Yellow cell	Yellow cell	Yellow cell
White cell	White cell	White cell	White cell	White cell
Yellow cell	Yellow cell	Yellow cell	Yellow cell	Yellow cell
Orange header bar				

规格代号	内径d	高度h	钢球直径d	等分en	钢球高度mn	钢球数	间		
fzh-1950	19	50	3	12	8	96			
fzh-1960		60			10	120			
fzh-2050	20	50			14	8		96	
fzh-2060		60				10		120	
fzh-2250	22	50				16		8	112
fzh-2260		60						10	140
fzh-2360	23	60		10				140	
fzh-2475	24	75		4		14		13	208
fzh-2550	25	50			8			128	
fzh-2560		60			10			160	
fzh-2575		75			13			208	
fzh-2775	27	75			13			208	
fzh-2860	28	60	5		16		8	112	
fzh-2875		75		11		154			
fzh-3060	30	60		18		8	112		
fzh-3075		75				11	154		
fzh-3260	32	60				20	8	128	
fzh-3275		75					11	176	
fzh-3290		90	13		208				
fzh-3685	36	85	22		12	192			
fzh-3690		90		13	208				
fzh-3870	38	70		18	8	128			
fzh-3890		90			11	176			
fzh-4090	40	90			11	176			
fzh-4590	45	90			20	11	198		
fzh-45110		110	13			234			
fzh-5090	50	90	22		11	220			
fzh-50110		110		13	260				
fzh-6090	60	90		11	242				

产品详情

fzh-60110		110		13	286	
fzh-80130	80	130		28	15	420

fzh 铜基钢球保持架

基本特性

本产品的类型是冷冲模架，品牌是SPF，型号是45*90*5，适用模具类型是冲压模，产品别名是导套。该产品的材料是铜基，配以优质钢球，按一定的角度和密度有序地排列，产品适用于冷冲模具，精密机床等。

主要参数 technical date

最大承载压力	30n/mm2	装配过盈	0.0
最高线速度	6m/s	钢球直径偏差	
摩擦系数	0.01~0.08		

标准公差尺寸

